Interactive version

atlas concorde



Catalog 2024

atlas concorde

A system of indoor and outdoor surfaces: floors, walls and decors.

Floor | Wall | Decors | Outdoor | Facades

atlasPLAN

Large slabs for kitchen countertops, tables and for furnishings.

Slabs for countertops and furniture

atlas concorde habitat

Furniture in combination with Atlas Concorde surfaces.

Bathroom furniture | Tables

Three brands, one space.

Index

Product Finder

- ALPHABETICAL INDEX
- LOOK INDEX
- PORCELAIN TILES SIZE INDEX
- OUTDOOR SIZE INDEX
- WALL TILES SIZE INDEX

Surface Range

- PORCELAIN TILES
- WALL TILES

Company

Collections

- 3D WALL
- CONCRETE & RESIN LOOK
- MARBLE LOOK
- STONE LOOK
- WOOD LOOK

- Trim Tiles

Large Sizes

Slabs for Countertops & Furniture

Furniture

Facades

Technical Specifications

- Environmental sustainability
- Certifications
- Sensitech technology
- Velvetech technology
- Technical specification
- Destinations of use
- Color-Shading
- Laying suggestions, cleaning and maintenance
- Packing
- General sales conditions

Alphabetical Index

62 3D WALL CARVE (1) (2)
66 3D WALL DESIGN
70 3D WALL PLASTER

74 APLOMB (1)
80 ARTY
278 AXI

86 BOOST
94 BOOST BALANCE
102 BOOST COLOR
224 BOOST MINERAL
232 BOOST MIX
110 BOOST NATURAL (1)
118 BOOST PRO
236 BOOST STONE
242 BRAVE

84 CANONE INVERSO

280 ENTICE
286 ETIC
288 ETIC PRO
290 EXENCE

296 HEARTWOOD

248 KLIF
252 KONE

258 LIMS

142 MARVEL
152 MARVEL DREAM
158 MARVEL GALA (1)
162 MARVEL GEMS
164 MARVEL MERAVIGLIA
174 MARVEL ONYX
178 MARVEL PRO
188 MARVEL SHINE
200 MARVEL STONE Marble Look
210 MARVEL TRAVERTINE (1)
216 MARVEL X (1)

264 NORDE

126 PRISM

272 TRUST

136 VENTI BOOST

atlasconcorde.com >
CATALOGS DOWNLOAD

Look Index

3D Wall

62 3D WALL CARVE (1) (2)
66 3D WALL DESIGN
70 3D WALL PLASTER

74 APLOMB (1)
80 ARTY

Concrete & Resin Look

86 BOOST
94 BOOST BALANCE
102 BOOST COLOR
110 BOOST NATURAL (1)
118 BOOST PRO
84 CANONE INVERSO
126 PRISM
136 VENTI BOOST

Marble Look

142 MARVEL
152 MARVEL DREAM
158 MARVEL GALA (1)
162 MARVEL GEMS
164 MARVEL MERAVIGLIA
174 MARVEL ONYX
178 MARVEL PRO
188 MARVEL SHINE
200 MARVEL STONE
210 MARVEL TRAVERTINE (1)
216 MARVEL X (1)

Stone Look

224 BOOST MINERAL
232 BOOST MIX
236 BOOST STONE
242 BRAVE
248 KLIF
252 KONE
258 LIMS
210 MARVEL TRAVERTINE (1)
264 NORDE
272 TRUST

Wood Look

278 AXI
280 ENTICE
286 ETIC
288 ETIC PRO
290 EXENCE
296 HEARTWOOD

(1) reddot winner


(2) DESIGN AWARD ADI

Porcelain Tiles Size Index

162x324
159x324

366	SLABS FOR COUNTERTOPS & FURNITURE	

160x320



86	BOOST	Concrete Look
94	BOOST BALANCE	Concrete Look
224	BOOST MINERAL	Stone Look
118	BOOST PRO	Concrete Look
236	BOOST STONE	Stone Look
252	KONE	Stone Look
142	MARVEL	Marble Look
158	MARVEL GALA	Marble Look
164	MARVEL MERAVIGLIA	Marble Look
174	MARVEL ONYX	Marble Look
178	MARVEL PRO	Marble Look
188	MARVEL SHINE	Marble Look
200	MARVEL STONE	Marble Look
210	MARVEL TRAVERTINE	Marble Look
216	MARVEL X	Marble Look

160x160



86	BOOST	Concrete Look
118	BOOST PRO	Concrete Look
142	MARVEL	Marble Look
178	MARVEL PRO	Marble Look
188	MARVEL SHINE	Marble Look
200	MARVEL STONE	Marble Look

120x278



86	BOOST	Concrete Look
94	BOOST BALANCE	Concrete Look
102	BOOST COLOR	Concrete Look
224	BOOST MINERAL	Stone Look
232	BOOST MIX	Stone Look
110	BOOST NATURAL	Concrete Look
118	BOOST PRO	Concrete Look
236	BOOST STONE	Stone Look
258	LIMS	Stone Look
142	MARVEL	Marble Look
152	MARVEL DREAM	Marble Look
158	MARVEL GALA	Marble Look
164	MARVEL MERAVIGLIA	Marble Look
174	MARVEL ONYX	Marble Look
178	MARVEL PRO	Marble Look
188	MARVEL SHINE	Marble Look
200	MARVEL STONE	Marble Look
210	MARVEL TRAVERTINE	Marble Look
216	MARVEL X	Marble Look
126	PRISM	Concrete Look

120x240



86	BOOST	Concrete Look
224	BOOST MINERAL	Stone Look
118	BOOST PRO	Concrete Look
142	MARVEL	Marble Look
152	MARVEL DREAM	Marble Look
164	MARVEL MERAVIGLIA	Marble Look
174	MARVEL ONYX	Marble Look
178	MARVEL PRO	Marble Look
188	MARVEL SHINE	Marble Look
200	MARVEL STONE	Marble Look
210	MARVEL TRAVERTINE	Marble Look
216	MARVEL X	Marble Look

120x120



86	BOOST	Concrete Look
94	BOOST BALANCE	Concrete Look
224	BOOST MINERAL	Stone Look
232	BOOST MIX	Stone Look
110	BOOST NATURAL	Concrete Look
118	BOOST PRO	Concrete Look
236	BOOST STONE	Stone Look
258	LIMS	Stone Look
142	MARVEL	Marble Look
152	MARVEL DREAM	Marble Look
158	MARVEL GALA	Marble Look
164	MARVEL MERAVIGLIA	Marble Look
174	MARVEL ONYX	Marble Look
178	MARVEL PRO	Marble Look
188	MARVEL SHINE	Marble Look
200	MARVEL STONE	Marble Look
210	MARVEL TRAVERTINE	Marble Look
216	MARVEL X	Marble Look
126	PRISM	Concrete Look

60x120



86	BOOST	Concrete Look
94	BOOST BALANCE	Concrete Look
224	BOOST MINERAL	Stone Look
232	BOOST MIX	Stone Look
110	BOOST NATURAL	Concrete Look
118	BOOST PRO	Concrete Look
236	BOOST STONE	Stone Look
142	MARVEL	Marble Look
152	MARVEL DREAM	Marble Look
158	MARVEL GALA	Marble Look
164	MARVEL MERAVIGLIA	Marble Look
174	MARVEL ONYX	Marble Look
178	MARVEL PRO	Marble Look
188	MARVEL SHINE	Marble Look
200	MARVEL STONE	Marble Look
210	MARVEL TRAVERTINE	Marble Look
216	MARVEL X	Marble Look
264	NORDE	Stone Look
126	PRISM	Concrete Look

75x150



86	BOOST	Concrete Look
224	BOOST MINERAL	Stone Look
118	BOOST PRO	Concrete Look
242	BRAVE	Stone Look
248	KLIF	Stone Look
252	KONE	Stone Look
258	LIMS	Stone Look
142	MARVEL	Marble Look
152	MARVEL DREAM	Marble Look
164	MARVEL MERAVIGLIA	Marble Look
178	MARVEL PRO	Marble Look
188	MARVEL SHINE	Marble Look
200	MARVEL STONE	Marble Look
216	MARVEL X	Marble Look

75x75



86	BOOST	Concrete Look
94	BOOST BALANCE	Concrete Look
224	BOOST MINERAL	Stone Look
118	BOOST PRO	Concrete Look
242	BRAVE	Stone Look
248	KLIF	Stone Look
252	KONE	Stone Look
258	LIMS	Stone Look
142	MARVEL	Marble Look
164	MARVEL MERAVIGLIA	Marble Look
178	MARVEL PRO	Marble Look
188	MARVEL SHINE	Marble Look
200	MARVEL STONE	Marble Look
216	MARVEL X	Marble Look

37,5x75

248	KLIF	Stone Look
258	LIMS	Stone Look

60x60



86	BOOST	Concrete Look
94	BOOST BALANCE	Concrete Look
224	BOOST MINERAL	Stone Look
232	BOOST MIX	Stone Look
110	BOOST NATURAL	Concrete Look
118	BOOST PRO	Concrete Look
236	BOOST STONE	Stone Look
242	BRAVE	Stone Look
252	KONE	Stone Look
142	MARVEL	Marble Look
162	MARVEL GEMS	Marble Look
164	MARVEL MERAVIGLIA	Marble Look
174	MARVEL ONYX	Marble Look
178	MARVEL PRO	Marble Look
188	MARVEL SHINE	Marble Look
200	MARVEL STONE	Marble Look
210	MARVEL TRAVERTINE	Marble Look
216	MARVEL X	Marble Look
264	NORDE	Stone Look
126	PRISM	Concrete Look
272	TRUST	Stone Look

30x60

86	BOOST	Concrete Look
94	BOOST BALANCE	Concrete Look
224	BOOST MINERAL	Stone Look
232	BOOST MIX	Stone Look
110	BOOST NATURAL	Concrete Look
118	BOOST PRO	Concrete Look
236	BOOST STONE	Stone Look
242	BRAVE	Stone Look
252	KONE	Stone Look
142	MARVEL	Marble Look
164	MARVEL MERAVIGLIA	Marble Look
178	MARVEL PRO	Marble Look
188	MARVEL SHINE	Marble Look
200	MARVEL STONE	Marble Look
216	MARVEL X	Marble Look
264	NORDE	Stone Look
126	PRISM	Concrete Look
272	TRUST	Stone Look

45x90

242	BRAVE	Stone Look

25x150



288	ETIC PRO	Wood Look

18,5x150

280	ENTICE	Wood Look
290	EXENCE	Wood Look
296	HEARTWOOD	Wood Look

20x120

280	ENTICE	Wood Look
290	EXENCE	Wood Look
296	HEARTWOOD	Wood Look

22,5x90

278	AXI	Wood Look
286	ETIC	Wood Look
288	ETIC PRO	Wood Look

20x20

136	VENTI BOOST	Concrete Look

INDEX
PRODUCT FINDER
ALPHABETICAL INDEX
LOOK INDEX
PORCELAIN TILES SIZE INDEX
OUTDOOR TILES SIZE INDEX
WALL TILES SIZES INDEX
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Outdoor Size Index

120x240	**86**	BOOST	20 mm	Concrete Look
	224	BOOST MINERAL	20 mm	Stone Look
120x120	**86**	BOOST	9/20 mm	Concrete Look
	94	BOOST BALANCE	9/20 mm	Concrete Look
	224	BOOST MINERAL	20 mm	Stone Look
	232	BOOST MIX	20 mm	Stone Look
	118	BOOST PRO	9/20 mm	Concrete Look
	110	BOOST NATURAL	9/20 mm	Concrete Look
	236	BOOST STONE	20 mm	Stone Look
	126	PRISM	9/20 mm	Concrete Look
60x120	**86**	BOOST	20 mm	Concrete Look
	94	BOOST BALANCE	9/20 mm	Concrete Look
	224	BOOST MINERAL	9/20 mm	Stone Look
	232	BOOST MIX	20 mm	Stone Look
	118	BOOST PRO	20 mm	Concrete Look
	110	BOOST NATURAL	9 mm	Concrete Look
	236	BOOST STONE	9/20 mm	Stone Look
	242	BRAVE	20 mm	Stone Look
	258	LIMS	20 mm	Stone Look
	164	MARVEL MERAVIGLIA	20 mm	Marble Look
	210	MARVEL TRAVERTINE	9/20 mm	Marble Look
	216	MARVEL X	20 mm	Marble Look
	264	NORDE	9/20 mm	Stone Look
	272	TRUST	20 mm	Stone Look
80x80	**126**	PRISM	20 mm	Concrete Look
	264	NORDE	20 mm	Stone Look
90x90	**86**	BOOST	20 mm	Concrete Look
	224	BOOST MINERAL	20 mm	Stone Look
	118	BOOST PRO	20 mm	Concrete Look
60x90	**264**	NORDE	20 mm	Stone Look
37,5x75	**248**	KLIF	9 mm	Stone Look
	258	LIMS	9 mm	Stone Look
60x60	**86**	BOOST	20 mm	Concrete Look
	94	BOOST BALANCE	20 mm	Concrete Look
	224	BOOST MINERAL	9/20 mm	Stone Look
	232	BOOST MIX	20 mm	Stone Look
	118	BOOST PRO	20 mm	Concrete Look
	110	BOOST NATURAL	20 mm	Concrete Look
	236	BOOST STONE	20 mm	Stone Look
	242	BRAVE	20 mm	Stone Look
	258	LIMS	20 mm	Stone Look
	264	NORDE	20 mm	Stone Look
	272	TRUST	20 mm	Stone Look
30x60	**242**	BRAVE	9 mm	Stone Look
	232	BOOST MIX	9 mm	Stone Look
	236	BOOST STONE	9 mm	Stone Look
	252	KONE	9 mm	Stone Look
	178	MARVEL PRO	9 mm	Marble Look
	264	NORDE	9 mm	Stone Look
	272	TRUST	9 mm	Stone Look
18,5x150	**290**	EXENCE	9 mm	Wood Look
30x120	**280**	ENTICE	20 mm	Wood Look
	288	ETIC PRO	20 mm	Wood Look
	290	EXENCE	20 mm	Wood Look
20x120	**280**	ENTICE	9 mm	Wood Look
22,5x90	**288**	ETIC PRO	9 mm	Wood Look

DOWNLOAD >
OUTDOOR CATALOG

Wall Tiles Size Index

50x120	**66**	3D WALL DESIGN	
	70	3D WALL PLASTER	
	74	APLOMB	Concrete Look
	102	BOOST COLOR	Concrete Look
	116	BOOST NATURAL	Concrete Look
	150	MARVEL	Marble Look
	186	MARVEL PRO	Marble Look
	198	MARVEL SHINE	Marble Look
	208	MARVEL STONE	Marble Look
	132	PRISM	Concrete Look
40x80	**62**	3D WALL CARVE	
	66	3D WALL DESIGN	
	82	ARTY	Concrete Look
	92	BOOST	Concrete Look
	124	BOOST PRO	Concrete Look
	247	BRAVE	Stone Look
	263	LIMS	Stone Look
	150	MARVEL	Marble Look
	186	MARVEL PRO	Marble Look
	198	MARVEL SHINE	Marble Look
	208	MARVEL STONE	Marble Look
30,5x91,5	**150**	MARVEL	Marble Look
	186	MARVEL PRO	Marble Look
30,5x56	**66**	3D WALL DESIGN	
	150	MARVEL	Marble Look
8,5x31,5	**150**	MARVEL	Marble Look
	186	MARVEL PRO	Marble Look
	208	MARVEL STONE	Marble Look


INDEX
PRODUCT FINDER
ALPHABETICAL INDEX
LOOK INDEX
PORCELAIN TILES SIZE INDEX
OUTDOOR TILES SIZE INDEX
WALL TILES SIZES INDEX
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Porcelain Tiles
Concrete & Resin Look



Porcelain Tiles —— CONCRETE & RESIN LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



Porcelain Tiles —— CONCRETE & RESIN LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS




























































































Porcelain Tiles —— CONCRETE & RESIN LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Porcelain Tiles
Marble Look




Porcelain Tiles —— MARBLE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS




Porcelain Tiles —— MARBLE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



Porcelain Tiles —— MARBLE LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



Porcelain Tiles —— MARBLE LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Porcelain Tiles
Stone Look




Porcelain Tiles —— STONE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS




Porcelain Tiles —— STONE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



Porcelain Tiles —— STONE LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



Porcelain Tiles —— **STONE LOOK**

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Porcelain Tiles
Wood Look



Porcelain Tiles —— WOOD LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Wall Tiles
3D Wall




Wall Tiles —— 3D WALL

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



Wall Tiles
Stone Look



Wall Tiles —— 3D WALL, STONE LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Wall Tiles
Concrete Look



Wall Tiles —— CONCRETE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS




Wall Tiles
Marble Look



Wall Tiles —— CONCRETE, MARBLE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



Wall Tiles —— MARBLE LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Wall Tiles
Color Look



Wall Tiles —— COLOR LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



Wall Tiles —— COLOR LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Company

- ABOUT US
- OUR PLACES
- COLLABORATIONS
- DESIGN ACHIEVEMENTS & AWARDS

History

1969
Ceramica Concorde
is founded

1974
Ceramiche Atlas
is established

1990
Atlas Concorde is established from the merge of Ceramica Concorde and Ceramiche Atlas

1998
Porcelain tile
production

2015
Production
of **large slabs**

2017
Atlas Plan brand

2020
Automated Warehouse

2021
Atlas Concorde Habitat
brand

2023
New
large slabs plant

Our vision

Enriching spaces around the world
with the beauty of Italian design.

Our mission

Modernizing spaces around the world
through our elegant and refined style.

Our way

Made to Excel: being both high-performing
and supportive of individuals.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Our places

atlas concorde

Park Studio

An innovative exhibition space of more than 3,000 square meters inside the Atlas Concorde Headquarters.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



Atlas Concorde Studios

7

Dubai, AE
London, UK
Lyon, FR
Milan, IT
Moscow, RU
Nashville, US
Paris, FR

Spaces for architects, interior designers, and professionals.



Atlas Concorde Stores

32

Aberystwyth, UK
Baghdad, IQ
Beirut, LB
Belgrade, RS
Bucharest, RO
Doha, QA
Gurgaon, IN
Kazan, RU
Kostroma, RU
Kuwait, KW
Lahore, PK
Lille, FR
Manama, BH
Moscow, RU (8)
Muscat, OM
Nizhny Novgorod, RU (2)
Oftringen, CH
St. Petersburg, RU
Saratov, RU
Seoul, KR
Tyumen, RU
Vienna, AT
Wan Chai, HK (2)

Flagships stores open to the public.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

International leadership

HEADQUARTERS
ATLAS CONCORDE PARK STUDIO

Fiorano Modenese, IT

7 STUDIOS

Dubai, AE
London, UK
Lyon, FR
Milan, IT
Moscow, RU
Nashville, US
Paris, FR

32 STORES

Aberystwyth, UK
Baghdad, IQ
Beirut, LB
Belgrade, RS
Bucharest, RO
Doha, QA
Gurgaon, IN
Kazan, RU
Kostroma, RU
Kuwait, KW
Lahore, PK
Lille, FR
Manama, BH
Moscow, RU (8)
Muscat, OM
Nizhny Novgorod, RU (2)
Oftringen, CH
St. Petersburg, RU
Saratov, RU
Seoul, KR
Tyumen, RU
Vienna, AT
Wan Chai, HK (2)

7 REPRESENTATIVE OFFICES

Beijing, CN
Dania Beach, US
Kiev, UA
Riga, LV
St. Petersburg, RU
Seoul, KR
Sydney, AU



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Collaborations

Piero Lissoni
CANONE INVERSO
PRISM
3D WALL CARVE
BOOST COLOR



Matteo Brioni
BOOST NATURAL



Mario Ferrarini
DIALOGO



HBA
(Hirsch Bedner Associates)
MARVEL TRAVERTINE



Zaha Hadid Architects
MARVEL MERAVIGLIA



Design achievements & awards

reddot winner 2023

MARVEL TRAVERTINE DECORS in collaboration with HBA
MARVEL X HAMMERED SURFACE Atlas Concorde style office
MARVEL GALA Atlas Concorde style office

reddot winner 2022

3D WALL CARVE in collaboration with Piero Lissoni
BOOST NATURAL in collaboration with Matteo Brioni
DIALOGO in collaboration with Mario Ferrarini
APLOMB Atlas Concorde style office

ADI DESIGN INDEX 2023

SENSITECH Surface Atlas Concorde R&D office

ADI DESIGN INDEX 2022

3D WALL CARVE in collaboration with Piero Lissoni

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Collections

3D Wall

- 3D WALL CARVE — In collaboration with **Piero Lissoni**
- 3D WALL DESIGN
- 3D WALL PLASTER

- APLOMB
- ARTY

Concrete & Resin look

- BOOST
- BOOST BALANCE
- BOOST COLOR — In collaboration with **Piero Lissoni**
- BOOST NATURAL — In collaboration with **Matteo Brioni**
- BOOST PRO
- CANONE INVERSO — In collaboration with **Piero Lissoni**
- PRISM — In collaboration with **Piero Lissoni**
- VENTI BOOST

Marble Look

- MARVEL
- MARVEL DREAM
- MARVEL GALA
- MARVEL GEMS
- MARVEL MERAVIGLIA — In collaboration with **Zaha Hadid Architects**
- MARVEL ONYX
- MARVEL PRO
- MARVEL SHINE
- MARVEL STONE
- MARVEL TRAVERTINE — In collaboration with **HBA**
- MARVEL X

Stone Look

- BOOST MINERAL
- BOOST MIX
- BOOST STONE
- BRAVE
- KLIF
- KONE
- LIMS
- MARVEL TRAVERTINE — In collaboration with **HBA**
- NORDE
- TRUST

Wood Look

- AXI
- ENTICE
- ETIC
- ETIC PRO
- EXENCE
- HEARTWOOD

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


3D Wall Carve

3D Sign + 3D Squares: Capsule Collection by **Piero Lissoni**

COLLECTION CATALOG

VIDEO

Wall











3D SIGN + 3D SQUARES : DESIGN BY **PIERO LISSONI**





Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15³/₄"x31¹/₂"	8,5 mm	Matte

3D WALL TILES

40x80 cm - 15³/₄"x31¹/₂"	8,5 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

3D Wall Carve

V1 Uniform Appearance

Wall Tiles

MATTE SURFACE

Wall

8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
A57T 3D Wall Carve Field White
A57U 3D Wall Carve Field Pearl
A57V 3D Wall Carve Field Ivory

8,5 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
A57W 3D Wall Carve Sign White
A57X 3D Wall Carve Sign Pearl
A57Y 3D Wall Carve Sign Ivory
A57Z 3D Wall Carve Squares White
A57Ø 3D Wall Carve Squares Pearl
A571 3D Wall Carve Squares Ivory
A572 3D Wall Carve Chisel White
A573 3D Wall Carve Chisel Pearl
A574 3D Wall Carve Chisel Ivory
A575 3D Wall Carve Whittle White
A576 3D Wall Carve Whittle Pearl
A577 3D Wall Carve Whittle Ivory
A578 3D Wall Carve Leaf White
A58A 3D Wall Carve Leaf Pearl
A579 3D Wall Carve Leaf Ivory

TRIM TILES

1,4x40 cm - 5/8"x15³/₄"
A6OA 3D Wall Carve Field White Corner 40 *
A6OB 3D Wall Carve Field Pearl Corner 40 *
A6OC 3D Wall Carve Field Ivory Corner 40 *

1,4x1,4 cm - 5/8"x5/8"
A6OD 3D Wall Carve Field White Corner A.E. *
A6OE 3D Wall Carve Field Pearl Corner A.E. *
A6OF 3D Wall Carve Field Ivory Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



3D SIGN + 3D SQUARES : DESIGN BY **PIERO LISSONI**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

3D Wall Design

3D WALL WORLD CATALOG

VIDEO

Wall





Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⁵/₈"x47¹/₄"	11 mm	Matte
	8,5 mm	Matte, Shiny
40x80 cm - 15⁵/₈"x31¹/₂"	10 mm	Matte, Shiny
	8,5 mm	Matte, Shiny
30,5x56 cm - 12"x22"	9,5 mm	Matte
	8,5 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

3D Wall Design

V1 Uniform Appearance

Wall Tiles

MATTE SURFACE

Wall

≑ 11 mm
50x120 cm - 19⁵/₈"x47¹/₄"
A6BJ 3D Wall Design 3D Ultra Blade White [2]
A6BH 3D Wall Design 3D Line White [2]
A6BI 3D Wall Design 3D Flows White [2]

≑ 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
A6BF 3D Wall Design Solid White

≑ 10 mm
40x80 cm - 15³/₄"x31¹/₂"
8DMA 3D Wall Design 3D Angle White [2]
8DBW 3D Wall Design 3D Blade White [2]
8DAW 3D Wall Design 3D Stars White [2]
8DDI 3D Wall Design 3D Diamond White [2]
8DDN 3D Wall Design 3D Diamond Night [2]
8DFW 3D Wall Design 3D Flash White [2]
8DUW 3D Wall Design 3D Dune White [2]
8DUS 3D Wall Design 3D Dune Sand [2]
8DMW 3D Wall Design 3D Wind White [2]
8AWS 3D Wall Design 3D Wave Arty Sugar [2]
8AWM 3D Wall Design 3D Wave Arty Milk [2]
8SBW 3D Wall Design 3D Ribbon White [2]
8DSM 3D Wall Design 3D Twist Sage [2]
A6PA 3D Wall Design 3D Blade Rose [2]

≑ 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8DSO 3D Wall Design Solid White
8DSA 3D Wall Design Solid Sand

≑ 9,5 mm
30,5x56 cm - 12"x22"
9D5B 3D Wall Design 3D Ultra Blade White [2]
9D5W 3D Wall Design 3D Wave White [2]

≑ 8,5 mm
30,5x56 cm - 12"x22"
9D5S 3D Wall Design Solid White

SHINY SURFACE

≑ 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
A6BG 3D Wall Design Solid White Glossy

≑ 10 mm
40x80 cm - 15³/₄"x31¹/₂"
8DWG 3D Wall Design 3D Wave White Glossy [2]

≑ 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8DSL 3D Wall Design Solid White Glossy

TRIM TILES

LD8W Spigolo 8,5mm White
0,8x20 cm - ³/₈"x7⁷/₈"

A8DW Spigolo 8,5mm White A.E.
0,8x0,8 cm - ³/₈"x³/₈"

LDWM Spigolo 10mm White * [1]
1x20 cm - ³/₈"x7⁷/₈"

LDWG Spigolo 10mm White Glossy * [1]
1x20 cm - ³/₈"x7⁷/₈"

LDAM Spigolo 10mm Sand * [1]
1x20 cm - ³/₈"x7⁷/₈"


LDNM Spigolo 10mm Night * [1]
1x20 cm - ³/₈"x7⁷/₈"

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **The 10 mm edge matches three-dimensional wall tiles having a 10-11 mm thickness** - Lo spigolo 10 mm si abbina a rivestimenti tridimensionali di spessore 10-11 mm - Le bord 10 mm s'adapte aux revêtements tridimensionnels épaisseur 10-11 mm - Die 10 mm Kante ist mit dreidimensionalen Wandfliesen mit einer Stärke von 10-11 mm kombinierbar - La arista de 10 mm se combina con revestimientos tridimensionales de 10 -11 mm de grosor - Угловой элемент 10 мм сочетается с трехмерной настенной плиткой толщиной 10-11 мм


[2] Registered Community Design

DECOR RANGE



9DSM 3D Wall Design Solid White Mosaic
30,5x30,5 cm - 12"x12"


































INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

3D Wall Plaster

COLLECTION CATALOG

VIDEO

Wall



Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19²/₈"x47¹/₄"	8,5 mm	Matte
3D WALL TILES		
50x120 cm - 19²/₈"x47¹/₄"	8,5 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

3D Wall Plaster

Wall Tiles

V1 Uniform Appearance

MATTE SURFACE

Wall

8,5 mm
50x120 cm - 19 5/8"x47 1/4"
AHQT 3D Wall Plaster Plain White

8,5 mm 3D WALL
50x120 cm - 19 5/8"x47 1/4"
AHQU 3D Wall Plaster Origami White
AHQV 3D Wall Plaster Bloom White
AHQW 3D Wall Plaster Jasmine White
AHQX 3D Wall Plaster Combed White
AHQY 3D Wall Plaster Barcode White

PLAIN


ORIGAMI


BLOOM

COMBED


JASMINE


BARCODE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Aplomb

COLLECTION CATALOG

VIDEO


Wall














Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"	± 8,5 mm	Matte

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Aplomb

Wall Tiles


V1 Uniform Appearance

MATTE SURFACE — Wall

∓ 8,5 mm
50x120 cm - 19⅝"x47¼"
A6E5 Aplomb Canvas Minidots
A6E4 Aplomb Cream Minidots
A6E3 Aplomb White Minidots
A6E6 Aplomb Denim Minidots
A6IL Aplomb Lichen Minidots
A6E9 Aplomb Canvas Stripes
A6E8 Aplomb Cream Stripes
A6E7 Aplomb White Stripes
A6FA Aplomb Denim Stripes
A6IM Aplomb Lichen Stripes


CANVAS MINIDOTS



CANVAS STRIPES



CREAM MINIDOTS



CREAM STRIPES

WHITE MINIDOTS

WHITE STRIPES


DENIM MINIDOTS


DENIM STRIPES


LICHEN MINIDOTS


LICHEN STRIPES

TRIM TILES



1,4x50 cm - 5/8"x19⅝"
A6NH Aplomb Canvas Minidots Corner 50 *
A6NG Aplomb Cream Minidots Corner 50 *
A6NF Aplomb White Minidots Corner 50 *
A6NJ Aplomb Denim Minidots Corner 50 *
A6NI Aplomb Lichen Minidots Corner 50 *
A6NM Aplomb Canvas Stripes Corner 50 *
A6NL Aplomb Cream Stripes Corner 50 *
A6NK Aplomb White Stripes Corner 50 *
A6NO Aplomb Denim Stripes Corner 50 *
A6NN Aplomb Lichen Stripes Corner 50 *



1,4x1,4 cm - 5/8"x5/8"
A6NR Aplomb Canvas Minidots Corner A.E *
A6NQ Aplomb Cream Minidots Corner A.E *
A6NP Aplomb White Minidots Corner A.E *
A6NT Aplomb Denim Minidots Corner A.E *
A6NS Aplomb Lichen Minidots Corner A.E *
A6NW Aplomb Canvas Stripes Corner A.E *
A6NV Aplomb Cream Stripes Corner A.E *
A6NU Aplomb White Stripes Corner A.E *
A6NY Aplomb Denim Stripes Corner A.E *
A6NX Aplomb Lichen Stripes Corner A.E *

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

DECOR RANGE

A6FC Aplomb White Leaf
50x120 cm - 19⅝"x47¼"
3 patterns with no graphic continuity. / 3 pattern senza continuità grafica.


A6FD Aplomb Canvas Leaf
50x120 cm - 19⅝"x47¼"
3 patterns with no graphic continuity. / 3 pattern senza continuità grafica.


A6SH Aplomb Cream Leaf Lux [1]
50x120 cm - 19⅝"x47¼"
1 patterns with graphic continuity. / 1 pattern con continuità grafica.


A6SI Aplomb Lichen Leaf Lux [1]
50x120 cm - 19⅝"x47¼"
1 patterns with graphic continuity. / 1 pattern con continuità grafica.


A6SJ Aplomb Canvas Flora [1]
50x120 cm - 19⅝"x47¼"

A6FB Aplomb White Mesh [2]
50x120 cm - 19⅝"x47¼"


A6VØ Aplomb Fabric Light [1]
50x120 cm - 19⅝"x47¼"
It can be combined with / Abbinabile con / Peut être combiné avec / Kombinierbar mit / Combinable con / Совместимы с:
Minidots Cream


A6V1 Aplomb Fabric Dark [1]
50x120 cm - 19⅝"x47¼"
It can be combined with / Abbinabile con / Peut être combiné avec / Kombinierbar mit / Combinable con / Совместимы с:
Minidots Lichen - Minidots Cream

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[2] **Item sold by square meter.** - Articolo venduto al mq. - Article vendu au mètre carré. - Artikel pro m² verkauft. - Artículo vendido por m². - Артикул продается квадратными метрами.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Aplomb

Wall Tiles

DECOR RANGE

A6SP Aplomb White
Mosaico Triangle ▲
31,5x30,5 - 12³/₈"x12"

A6SQ Aplomb Cream
Mosaico Triangle ▲
31,5x30,5 - 12³/₈"x12"




A6SR Aplomb Canvas
Mosaico Triangle ▲
31,5x30,5 - 12³/₈"x12"



A6SS Aplomb Lichen
Mosaico Triangle ▲
31,5x30,5 - 12³/₈"x12"



A6ST Aplomb Denim
Mosaico Triangle ▲
31,5x30,5 - 12³/₈"x12"



A 35,9 cm - 15³/₈"
a 30,5 cm - 12"
B 31,5 cm - 12³/₈"

A6SK Aplomb White
Mosaico Arch [1]
32x32 - 12⁵/₈"x12⁵/₈"

A6SL Aplomb Cream
Mosaico Arch [1]
32x32 - 12⁵/₈"x12⁵/₈"




A6SM Aplomb Canvas
Mosaico Arch [1]
32x32 - 12⁵/₈"x12⁵/₈"



A6SN Aplomb Lichen
Mosaico Arch [1]
32x32 - 12⁵/₈"x12⁵/₈"



A6SO Aplomb Denim
Mosaico Arch [1]
32x32 - 12⁵/₈"x12⁵/₈"



A 32 cm - 12⁵/₈"
B 32 cm - 12⁵/₈"
a 7,8 cm - 3¹/₈"
b 2,533 cm - 1"
c 5,167 cm - 2"

A6SU Aplomb White
Mosaico Net [2]
30x30 - 11³/₄"x11³/₄"


A6SV Aplomb Cream
Mosaico Net [2]
30x30 - 11³/₄"x11³/₄"




A6SW Aplomb Canvas
Mosaico Net [2]
30x30 - 11³/₄"x11³/₄"



A6SX Aplomb Lichen
Mosaico Net [2]
30x30 - 11³/₄"x11³/₄"



A6SY Aplomb Denim
Mosaico Net [2]
30x30 - 11³/₄"x11³/₄"



A 30 cm - 11³/₄"
B 30 cm - 11³/₄"
C 4,88x2,36 cm - 1⁷/₈"x⁷/₈"

[1] **The tesserae come from Minidots and Stripes Textures** - Le tessere sono ricavate dalle textures minidots e stripes - Les tesselles proviennent des textures minidots et stripes - Die Mosaiksteinchen stammen aus den Textures Minidots und Stripes - Los mosaicos se obtienen de las texturas minidots y stripes - Тессеры вырезаны из структур minidots и stripes

[2] **The tesserae come from Minidots Textures** - Le tessere sono ricavate dalle textures minidots - Les tesselles proviennent des Textures Minidots - Die Mosaiksteinchen stammen aus den Textures Minidots - Los mosaicos se obtienen de las texturas minidots - Тессеры вырезаны из структур Minidots



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Arty

WEBSITE
COLLECTION

Wall















Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15³/₄"x31¹/₂"	∓ 8,5 mm	Matte
3D WALL TILES		
40x80 cm - 15³/₄"x31¹/₂"	∓ 10 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Arty

Wall Tiles

V1 Uniform Appearance

MATTE SURFACE — Wall

± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8ARU Arty Sugar
8ARL Arty Milk
8ARA Arty Charcoal
8ARN Arty Malt
8ARD Arty Curry
8ARB Arty Tabasco

± 10 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
8AWS Arty Sugar Wave
8AWM Arty Milk Wave



TRIM TILES

LASS Arty Sugar Spigolo
0,8x20 - ³/₈"x7⁷/₈"

AASS Spigolo A.E.
0,8x0,8 - ³/₈"x³/₈"

LASH Arty Charcoal Spigolo
0,8x20 - ³/₈"x7⁷/₈"

AASH Spigolo A.E.
0,8x0,8 - ³/₈"x³/₈"

LASC Arty Curry Spigolo
0,8x20 - ³/₈"x7⁷/₈"

AASU Spigolo A.E.
0,8x0,8 - ³/₈"x³/₈"

LASK Arty Milk Spigolo
0,8x20 - ³/₈"x7⁷/₈"

AASI Spigolo A.E.
0,8x0,8 - ³/₈"x³/₈"

LASD Arty Malt Spigolo
0,8x20 - ³/₈"x7⁷/₈"

AASM Spigolo A.E.
0,8x0,8 - ³/₈"x³/₈"

LASO Arty Tabasco Spigolo
0,8x20 - ³/₈"x7⁷/₈"

AASO Spigolo A.E.
0,8x0,8 - ³/₈"x³/₈"

DECOR RANGE



8ATM Arty Milk Textile
40x80 - 15³/₄"x31¹/₂"



8ATT Arty Tabasco Textile
40x80 - 15³/₄"x31¹/₂"



8A2S Arty Sugar Urban C2
80x80 - 31¹/₂"x31¹/₂"



8A2C Arty Curry Urban C2
80x80 - 31¹/₂"x31¹/₂"



8A2T Arty Tabasco Urban C2
80x80 - 31¹/₂"x31¹/₂"




9ASS Arty Sugar
Mosaico Minibrick
30,5x30,5 - 12"x12"



9ASH Arty Charcoal
Mosaico Minibrick
30,5x30,5 - 12"x12"



9ASC Arty Curry
Mosaico Minibrick
30,5x30,5 - 12"x12"



2,8x7,3 cm - 1¹/₈"x2⁷/₈"



9ASI Arty Milk
Mosaico Minibrick
30,5x30,5 - 12"x12"



9ASM Arty Malt
Mosaico Minibrick
30,5x30,5 - 12"x12"



9AST Arty Tabasco
Mosaico Minibrick
30,5x30,5 - 12"x12"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Canone Inverso

Decor collection by **Piero Lissoni**

COLLECTION
CATALOG

Wall

Porcelain Tiles



CANONE INVERSO 1

81x32 cm 31⁷/₈"x12⁵/₈"
A19U Canone Inverso 1





CANONE INVERSO 2

59x59 cm 23"x23"
A19V Canone Inverso 2





CANONE INVERSO 3

47x147 cm 18¹/₂"x57⁷/₈"
A2US Canone Inverso 3





CANONE INVERSO 4

59x78 cm 23³/₄"x30³/₄"
A19X Canone Inverso 4



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost

COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
160x160 cm - 63"x63"	6 mm	Matte **R9 A**
120x278 cm - 47 1/4"x109 1/2"	6 mm	Matte **R9 A**
120x240 cm - 47 1/4"x94 1/2"	9 mm	Matte Sensitech **R10 B**
120x120 cm - 47 1/4"x47 1/4"	6 mm	Matte **R9 A**
	9 mm	Matte Sensitech **R10 B**
60x120 cm - 23 5/8"x47 1/4"	6 mm	Matte Sensitech **R10 B**
	9 mm	Matte Sensitech **R10 B**
75x150 cm - 29 1/2"x59"	9 mm	Matte Sensitech **R10 B**
75x75 cm - 29 1/2"x29 1/2"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23 5/8"x23 5/8"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11 3/4"x23 5/8"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

120x120 cm - 47 1/4"x47 1/4"	9 mm	Grip Sensitech **R11 C**
120x240 cm - 47 1/4"x94 1/2"	20 mm	Outdoor Sensitech **R11 C**
120x120 cm - 47 1/4"x47 1/4"	**20 mm**	Outdoor Sensitech **R11 C**
60x120 cm - 23 5/8"x47 1/4"	20 mm	Outdoor Sensitech **R11 C**
90x90 cm - 35 3/8"x35 3/8"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23 5/8"x23 5/8"	20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	6 mm	Hammered **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 3/4"x127 1/2" NON-RECTIFIED	12 mm	Hammered

















Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 3/4"x31 1/2"	8,5 mm	Matte

3D WALL TILES

40x80 cm - 15 3/4"x31 1/2"	10 mm	Matte

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Boost

Porcelain Tiles

MEDIUM TRAFFIC: Matte ✣ 6 mm; Matte Sensitech ✣ 6 mm

HEAVY TRAFFIC: Matte Sensitech ✣ 9 mm; Grip Sensitech ✣ 9 mm; Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 6 - 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE

Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AO5Z Boost White Hammered
AO5Ø Boost Smoke Hammered
A68I Boost Grey Hammered
A68J Boost Tarmac Hammered

✣ 6 mm
160x160 cm - 63"x63"
AØDE Boost White
AØDF Boost Smoke
A68K Boost Grey
A68L Boost Tarmac

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AØBD Boost White
AØBE Boost Pearl
AØBF Boost Grey
AØBG Boost Smoke
AOQB Boost Tarmac

✣ 6 mm
120x120 cm - 47¹/₄"x47¹/₄"
A2TK Boost White
A2TM Boost Pearl
A2TN Boost Grey
A2TO Boost Smoke
A2TP Boost Tarmac

Sensitech
✣ 6 mm
60x120 cm - 23⁵/₈"x47¹/₄"
ALSM Boost White
ALSP Boost Pearl

Sensitech
✣ 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AMGD Boost White
AMGE Boost Pearl
AMGF Boost Grey
AMGG Boost Smoke
AMGH Boost Tarmac

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AMGI Boost White
AMGJ Boost Pearl
AMGK Boost Grey
AMGL Boost Smoke
AMGM Boost Tarmac

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AØMO Boost White
AØMP Boost Pearl
AØMQ Boost Grey
AØMR Boost Smoke
AØMS Boost Tarmac

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AMH3 Boost White
AMH4 Boost Pearl
AMH5 Boost Grey
AMH6 Boost Smoke
AMH7 Boost Tarmac

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AMH8 Boost White
AMH9 Boost Pearl
AMIA Boost Grey
AMIC Boost Smoke
AMID Boost Tarmac

Sensitech
✣ 9 mm
75x150 cm - 29¹/₂"x59"
A7GV Boost White
A7GW Boost Pearl
A7GX Boost Grey
A7GY Boost Smoke
A7GZ Boost Tarmac

Sensitech
✣ 9 mm
75x75 cm - 29¹/₂"x29¹/₂"
AME6 Boost White
AME7 Boost Pearl
AMGV Boost Grey
AMGW Boost Smoke
AMGX Boost Tarmac

GRIP SURFACE

Outdoor

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AMGN Boost White Grip
AMGO Boost Pearl Grip
AMGP Boost Grey Grip
AMGQ Boost Smoke Grip
AMGR Boost Tarmac Grip

OUTDOOR ✣ 20 mm

Sensitech
✣ 20 mm
120x240 cm - 47¹/₄"x94¹/₂"
A2RØ Boost White 20 mm
A2R9 Boost Grey 20 mm

Sensitech
✣ 20 mm
120x120 cm - 47¹/₄"x47¹/₄"
AMG3 Boost White 20 mm
AMG5 Boost Grey 20 mm
AMG6 Boost Smoke 20 mm
AMG7 Boost Tarmac 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AL8Ø Boost White 20 mm
AL81 Boost Grey 20 mm
AL82 Boost Smoke 20 mm
AL83 Boost Tarmac 20 mm


Sensitech
✣ 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
A3TJ Boost White 20 mm
A3TK Boost Grey 20 mm
A3TL Boost Smoke 20 mm
A3TM Boost Tarmac 20 mm

Sensitech
✣ 20 mm
90x90 cm - 35³/₈"x35³/₈"
AMBØ Boost White 20 mm
AMB1 Boost Grey 20 mm
AMB2 Boost Smoke 20 mm
AMCK Boost Tarmac 20 mm

Sensitech P.402


WHITE


PEARL


GREY


SMOKE


TARMAC

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost


Porcelain Tiles

DECOR RANGE

AN6X Boost White Mosaico
30x30 - 11³/₄"x11³/₄"



AN6Y Boost Pearl Mosaico
30x30 - 11³/₄"x11³/₄"



AN6Z Boost Grey Mosaico
30x30 - 11³/₄"x11³/₄"



AN61 Boost Smoke Mosaico
30x30 - 11³/₄"x11³/₄"



AN62 Boost Tarmac Mosaico
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"

AN63 Boost White Mosaico Shapes
31x33,5 - 12¹/₄"x13"/₄"



AN64 Boost Pearl Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



AN65 Boost Grey Mosaico Shapes
31x33,5 - 12¹/₄"x13"/₄"



AN66 Boost Smoke Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



AN67 Boost Tarmac Mosaico Shapes
31x33,5 - 12¹/₄"x13"/₄"



A 11,4x6,5 cm - 4¹/₂"x2¹/₂"
B 11,4x6,5 cm - 4¹/₂"x2¹/₂"
C 6,3x3,2 cm - 2¹/₂"x1¹/₄"



AN68 Boost Smoke Mosaico Hex Yellow [1]
25x28,5 - 9⁷/₈"x11"/₄"




AN69 Boost Smoke Mosaico Hex Black [1]
25x28,5 - 9⁷/₈"x11"/₄"



AN7A Boost Tarmac Mosaico Hex Jade [1]
25x28,5 - 9⁷/₈"x11"/₄"



AN7B Boost Tarmac Mosaico Hex Black [1]
25x28,5 - 9⁷/₈"x11"/₄"



A 9,7x3,8 cm - 3⁷/₈"x1¹/₂"
B 4,8x3,8 cm - 1⁷/₈"x1¹/₂"
C 4,6x3,6 cm - 1³/₄"x1³/₈"
D 4,6x3,6 cm - 1³/₄"x1³/₈"

TRIM TILES P. 300	Battiscopa		Gradino *	Scalino *	Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L
	7,2x60 cm 2⁷/₈"x23⁵/₈"	Digitale 4,6x60 cm 1⁷/₈"x23⁵/₈"	30x60 cm 11⁷/₈"x23⁵/₈"	33x150 cm 13"x59"	33x120 cm 13"x47¹/₄"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11⁷/₈"		max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"	33x120 H.4 cm 13"x47¹/₄" H.1⁵/₈"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Grip
								DX	SX		
White	AMIO	AMIU	AMJA	AMJP	AN7Ø	AMJF	AMJK	AMIZ	AMI5	•	AOEI
Pearl	AMIQ	AMIV	AMJB	AMJQ	AN71	AMJG	AMJL	AMIØ	AMI6	•	AOEJ
Grey	AMIR	AMIW	AMJC	AMJR	AN72	AMJH	AMJM	AMI1	AMI7	•	AOEK
Smoke	AMIS	AMIX	AMJD	AMJS	AN73	AMJI	AMJN	AMI3	AMI8	•	AOEL
Tarmac	AMIT	AMIY	AMJE	AMJT	AN74	AMJJ	AMJO	AMI4	AMI9	•	AOEM

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost

Wall Tiles


V2 Slight Variation


MATTE SURFACE — Wall


∓ 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8B8W Boost White
8B8P Boost Pearl
8B8G Boost Grey
8B8K Boost Smoke
8B8S Boost Sage
8B8R Boost Red




∓ 10 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
8BUW Boost 3D Urban White
8BUP Boost 3D Urban Pearl
8BUG Boost 3D Urban Grey









TRIM TILES

1,4x40 cm - ⁵/₈"x15³/₄"
LBBW Boost White Corner 40 *
LBBP Boost Pearl Corner 40 *
LBBY Boost Grey Corner 40 *
LBBH Boost Smoke Corner 40 *
LBBT Boost Sage Corner 40 *
LBBQ Boost Red Corner 40 *

1,4x1,4 cm - ⁵/₈"x⁵/₈"
AØAW Boost White Corner A.E. *
AØAP Boost Pearl Corner A.E. *
AØAG Boost Grey Corner A.E. *
AØAK Boost Smoke Corner A.E. *
AØAS Boost Sage Corner A.E. *
AØAR Boost Red Corner A.E. *

3D TRIM TILES

1,4x40 cm - ⁵/₈"x15³/₄"
LB3W Boost White 3D Corner 40 *
LB3P Boost Pearl 3D Corner 40 *
LB3G Boost Grey 3D Corner 40 *

DECOR RANGE



9BMW Boost White
Minibrick
30,5x30,5 - 12"x12"



9BME Boost Pearl
Minibrick
30,5x30,5 - 12"x12"




9BMY Boost Grey
Minibrick
30,5x30,5 - 12"x12"




9BMK Boost Smoke
Minibrick
30,5x30,5 - 12"x12"



9BMM Boost Sage
Minibrick
30,5x30,5 - 12"x12"



9BMQ Boost Red
Minibrick
30,5x30,5 - 12"x12"



2,9x7,5 cm - 1¹/₈"x3"

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Balance

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades



PURE

IVORY


CREAM


ASH

MOON

WHITE


PEARL


GREY


SMOKE


TARMAC

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B** | Velvet
60x120 cm - 23⁵/₈"x47¹/₄"	± 6 mm	Matte Sensitech **R10 B**
	± 9 mm	Matte Sensitech **R10 B** | Velvet
75x75 cm - 29¹/₂"x29¹/₂"	± 9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**
30x60 cm - 11⁵/₈"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Matte **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	± 12 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Balance

Porcelain Tiles

MEDIUM TRAFFIC: Matte ✣ 6 mm; Matte Sensitech ✣ 6 mm; Velvet ✣ 9 mm

HEAVY TRAFFIC: Matte Sensitech ✣ 9 mm; Grip Sensitech ✣ 9 mm; Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 6 - 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

MATTE SURFACE — Floor — Wall

atlasPLAN
✣ 6 mm
160x320 cm - 63"x126"
AJG4 Boost Balance Ash

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AJMI Boost Balance Pure
AJMJ Boost Balance White
AJMK Boost Balance Ivory
AJML Boost Balance Cream
AJMM Boost Balance Ash
AJMN Boost Balance Moon
AJMO Boost Balance Pearl
AJMP Boost Balance Grey
AJMQ Boost Balance Smoke
AJMR Boost Balance Tarmac

Sensitech
✣ 6 mm
60x120 cm - 23 5/8"x47 1/4"
AKMC Boost Balance White
AKMD Boost Balance Ivory
AKPG Boost Balance Ash
AKMF Boost Balance Pearl

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AJMS Boost Balance Pure
AJMT Boost Balance White
AJMU Boost Balance Ivory
AJMV Boost Balance Cream
AJMW Boost Balance Ash
AJMX Boost Balance Moon
AJMY Boost Balance Pearl
AJMZ Boost Balance Grey
AJMØ Boost Balance Smoke
AJM1 Boost Balance Tarmac

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AJNN Boost Balance Pure
AJNO Boost Balance White
AJNP Boost Balance Ivory
AJNQ Boost Balance Cream
AJNR Boost Balance Ash
AJNS Boost Balance Moon
AJNT Boost Balance Pearl
AJNU Boost Balance Grey
AJNV Boost Balance Smoke
AJNW Boost Balance Tarmac

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AJOS Boost Balance Pure
AJOT Boost Balance White
AJOU Boost Balance Ivory
AJOV Boost Balance Cream
AJOW Boost Balance Ash
AJOX Boost Balance Moon
AJOY Boost Balance Pearl
AJOZ Boost Balance Grey
AJOØ Boost Balance Smoke
AJO1 Boost Balance Tarmac

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AJO2 Boost Balance Pure
AJO3 Boost Balance White
AJO4 Boost Balance Ivory
AJO5 Boost Balance Cream
AJO6 Boost Balance Ash
AJO7 Boost Balance Moon
AJO8 Boost Balance Pearl
AJO9 Boost Balance Grey
AJPA Boost Balance Smoke
AJPB Boost Balance Tarmac

Sensitech
✣ 9 mm
75x75 cm - 29 1/2"x29 1/2"
AJOI Boost Balance Pure
AJOJ Boost Balance White
AJOK Boost Balance Ivory
AJOL Boost Balance Cream
AJOM Boost Balance Ash
AJON Boost Balance Moon
AJOO Boost Balance Pearl
AJOP Boost Balance Grey
AJOQ Boost Balance Smoke
AJOR Boost Balance Tarmac

VELVET SURFACE

Velvetech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AJM2 Boost Balance Pure
AJM3 Boost Balance White
AJM4 Boost Balance Ivory
AJM5 Boost Balance Cream
AJM6 Boost Balance Ash
AJM7 Boost Balance Moon
AJM8 Boost Balance Pearl
AJM9 Boost Balance Grey
AJNA Boost Balance Smoke
AJNB Boost Balance Tarmac

Velvetech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AJNX Boost Balance Pure
AJNY Boost Balance White
AJNZ Boost Balance Ivory
AJNØ Boost Balance Cream
AJN1 Boost Balance Ash
AJN2 Boost Balance Moon
AJN3 Boost Balance Pearl
AJN4 Boost Balance Grey
AJN5 Boost Balance Smoke
AJN6 Boost Balance Tarmac

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AJNC Boost Balance Pure Grip
AJND Boost Balance White Grip
AJNE Boost Balance Ivory Grip
AJNF Boost Balance Cream Grip
AJNG Boost Balance Ash Grip
AJNH Boost Balance Moon Grip
AJNI Boost Balance Pearl Grip
AJNJ Boost Balance Grey Grip
AJNK Boost Balance Smoke Grip
AJNL Boost Balance Tarmac Grip

Sensitech
✣ 20 mm
120x120 cm - 47 1/4"x47 1/4"
AJPE Boost Balance White 20 mm
AJPF Boost Balance Ash 20 mm
AJMH Boost Balance Pearl 20 mm
AJPG Boost Balance Grey 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x47 1/4"
AJPH Boost Balance White 20 mm
AJPI Boost Balance Ash 20 mm
AJPJ Boost Balance Pearl 20 mm
AJPK Boost Balance Grey 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23 5/8"x23 5/8"
AJPL Boost Balance White 20 mm
AJPM Boost Balance Ash 20 mm
AJPN Boost Balance Pearl 20 mm
AJPO Boost Balance Grey 20 mm

Sensitech P.402
Velvetech P.403

PURE


IVORY


CREAM


ASH

MOON

WHITE


PEARL


GREY


SMOKE


TARMAC

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Balance

Porcelain Tiles

DECOR RANGE

AJY9 Boost Balance Pure
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"

AJZB Boost Balance Ivory
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJZC Boost Balance Cream
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJZD Boost Balance Ash
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"

AJZE Boost Balance Moon
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"


AJZA Boost Balance White
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJZF Boost Balance Pearl
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJZG Boost Balance Grey
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJZH Boost Balance Smoke
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"




AJZI Boost Balance Tarmac
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"

AJ3Q Boost Balance Pure Sensitech
AJ3G Boost Balance Pure Velvet
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"




AJ3S Boost Balance Ivory Sensitech
AJ3I Boost Balance Ivory Velvet
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"

AJ3T Boost Balance Cream Sensitech
AJ3J Boost Balance Cream Velvet
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"



AJ3U Boost Balance Ash Sensitech
AJ3K Boost Balance Ash Velvet
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"

[1] **Engraved mosaic. For best results it is advisable to completely plaster the engravings.** / Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. / Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. / Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. / Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. / Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой. Применение декоративных материалов.




60x120 cm - 23⁵/₈"x47¹/₄"

AJ3V Boost Balance Moon Sensitech
AJ3L Boost Balance Moon Velvet
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"



AJ3X Boost Balance Grey Sensitech
AJ3N Boost Balance Grey Velvet
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"

AJ3R Boost Balance White Sensitech
AJ3H Boost Balance White Velvet
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"



AJ3Y Boost Balance Smoke Sensitech
AJ3O Boost Balance Smoke Velvet
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"



AJ3W Boost Balance Pearl Sensitech
AJ3M Boost Balance Pearl Velvet
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"



AJ3Z Boost Balance Tarmac Sensitech
AJ3P Boost Balance Tarmac Velvet
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Balance

Porcelain Tiles


DECOR RANGE

AJX1 Boost Balance Pure
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"

AJX3 Boost Balance Ivory
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



AJX4 Boost Balance Cream
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



A	50,5 cm - 19⁷/₈"
B	37,4 cm - 15³/₄"
b	6 cm - 2³/₈"
c	12,3 cm - 4⁷/₈"
d	7,1 cm - 2³/₄"
e	6,8 cm - 2⁵/₈"



AJX5 Boost Balance Ash
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"

AJX6 Boost Balance Moon
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"

AJX2 Boost Balance White
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



AJUF Boost Balance Pearl
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



AJX7 Boost Balance Grey
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



AJX8 Boost Balance Smoke
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



AJX9 Boost Balance Tarmac
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"

TRIM TILES P. 300	**Battiscopa**			**Gradino ***		**Scalino ***		**Scalino Ang.***	**Battiscopa Sag. Scala ***		**Elemento L**	**Davanzale / Soglia**	**Corner *** ∓ 6 mm	**Corner A.E *** ∓ 6 mm
	7,2x120 cm 2⁷/₈"x47³/₄"	7,2x75 cm 2⁷/₈"x29¹/₂"	7,2x60 cm 2⁷/₈"x23⁵/₈"	30x60 cm 11⁷/₈"x23⁵/₈"	30x120 cm 11⁷/₈"x47³/₄"	33x120 cm 13"x47³/₄"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11⁷/₈"		33x120 H.4 cm 13"x47³/₄" H.1⁷/₈"	max 315x50 H.4 cm 124"x19⁷/₈" H.1⁷/₈"	1x120 cm ³/₈"x47³/₄"	1x1 cm ³/₈"x³/₈"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Grip	Matte	Matte	Matte
									DX	SX				
Pure	AJZT	AJØD	AJZ3	AJ1H	AJØ7	AJ1R	AJ11	AJ2B	AJØN	AJOX	AJ2L	•	AJ2V	AJ25
White	AJZU	AJØE	AJZ4	AJ1I	AJØ8	AJ1S	AJ12	AJ2C	AJØO	AJØY	AJ2M	•	AJ2W	AJ26
Ivory	AJZV	AJØF	AJZ5	AJ1J	AJØ9	AJ1T	AJ13	AJ2D	AJØP	AJØZ	AJ2N	•	AJ2X	AJ27
Cream	AJZW	AJØG	AJZ6	AJ1K	AJ1A	AJ1U	AJ14	AJ2E	AJØQ	AJØØ	AJ2O	•	AJ2Y	AJ28
Ash	AJZX	AJØH	AJZ7	AJ1L	AJ1B	AJ1V	AJ15	AJ2F	AJØR	AJØ1	AJ2P	•	AJ2Z	AJ29
Moon	AJZY	AJØI	AJZ8	AJ1M	AJ1C	AJ1W	AJ16	AJ2G	AJØS	AJØ2	AJ2Q	•	AJ2Ø	AJ3A
Pearl	AJZZ	AJØJ	AJZ9	AJ1N	AJ1D	AJ1X	AJ17	AJ2H	AJØT	AJØ3	AJ2R	•	AJ21	AJ3B
Grey	AJZØ	AJØK	AJØA	AJ1O	AJ1E	AJ1Y	AJ18	AJ2I	AJØU	AJØ4	AJ2S	•	AJ22	AJ3C
Smoke	AJZ1	AJØL	AJØB	AJ1P	AJ1F	AJ1Z	AJ19	AJ2J	AJØV	AJØ5	AJ2T	•	AJ23	AJ3D
Tarmac	AJZ2	AJØM	AJØC	AJ1Q	AJ1G	AJ1Ø	AJ2A	AJ2K	AJØW	AJØ6	AJ2U	•	AJ24	AJ3E

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Color

In collaboration with **Piero Lissoni**

WEBSITE COLLECTION

Floor | Wall | Decors



PURE | LINEN | MOON | DOVE

PEBBLE | MAUVE | CREAM | SUN

SALIX | MINT | JADE | IRIS

TEAL | NAVY

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⅝"x47¼"	± 8,5 mm	Matte
3D WALL TILES		
50x120 cm - 19⅝"x47¼"	± 8,5 mm	Matte

FROG : DESIGN BY **PIERO LISSONI**

FROG PURE | FROG DOVE | FROG NAVY

3D WALL DESIGN

3D PLEAT LINEN | 3D PLEAT MAUVE | 3D PLEAT JADE | 3D PLEAT IRIS

JADE | TEAL | MAUVE | SALIX

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¼"x109⅜"	± 6 mm	Matte **R9 A**

FROG : DESIGN BY **PIERO LISSONI**

FROG PURE

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Boost Color

Wall Tiles

V1 Uniform Appearance

MATTE SURFACE

Wall

∓ 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
AKMW Boost Color Pure
AKMX Boost Color Moon
AKMY Boost Color Dove
AKMZ Boost Color Linen
AKMØ Boost Color Mauve
AKM1 Boost Color Pebble
AKM2 Boost Color Cream
AKM3 Boost Color Sun
AKM4 Boost Color Salix
AKM5 Boost Color Mint
AKM6 Boost Color Jade
AKM7 Boost Color Teal
AKM8 Boost Color Iris
AKM9 Boost Color Navy
AKN6 Boost Color Pure Frog
AKN7 Boost Color Dove Frog
AKN8 Boost Color Navy Frog

∓ 8,5 mm 3D WALL
50x120 cm - 19⁵/₈"x47¹/₄"
APZR Boost Color 3D Pleat Linen
APZT Boost Color 3D Pleat Mauve
APZU Boost Color 3D Pleat Jade
APZV Boost Color 3D Pleat Iris

TRIM TILES

1,4x50 cm - ⁵/₈"x19⁵/₈"
APZW Boost Color Pure Corner 50 *
APZX Boost Color Moon Corner 50 *
APZY Boost Color Dove Corner 50 *
APZZ Boost Color Linen Corner 50 *
APZØ Boost Color Mauve Corner 50 *
APZ1 Boost Color Pebble Corner 50 *
APZ2 Boost Color Cream Corner 50 *
APZ3 Boost Color Sun Corner 50 *
APZ4 Boost Color Salix Corner 50 *
APZ5 Boost Color Mint Corner 50 *
APZ6 Boost Color Jade Corner 50 *
APZ7 Boost Color Teal Corner 50 *
APZ8 Boost Color Iris Corner 50 *
APZ9 Boost Color Navy Corner 50 *

1,4x1,4 cm - ⁵/₈"x⁵/₈"
APØB Boost Color Pure Corner A.E. *
APØC Boost Color Moon Corner A.E. *
APØD Boost Color Dove Corner A.E. *
APØE Boost Color Linen Corner A.E. *
APØF Boost Color Mauve Corner A.E. *
APØG Boost Color Pebble Corner A.E. *
APØH Boost Color Cream Corner A.E. *
APØI Boost Color Sun Corner A.E. *
APØJ Boost Color Salix Corner A.E. *
APØK Boost Color Mint Corner A.E. *
APØL Boost Color Jade Corner A.E. *
APØM Boost Color Teal Corner A.E. *
APØN Boost Color Iris Corner A.E. *
APØO Boost Color Navy Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione
Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar
Las piezas se hacen por encargo - Изготовляются на заказ




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Color

Wall Tiles

DECOR RANGE



A 33 cm - 13"
B 37 cm - 14⅝"


AP1N Boost Color Pure
Mosaico Brick
33x37 cm - 13"x14⅝"

AP1P Boost Color Moon
Mosaico Brick
33x37 cm - 13"x14⅝"



AP1Q Boost Color Dove
Mosaico Brick
33x37 cm - 13"x14⅝"

AP1R Boost Color Linen
Mosaico Brick
33x37 cm - 13"x14⅝"



AP1S Boost Color Mauve
Mosaico Brick
33x37 cm - 13"x14⅝"



AP1T Boost Color Pebble
Mosaico Brick
33x37 cm - 13"x14⅝"

AP1U Boost Color Cream
Mosaico Brick
33x37 cm - 13"x14⅝"

AP1V Boost Color Sun
Mosaico Brick
33x37 cm - 13"x14⅝"


AP1W Boost Color Salix
Mosaico Brick
33x37 cm - 13"x14⅝"



AP1X Boost Color Mint
Mosaico Brick
33x37 cm - 13"x14⅝"



AP1Y Boost Color Jade
Mosaico Brick
33x37 cm - 13"x14⅝"



AP1Z Boost Color Teal
Mosaico Brick
33x37 cm - 13"x14⅝"



AP2B Boost Color Iris
Mosaico Brick
33x37 cm - 13"x14⅝"



AP2C Boost Color Navy
Mosaico Brick
33x37 cm - 13"x14⅝"

AP1J Boost Color Linen
Mosaico Ruler
50x40 cm - 23⅝"x15¾"




AP1K Boost Color Mauve
Mosaico Ruler
50x40 cm - 23⅝"x15¾"



AP1L Boost Color Jade
Mosaico Ruler
50x40 cm - 23⅝"x15¾"



AP1M Boost Color Iris
Mosaico Ruler
50x40 cm - 23⅝"x15¾"




A 50 cm - 23⅝"
B 40 cm - 15¾"



AP3T Boost Color Decoro Shade Iris
50x120 cm - 19⅝"x47¼"



AP3U Boost Color Decoro Shade Mint
50x120 cm - 19⅝"x47¼"



AP3V Boost Color Decoro Shade Dove
50x120 cm - 19⅝"x47¼"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Color

Porcelain Tiles

MEDIUM TRAFFIC — Matte ∔ 6 mm | **R9 A** Matte ∔ 6 mm | V1 Uniform Appearance

MATTE SURFACE

Floor — Wall

∔ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AKNE Boost Color Mauve
AKNI Boost Color Salix
AKNK Boost Color Jade
AKNL Boost Color Teal
AP3R Boost Color Pure Frog


JADE


TEAL


MAUVE

SALIX


FROG PURE

FROG : DESIGN BY **PIERO LISSONI**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Natural

COLLECTION CATALOG

VIDEO

In collaboration with **Matteo Brioni**

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades





Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11³/₄"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¹/₄"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	12 mm	Hammered



Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⁵/₈"x47¹/₄"	8,5 mm	Matte

3D WALL TILES

50x120 cm - 19⁵/₈"x47¹/₄"	8,5 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Natural

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

MATTE SURFACE — Floor — Wall

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
A67D Boost Natural Ecru
A67E Boost Natural Umber
A67F Boost Natural Coal
A67G Boost Natural Cobalt (1)
A67H Boost Natural Coral
A67B Boost Natural Kaolin
A67C Boost Natural Ash

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
A6WU Boost Natural Ecru
A65O Boost Natural Umber
A65P Boost Natural Coal
A65Q Boost Natural Cobalt (1)
A65R Boost Natural Coral
A65N Boost Natural Kaolin
A6WT Boost Natural Ash

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A6WW Boost Natural Ecru
A65T Boost Natural Umber
A65U Boost Natural Coal
A65V Boost Natural Cobalt (1)
A65W Boost Natural Coral
A65S Boost Natural Kaolin
A6WV Boost Natural Ash

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
A66E Boost Natural Ecru
A66F Boost Natural Umber
A66G Boost Natural Coal
A658 Boost Natural Kaolin
A659 Boost Natural Ash

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
A66J Boost Natural Ecru
A66K Boost Natural Umber
A66L Boost Natural Coal
A66H Boost Natural Kaolin
A66I Boost Natural Ash

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
A655 Boost Natural Ecru Grip
A656 Boost Natural Umber Grip
A657 Boost Natural Coal Grip
A653 Boost Natural Kaolin Grip
A654 Boost Natural Ash Grip

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A65Ø Boost Natural Ecru Grip
A651 Boost Natural Umber Grip
A652 Boost Natural Coal Grip
A65Y Boost Natural Kaolin Grip
A65Z Boost Natural Ash Grip

Sensitech
✣ 20 mm
120x120 cm - 47¹/₄"x47¹/₄"
A7Q9 Boost Natural Ecru 20 mm
A7Q7 Boost Natural Kaolin 20 mm
A7Q8 Boost Natural Ash 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
A7RC Boost Natural Ecru 20 mm
A7RA Boost Natural Kaolin 20 mm
A7RB Boost Natural Ash 20 mm

TRIM TILES
P. 300

	Battiscopa		Gradino *		Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L	Corner * ✣ 6 mm	Corner A.E * ✣ 6 mm
	7,2x120 cm 2⁷/₈"x47¹/₄"	7,2x60 cm 2⁷/₈"x23⁵/₈"	30x120 cm 11³/₄"x47¹/₄"	30x60 cm 11³/₄"x23⁵/₈"	33x120 cm 13"x47¹/₄"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11³/₄"		max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"	33x120 H. 4 cm 13"x47¹/₄" H.1 ⁵/₈"	1x120 cm ³/₈"x47¹/₄"	1x1 cm ³/₈"x³/₈"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte DX	Matte SX	Matte	Grip	Matte	Matte
Kaolin	A7DV	A7DQ	A7EQ	A7EL	A7IQ	A7IL	A7IX	A7D9	A7D2	•	A7I4	A7MY	A7M5
Ash	A7DW	A7DR	A7ER	A7EM	A7IR	A7IM	A7IY	A7EA	A7D3	•	A7I5	A7MZ	A7M6
Ecru	A7DX	A7DS	A7ES	A7EN	A7IS	A7IN	A7IZ	A7EB	A7D4	•	A7I6	A7MØ	A7M7
Umber	A7DY	A7DT	A7ET	A7EO	A7IT	A7IO	A7IØ	A7EC	A7D5	•	A7I7	A7M1	A7M8
Coal	A7DZ	A7DU	A7EU	A7EP	A7IU	A7IP	A7I1	A7ED	A7D6	•	A7I8	A7M2	A7M9
Cobalt	A7DØ	-	A7EV	-	A7IV	-	A7I2	A7EE	A7D7	•	-	A7M3	A7NA
Coral	A7D1	-	A7EW	-	A7IW	-	A7I3	A7EF	A7D8	•	-	A7M4	A7NB

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - *Изготовляются на заказ*

(1) **Cobalt: glazed porcelain tiles** / Cobalt: gres porcellanato smaltato / Cobalt: carreaux en grès cérame émaillé / Cobalt: glasierte Feinsteinzeugfliesen / Cobalt: gres porcelánico esmaltado / Cobalt: глазурованный керамогранит.

Sensitech P.402













INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Natural

Porcelain Tiles

DECOR RANGE

A7CN Boost Natural Kaolin
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"




A7CO Boost Natural Ash
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"



A7CP Boost Natural Ecru
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"



A7CQ Boost Natural Umber
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"



A 36,7 cm - 14 1/2"
B 33,8 cm - 13 1/4"



A7CR Boost Natural Coal
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"



A7CT Boost Natural Coral
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"



A7CS Boost Natural Cobalt
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"

A7CF Boost Natural Kaolin
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"



A7CG Boost Natural Ash
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"




A7CH Boost Natural Ecru
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4""



A7CI Boost Natural Umber
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"



A7CJ Boost Natural Coal
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"



A 31 cm - 12 1/4"
B 31 cm - 12 1/4"



A7CL Boost Natural Coral
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"



A7CK Boost Natural Cobalt
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"

[1] **Tumbled. Irregularities in the edges are not defects but rather features intrinsic to this type of product.** / Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. / Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. / Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. / Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. / Галтованная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Natural

Wall Tiles

MATTE SURFACE — Wall

8,5 mm
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"
A64P Boost Natural Kaolin
A64Q Boost Natural Ash
A64R Boost Natural Ecru

8,5 mm 3D WALL
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"
A64S Boost Natural 3D Brushed Kaolin
A64T Boost Natural 3D Brushed Ash
A64U Boost Natural 3D Brushed Ecru

A64V Boost Natural 3D Texture Kaolin
A64W Boost Natural 3D Texture Ash
A64X Boost Natural 3D Texture Ecru

A64Y Boost Natural 3D Wave Kaolin
A64Z Boost Natural 3D Wave Ash
A64Ø Boost Natural 3D Wave Ecru

TRIM TILES

1,4x50 cm - $^{5}/_{8}$"x19$^{5}/_{8}$"
A641 Boost Natural Kaolin Corner 50 *
A642 Boost Natural Ash Corner 50 *
A643 Boost Natural Ecru Corner 50 *

1,4x1,4 cm - $^{5}/_{8}$"x$^{5}/_{8}$"
A644 Boost Natural Kaolin Corner A.E. *
A645 Boost Natural Ash Corner A.E. *
A646 Boost Natural Ecru Corner A.E. *

3D TRIM TILES

1,4x50 cm - $^{5}/_{8}$"x19$^{5}/_{8}$"
A7BN Boost Natural 3D Texture Kaolin Corner 50 *
A7BO Boost Natural 3D Texture Ash Corner 50 *
A7BP Boost Natural 3D Texture Ecru Corner 50 *
A7BQ Boost Natural 3D Brushed Kaolin Corner 50 *
A7BR Boost Natural 3D Brushed Ash Corner 50 *
A7BS Boost Natural 3D Brushed Ecru Corner 50 *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione
Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar
Las piezas se hacen por encargo - Изготовляются на заказ

V2 Slight Variation


KAOLIN

3D BRUSHED KAOLIN


3D WAVE KAOLIN


3D TEXTURE KAOLIN


ASH



3D BRUSHED ASH


3D WAVE ASH


3D TEXTURE ASH


ECRU


3D BRUSHED ECRU


3D WAVE ECRU


3D TEXTURE ECRU

DECOR RANGE

AHVH Boost Natural Kaolin
Mosaico Piano [1]
50x40,5 - 19$^{5}/_{8}$"x16"


AHHF Boost Natural Ash
Mosaico Piano [1]
50x40,5 - 19$^{5}/_{8}$"x16"


AHHG Boost Natural Ecru
Mosaico Piano [1]
50x40,5 - 19$^{5}/_{8}$"x16"


AHHH Boost Natural Kaolin
Mosaico Piano Mix [1]
50x40,5 - 19$^{5}/_{8}$"x16"



AHHI Boost Natural Ash
Mosaico Piano Mix [1]
50x40,5 - 19$^{5}/_{8}$"x16"


AHHJ Boost Natural Ecru
Mosaico Piano Mix [1]
50x40,5 - 19$^{5}/_{8}$"x16"


AHHK Boost Natural Kaolin
Mosaico Trace Mix
30x29,2 - 11$^{3}/_{4}$"x11$^{1}/_{2}$"


AHHL Boost Natural Ash
Mosaico Trace Mix
30x29,2 - 11$^{3}/_{4}$"x11$^{1}/_{2}$"


AHHM Boost Natural Ecru
Mosaico Trace Mix
30x29,2 - 11$^{3}/_{4}$"x11$^{1}/_{2}$"



A 50 cm - 19$^{5}/_{8}$"
b 7,95 cm - 3$^{1}/_{8}$"
B 40,4 cm - 15$^{7}/_{8}$"



A 14,5x1,3 cm - 5$^{3}/_{4}$"x$^{1}/_{2}$"
B 14,5x5,9 cm - 5$^{3}/_{4}$"x2$^{3}/_{4}$"
C 14,5x1 cm - 5$^{3}/_{4}$"x$^{3}/_{8}$"
D 14,5x3 cm - 5$^{3}/_{4}$"x1$^{1}/_{8}$"
E 30,7 cm - 12$^{1}/_{8}$"
e 30 cm - 11$^{3}/_{4}$"
F 29,1 cm - 11$^{1}/_{2}$"

[1] **For the best performance of the mosaic we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions.** - Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attenendosi alle indicazioni di utilizzo fornite dal produttore. - Afin d'obtenir un rendu optimal de la mosaïque, nous vous conseillons d'utiliser des mortiers époxy (classe RG - EN 13888/ISO 13007) ou des résines à base de ciment, en suivant les indications d'utilisation fournies par le fabricant. - Um das Mosaik optimal zur Geltung zu bringen, empfehlen wir die Verwendung von Epoxidharzfugenmörtel (Klasse RG - EN 13888/ISO 13007) oder von vergüteten Fugenmörteln unter Beachtung der vom Hersteller angegebenen Verwendungshinweise. - Para obtener un rendimiento óptimo del mosaico, se aconseja utilizar mortero epoxi (clase RG - EN 13888/ISO 13007) o resinas de cemento siguiendo las indicaciones entregadas por el fabricante. - Для наилучшего эстетического результата при укладке мозаики рекомендуется использовать эпоксидные растворы (класс RG - EN 13888/ISO 13007) или полимерцемент, соблюдая инструкции производителя.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Pro

COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
160x160 cm - 63"x63"	6 mm	Matte **R9 A**
120x278 cm - 47 1/4"x109 1/2"	6 mm	Matte **R9 A**
120x240 cm - 47 1/4"x94 1/2"	9 mm	Matte Sensitech **R10 B**
120x120 cm - 47 1/4"x47 1/4"	6 mm	Matte **R9 A**
	9 mm	Matte Sensitech **R10 B**
60x120 cm - 23 5/8"x47 1/4"	6 mm	Matte Sensitech **R10 B**
	9 mm	Matte Sensitech **R10 B**
75x150 cm - 29 1/2"x59"	9 mm	Matte Sensitech **R10 B**
75x75 cm - 29 1/2"x29 1/2"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23 5/8"x23 5/8"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11 3/4"x23 5/8"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

120x120 cm - 47 1/4"x47 1/4"	9 mm	Grip Sensitech **R11 C**
120x120 cm - 47 1/4"x47 1/4"	20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23 5/8"x47 1/4"	20 mm	Outdoor Sensitech **R11 C**
90x90 cm - 35 1/8"x35 1/8"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23 5/8"x23 5/8"	20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	6 mm	Hammered **R9 A**















Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 3/4"x31 1/2"	8,5 mm	Matte

3D WALL TILES

40x80 cm - 15 3/4"x31 1/2"	10 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Pro

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm
Matte Sensitech ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 6 - 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE — Floor — Wall

atlasPLAN
✣ 6 mm
160x320 cm - 63"x126"
AØQE Boost Pro Clay Hammered
AØQF Boost Pro Taupe Hammered

✣ 6 mm
160x160 cm - 63"x63"
AØQG Boost Pro Clay
AØQH Boost Pro Taupe

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AØCK Boost Pro Ivory
AØCM Boost Pro Cream
AØCN Boost Pro Clay
AØCO Boost Pro Taupe
AØCP Boost Pro Tobacco

✣ 6 mm
120x120 cm - 47 1/4"x47 1/4"
AØCQ Boost Pro Ivory
AØCR Boost Pro Cream
AØCS Boost Pro Clay
AØCT Boost Pro Taupe
AØCU Boost Pro Tobacco

Sensitech
✣ 6 mm
60x120 cm - 23 5/8"x47 1/4"
ALSQ Boost Pro Ivory
ALSU Boost Pro Cream

Sensitech
✣ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AØCF Boost Pro Ivory
AØCG Boost Pro Cream
AØCJ Boost Pro Clay
AØCH Boost Pro Taupe
AØCI Boost Pro Tobacco

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AØAF Boost Pro Ivory
AØAH Boost Pro Cream
AØAJ Boost Pro Clay
AØAL Boost Pro Taupe
AØAN Boost Pro Tobacco

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AØBY Boost Pro Ivory
AØBZ Boost Pro Cream
AØBØ Boost Pro Clay
AØB8 Boost Pro Taupe
AØB9 Boost Pro Tobacco

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AØC3 Boost Pro Ivory
AØC4 Boost Pro Cream
AØC5 Boost Pro Clay
AØC6 Boost Pro Taupe
AØC7 Boost Pro Tobacco

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AØC8 Boost Pro Ivory
AØC9 Boost Pro Cream
AØDA Boost Pro Clay
AØDB Boost Pro Taupe
AØDC Boost Pro Tobacco

Sensitech
✣ 9 mm
75x150 cm - 29 1/2"x59"
A7GØ Boost Pro Ivory
A7G2 Boost Pro Cream
A7G3 Boost Pro Clay
A7G4 Boost Pro Taupe
A7G1 Boost Pro Tobacco

Sensitech
✣ 9 mm
75x75 cm - 29 1/2"x29 1/2"
A28F Boost Pro Ivory
A28G Boost Pro Cream
A28H Boost Pro Clay
A28I Boost Pro Taupe
A28J Boost Pro Tobacco

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AØAO Boost Pro Ivory Grip
AØAQ Boost Pro Cream Grip
AØBV Boost Pro Clay Grip
AØBW Boost Pro Taupe Grip
AØBX Boost Pro Tobacco Grip

Sensitech
✣ 20 mm
120x120 cm - 47 1/4"x47 1/4"
A3DD Boost Pro Cream 20 mm
A3DE Boost Pro Clay 20 mm
A3DF Boost Pro Taupe 20 mm
A3DH Boost Pro Tobacco 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x47 1/4"
A4XU Boost Pro Cream 20 mm
A4XV Boost Pro Clay 20 mm
A4XW Boost Pro Taupe 20 mm
A4XX Boost Pro Tobacco 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23 5/8"x23 5/8"
A4XQ Boost Pro Cream 20 mm
A4XR Boost Pro Clay 20 mm
A4XS Boost Pro Taupe 20 mm
A4XT Boost Pro Tobacco 20 mm


Sensitech
✣ 20 mm
90x90 cm - 35 3/8"x35 3/8"
A4XM Boost Pro Cream 20 mm
A4XN Boost Pro Clay 20 mm
A4XO Boost Pro Taupe 20 mm
A4XP Boost Pro Tobacco 20 mm

Sensitech P.402

IVORY


CREAM


CLAY


TAUPE


TOBACCO

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Pro

Porcelain Tiles

DECOR RANGE



AØLX Boost Pro Paint [1] [2]
120x278 - 47¹/₄"x109¹/₂"



A3HE Boost Pro Leaves A [2]
A3M2 Boost Pro Leaves B
120x278 - 47¹/₄"x109¹/₂"



AØLW Boost Pro Grove [1] [2]
120x278 - 47¹/₄"x109¹/₂"



Module Assembly

[1] **The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** - All'interno delle casse, le varie grafiche del prodotto sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - À l'intérieur delle caisses, les différents graphismes du produit sont distribués en mode aléatoire, sans possibilité de choix entre les motifs disponibles. - Die Kisten enthalten die verschiedenen Grafiken des Artikels nach dem Zufallsprinzip, ohne dass Sie zwischen den einzelnen Motiven wählen können. - En el interior de las cajas, los distintos gráficos de los productos se distribuyen de forma aleatoria, sin que se pueda elegir el patrón disponible. - Рисунки распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

[2] **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.



AØQQ Boost Pro Ivory
Mosaico Matt
30x30 - 11³/₄"x11³/₄"



AØQR Boost Pro Cream
Mosaico Matt
30x30 - 11³/₄"x11³/₄"



AØQS Boost Pro Clay
Mosaico Matt
30x30 - 11³/₄"x11³/₄"



AØQT Boost Pro Taupe
Mosaico Matt
30x30 - 11³/₄"x11³/₄"



AØQU Boost Pro Tobacco
Mosaico Matt
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm
1⁷/₈"x1⁷/₈"



AØP8 Boost Pro Ivory
Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



AØP9 Boost Pro Cream
Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



AØQB Boost Pro Clay
Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



AØQC Boost Pro Taupe
Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



AØQD Boost Pro Tobacco
Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



A 11,4x6,5 cm - 4¹/₂"x2¹/₂"
B 11,4x6,5 cm - 4¹/₂"x2¹/₂"
C 6,3x3,2 cm - 2¹/₂"x1¹/₄"




AØQN Boost Pro Ivory
Mosaico Hex Olive [3]
25x28,5 - 9⁷/₈"x11¹/₄"



AØQO Boost Pro Cream
Mosaico Hex Blue [3]
25x28,5 - 9⁷/₈"x11¹/₄"



AØQP Boost Pro Taupe
Mosaico Hex Coffee [3]
25x28,5 - 9⁷/₈"x11¹/₄"



A 9,7x3,8 cm - 3⁷/₈"x1¹/₂"
B 4,8x3,8 cm - 1⁷/₈"x1¹/₂"
C 4,6x3,6 cm - 1³/₄"x1³/₈"
D 4,6x3,6 cm - 1³/₄"x1³/₈"

TRIM TILES
P. 300

	Battiscopa		Gradino *	Scalino *	Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L
	7,2x60 cm 2⁷/₈"x23⁵/₈"	Digitale 4,6x60 cm 1⁷/₈"x23⁵/₈"	30x60 cm 11⁷/₈"x23⁵/₈"	33x150 cm 13"x59"	33x120 cm 13"x47¹/₄"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11⁷/₈"		max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"	33x120 H.4 cm 13"x47¹/₄" H.1⁵/₈"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Grip
								DX	SX		
Ivory	AØQI	AØQV	A28Ø	A3CY	A3CT	A3CO	A3C3	AØQØ	AØRX	•	A3C8
Cream	AØQJ	AØQW	A283	A3CZ	A3CU	A3CP	A3C4	AØQ8	AØRY	•	A3C9
Clay	AØQK	AØQX	A284	A3CØ	A3CV	A3CQ	A3C5	AØQ9	AØWQ	•	A3DA
Taupe	AØQL	AØQY	A285	A3C1	A3CW	A3CR	A3C6	AØRA	AØ4M	•	A3DB
Tobacco	AØQM	AØQZ	A289	A3C2	A3CX	A3CS	A3C7	AØRM	A28Z	•	A3DC

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[3] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

Boost Pro

Wall Tiles

V2 Slight Variation

MATTE SURFACE — Wall

± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8B8I Boost Pro Ivory
8B8E Boost Pro Cream
8B8C Boost Pro Clay
8B8M Boost Pro Mustard
8B8B Boost Pro Powder Blue






± 10 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
8BUI Boost Pro 3D Urban Ivory
8BUC Boost Pro 3D Urban Clay
8BUB Boost Pro 3D Urban Powder Blue














TRIM TILES

1,4x40 cm - ⁵/₈"x15³/₄"
LBBI Boost Pro Ivory Corner 40 *
LBBM Boost Pro Cream Corner 40 *
LBBA Boost Pro Clay Corner 40 *
LBBU Boost Pro Mustard Corner 40 *
LBBG Boost Pro Powder Blue Corner 40 *

1,4x1,4 cm - ⁵/₈"x⁵/₈"
AØAI Boost Pro Ivory Corner A.E. *
AØAE Boost Pro Cream Corner A.E. *
AØAC Boost Pro Clay Corner A.E. *
AØAM Boost Pro Mustard Corner A.E. *
AØAB Boost Pro Powder Blue Corner A.E. *

3D TRIM TILES

1,4x40 cm - ⁵/₈"x15³/₄"
LB3I Boost Pro Ivory 3D Corner 40 *
LB3C Boost Pro Clay 3D Corner 40 *
LB3B Boost Pro Powder Blue 3D Corner 40 *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

(1) **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

DECOR RANGE



9BMI Boost Pro Ivory
Minibrick Pro Olive (1)
29,7x33,3 - 11⁵/₈"x13¹/₄"



9BMV Boost Pro Cream
Minibrick Pro Blue (1)
29,7x33,3 - 11⁵/₈"x13¹/₄"




9BMZ Boost Pro Clay
Minibrick Pro Coffee (1)
29,7x33,3 - 11⁵/₈"x13¹/₄"



9BMT Boost Pro Mustard
Minibrick Pro Yellow (1)
29,7x33,3 - 11⁵/₈"x13¹/₄"



9BMU Boost Pro Powder Blue
Minibrick Pro Ocean (1)
29,7x33,3 - 11⁵/₈"x13¹/₄"



A 29,6 cm - 11⁵/₈"
B 37,6 cm - 14³/₄"
b 33,3 cm - 13¹/₈"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Prism

A color concept by **Piero Lissoni**

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades





Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	6 mm	Matte **R9 A**
120x120 cm - 47 1/4"x47 1/4"	9 mm	Silk | Matte Sensitech **R10 B**
60x120 cm - 23 5/8"x47 1/4"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23 5/8"x23 5/8"	9 mm	Silk | Matte Sensitech **R10 B**
30x60 cm - 11 3/4"x23 5/8"	9 mm	Silk | Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

120x120 cm - 47 1/4"x47 1/4"	9 mm	Grip Sensitech **R11 C**
120x120 cm - 47 1/4"x47 1/4"	20 mm	Outdoor Sensitech **R11 C**
80x80 cm - 31 1/2"x31 1/2"	20 mm	Outdoor Sensitech **R11 C**

Glazed Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	6 mm	Matte



Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 5/8"x47 1/4"	8,5 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Prism

Porcelain Tiles

MEDIUM TRAFFIC: Matte ǂ 6 mm, Silk ǂ 9 mm

HEAVY TRAFFIC: Matte ǂ 9 mm, Grip Sensitech ǂ 9 mm, Outdoor Sensitech ǂ 20 mm

R9 A Matte ǂ 6 mm
R10 B Matte Sensitech ǂ 9 mm
R11 C Grip Sensitech ǂ 9 mm
R11 C Outdoor Sensitech ǂ 20 mm

V2 Slight Variation

MATTE SURFACE — Floor — Wall

ǂ 6 mm
120x278 cm - 47 1/4"x109 1/2"
A4UP Prism Suede
A4UQ Prism Cord
A4UR Prism Cotton
A4US Prism Cloud
A4UT Prism Fog
A4UU Prism Graphite

ǂ 9 mm Sensitech
120x120 cm - 47 1/4"x47 1/4"
A4OG Prism Suede
A4OH Prism Cord
A4OI Prism Cotton
A4OJ Prism Cloud
A4OK Prism Fog
A4OL Prism Graphite

ǂ 9 mm Sensitech
60x120 cm - 23 5/8"x47 1/4"
A4OS Prism Suede
A4OT Prism Cord
A4OU Prism Cotton
A4OV Prism Cloud
A4OW Prism Fog
A4OX Prism Graphite

ǂ 9 mm Sensitech
60x60 cm - 23 5/8"x23 5/8"
A4UV Prism Suede
A4UW Prism Cord
A4UX Prism Cotton
A4UY Prism Cloud
A4UZ Prism Fog
A4UØ Prism Graphite

ǂ 9 mm Sensitech
30x60 cm - 11 3/4"x23 5/8"
A4U1 Prism Suede
A4U2 Prism Cord
A4U3 Prism Cotton
A4U4 Prism Cloud
A4U5 Prism Fog
A4U6 Prism Graphite

SILK SURFACE

ǂ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A4OM Prism Suede Silk
A4ON Prism Cord Silk
A4OO Prism Cotton Silk
A4OP Prism Cloud Silk
A4OQ Prism Fog Silk
A4OR Prism Graphite Silk

ǂ 9 mm
60x60 cm - 23 5/8"x23 5/8"
A5RV Prism Suede Silk
A5RW Prism Cord Silk
A5RX Prism Cotton Silk
A5RY Prism Cloud Silk
A5RZ Prism Fog Silk
A5RØ Prism Graphite Silk

ǂ 9 mm
30x60 cm - 11 3/4"x23 5/8"
A5R2 Prism Suede Silk
A5R6 Prism Cord Silk
A5R7 Prism Cotton Silk
A5SA Prism Cloud Silk
A5SB Prism Fog Silk
A5SC Prism Graphite Silk

GRIP SURFACE — OUTDOOR ǂ 20 mm — Outdoor

ǂ 9 mm Sensitech
120x120 cm - 47 1/4"x47 1/4"
A5OI Prism Suede Grip
A5OJ Prism Cord Grip
A5OK Prism Cloud Grip
A5OL Prism Fog Grip

ǂ 20 mm Sensitech
120x120 cm - 47 1/4"x47 1/4"
A5OM Prism Suede 20 mm
A5ON Prism Cord 20 mm
A5OO Prism Cloud 20 mm
A5OP Prism Fog 20 mm

ǂ 20 mm Sensitech
80x80 cm - 31 1/2"x31 1/2"
A56H Prism Suede 20 mm
A56I Prism Cord 20 mm
A56J Prism Cloud 20 mm
A56K Prism Fog 20 mm

Glazed Porcelain Tiles

MATTE SURFACE — Wall

ǂ 6 mm
120x278 cm - 47 1/4"x109 1/2" (1)
A4VH Prism Bloom
A4VI Prism Caramel
A4VJ Prism Grape
A4VK Prism Dusk
A4VL Prism Midnight
A4VM Prism Moss
A4VN Prism Emerald


(1) **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.


Sensitech P.402





























INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Prism

Porcelain Tiles

DECOR RANGE

A4V1 Prism Cotton
Mosaico Matte
30x30 - 11³/₄"x11³/₄"

A4VØ Prism Cord
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A4VZ Prism Suede
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A4V2 Prism Cloud
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A4V3 Prism Fog
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A4V4 Prism Graphite
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm
1⁷/₈"x1⁷/₈"

A41S Prism Cotton
Mosaico Maze
31x35,7 - 12¹/₄"x14"



A41R Prism Cord
Mosaico Maze
31x35,7 - 12¹/₄"x14"



A41Q Prism Suede
Mosaico Maze
31x35,7 - 12¹/₄"x14"




A41T Prism Cloud
Mosaico Maze
31x35,7 - 12¹/₄"x14"



A41U Prism Fog
Mosaico Maze
31x35,7 - 12¹/₄"x14"



A41V Prism Graphite
Mosaico Maze
31x35,7 - 12¹/₄"x14"



A	44,6 cm - 17¹/₂"
B	31 cm - 12¹/₄"
a	35,7 cm - 14"
b	7,6 cm - 3"
c	8,8 cm - 3¹/₈"
d	17,6 cm - 6⁷/₈"

A41Y Prism Cotton
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A41X Prism Cord
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A41W Prism Suede
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A41Z Prism Cloud
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A411 Prism Fog
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A412 Prism Graphite
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A4VO Prism Gradient XL [1] [2]
120x278 cm - 47¹/₄"x109¹/₂"



A4VP Prism Brush XL [1] [2]
120x278 cm - 47¹/₄"x109¹/₂"

TRIM TILES
P. 300

	Battiscopa		Gradino *		Scalino *		Scalino *		Scalino Ang.*		Battiscopa Sag. Scala *				Davanzale / Soglia *	Elemento L *	Corner * ± 6 mm	Corner A.E * ± 6 mm
	7.2x60 cm 2⁷/₈"x23⁵/₈"		30x60 cm 11³/₄"x23⁵/₈"		33x120 cm 13"x47¹/₄"		33x60 cm 13"x23⁵/₈"		33x33 cm 13"x13"		7.2x30 cm 2⁷/₈"x11³/₄"				max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"	33x120 H.4 cm 13"x47¹/₄" H.1⁵/₈"	1x120 cm ³/₈"x47¹/₄"	1x1 cm ³/₈"x³/₈"
	Matte	Silk	Matte	Silk	Matte	Silk	Matte	Silk	Matte	Silk	Matte		Silk		Matte	Grip	Matte	Matte
											SX	DX	SX	DX				
Cotton	A4XØ	A5SF	A4YI	A5SX	A4YU	A4Y6	A4YO	A5S3	A4YØ	A4ZD	A4YC	A4X6	A5SR	A5SL	•	-	A4ZJ	A4ZP
Cord	A4XZ	A5SE	A4YH	A5SW	A4YT	A4Y5	A4YN	A5S2	A4YZ	A4ZC	A4YB	A4X5	A5SQ	A5SK	•	A5OZ	A4ZI	A4ZO
Suede	A4XY	A5SD	A4YG	A5SV	A4YS	A4Y4	A4YM	A5S1	A4YY	A4ZB	A4YA	A4X4	A5SP	A5SJ	•	A5OY	A4ZH	A4ZN
Cloud	A4X1	A5SG	A4YJ	A5SY	A4YV	A4Y7	A4YP	A5S4	A4Y1	A4ZE	A4YD	A4X7	A5SS	A5SM	•	A5OØ	A4ZK	A4ZQ
Fog	A4X2	A5SH	A4YK	A5SZ	A4YW	A4Y9	A4YQ	A5S5	A4Y2	A4ZF	A4YE	A4X8	A5ST	A5SN	•	A5O1	A4ZL	A4ZR
Graphite	A4X3	A5SI	A4YL	A5SØ	A4YX	A4ZA	A4YR	A5S6	A4Y3	A4ZG	A4YF	A4X9	A5SU	A5SO	•	-	A4ZM	A4ZS

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **The production process does not guarantee the presence of the exact sequence of the graphics inside the packaging.** - Il processo produttivo non garantisce la presenza dell'esatta sequenza delle grafiche all'interno dell'imballo. - Le processus de fabrication ne garantit pas la présence de la séquence exacte des graphismes à l'intérieur de l'emballage. - Der Produktionsprozess garantiert nicht die exakte Sequenz der Grafiken in der Verpackung. - El proceso de producción no garantiza la presencia de la secuencia exacta de los gráficos dentro del embalaje. - Процесс производства не обеспечивает наличие точно совпадающих рисунков поверхности внутри упаковки.

[2] **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Prism


Wall Tiles


MATTE SURFACE —— Wall

8,5 mm
50x120 cm - 19⅝"x47¼"
A4TF Prism Suede
A4TG Prism Cord
A4TH Prism Cotton
A4TI Prism Cloud
A4TJ Prism Graphite
A4TK Prism Bloom
A4TL Prism Caramel
A4TM Prism Grape
A4TN Prism Dusk
A4TO Prism Midnight
A4TP Prism Moss
A4TQ Prism Emerald


V2 Slight Variation














TRIM TILES



1,4x50 cm - 5/8"x19⅝"
A4ØO Prism Suede Corner 50 *
A4ØP Prism Cord Corner 50 *
A4ØQ Prism Cotton Corner 50 *
A4ØR Prism Cloud Corner 50 *
A4ØS Prism Graphite Corner 50 *
A4ØT Prism Bloom Corner 50 *
A4ØU Prism Caramel Corner 50 *
A4ØV Prism Grape Corner 50 *
A4ØW Prism Dusk Corner 50 *
A4ØX Prism Midnight Corner 50 *
A4ØY Prism Moss Corner 50 *
A4ØZ Prism Emerald Corner 50 *



1,4x1,4 cm - 5/8"x5/8"
A4Ø1 Prism Suede Corner A.E. *
A4Ø2 Prism Cord Corner A.E. *
A4Ø3 Prism Cotton Corner A.E. *
A4Ø4 Prism Cloud Corner A.E. *
A4Ø5 Prism Graphite Corner A.E. *
A4Ø6 Prism Bloom Corner A.E. *
A4Ø7 Prism Caramel Corner A.E. *
A4Ø8 Prism Grape Corner A.E. *
A4Ø9 Prism Dusk Corner A.E. *
A41A Prism Midnight Corner A.E. *
A41B Prism Moss Corner A.E. *
A41C Prism Emerald Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

DECOR RANGE

A4ZX Prism Cotton Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"

A4ZW Prism Cord Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"



A4ZV Prism Suede Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"




A4ZY Prism Cloud Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"



A4ZZ Prism Graphite Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"




A4ZØ Prism Bloom Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"



A 32 cm - 12⅝"
a 29,6 cm - 11⅝"
B 32,6 cm - 12⅞"
b 29,7 cm - 11¾"



A4Z1 Prism Caramel Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"



A4Z2 Prism Grape Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"



A4Z3 Prism Dusk Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"




A4Z4 Prism Midnight Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"




A4Z5 Prism Moss Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"




A4Z6 Prism Emerald Mosaico Bead
29,7x29,6 - 11⅝"x11⅝"



A4ØE Prism Cotton Mosaic Q
30,5x30,5 - 12"x12"



A4ØD Prism Cord Mosaic Q
30,5x30,5 - 12"x12"




A4ØC Prism Suede Mosaic Q
30,5x30,5 - 12"x12"




A4ØF Prism Cloud Mosaic Q
30,5x30,5 - 12"x12"



A4ØG Prism Graphite Mosaic Q
30,5x30,5 - 12"x12"



A4ØH Prism Bloom Mosaic Q
30,5x30,5 - 12"x12"



1,7x1,7 cm
5/8"x5/8"



A4ØI Prism Caramel Mosaic Q
30,5x30,5 - 12"x12"




A4ØJ Prism Grape Mosaic Q
30,5x30,5 - 12"x12"



A4ØK Prism Dusk Mosaic Q
30,5x30,5 - 12"x12"



A4ØL Prism Midnight Mosaic Q
30,5x30,5 - 12"x12"



A4ØM Prism Moss Mosaic Q
30,5x30,5 - 12"x12"



A4ØN Prism Emerald Mosaic Q
30,5x30,5 - 12"x12"

A4Z7 Prism Cotton Wiggle (1)
30,6x32,4 - 12"x12¾"




A4Z8 Prism Bloom Wiggle (1)
30,6x32,4 - 12"x12¾"



A4Z9 Prism Dusk Wiggle (1)
30,6x32,4 - 12"x12¾"



A4ØB Prism Moss Wiggle (1)
30,6x32,4 - 12"x12¾"



A 36,1 cm - 14¼"
a 32,3 cm - 12¾"
B 35,2 cm - 13⅞"
b 30,6 cm - 12"

(1) **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Prism

Wall Tiles

DECOR RANGE



A4TS Prism Brush [2]
50x120 cm - 19$^{3}/_{8}$"x47$^{1}/_{4}$"

8 patterns



A4ZT Prism Enigma
50x120 cm - 19$^{3}/_{8}$"x47$^{1}/_{4}$"

This item matches with the following colors / Questo articolo si abbina ai colori seguenti:
Cloud 50x120, Graphite 50x120, Cotton 50x120



A4TR Prism Gradient [2]
50x120 cm - 19$^{3}/_{8}$"x47$^{1}/_{4}$"

12 patterns



A4ZU Prism Gold [1]
50x120 cm - 19$^{3}/_{8}$"x47$^{1}/_{4}$"

This item matches with the following colors / Questo articolo si abbina ai colori seguenti:
Bloom 50x120, Caramel 50x120, Grape 50x120, Cord 50x120, Cloud 50x120, Suede 50x120, Cotton 50x120

[1] **Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[2] **Item sold by square meter.** - Articolo venduto al mq. - Article vendu au mètre carré. - Artikel pro m^2 verkauft. - Artículo vendido por m^2 - Артикул продается квадратными метрами.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Venti Boost

COLLECTION CATALOG

VIDEO

Floor Wall























Porcelain Tiles PORCELAIN TILES - NON-RECTIFIED

Sizes	Thickness	Surface finish
20x20 cm - 7⅞"x7⅞"	9 mm	Matte **R10 A**

















Glazed Porcelain Tiles PORCELAIN TILES - NON-RECTIFIED

Sizes	Thickness	Surface finish
20x20 cm - 7⅞"x7⅞"	9 mm	Matte **R9 A**

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Venti Boost

Porcelain Tiles

HEAVY TRAFFIC — Matte ✣ 9 mm

R10 A Matte ✣ 9 mm


V2 Slight Variation
Carpet 1 Warm, Carpet 2 Warm, Carpet 3 Warm, Carpet 1 Cold, Carpet 2 Cold, Carpet 3 Cold

V4 Substantial Variation
Mix Warm, Mix Cold

MATTE SURFACE — Floor — Wall



A3OD Venti Boost Warm
20x20 - 7⁷/₈"x7⁷/₈"



A3OF Venti Boost Mix Warm [1]
20x20 - 7⁷/₈"x7⁷/₈"

16 Patterns



A3OJ Venti Boost Carpet 1W
20x20 - 7⁷/₈"x7⁷/₈"



A3OK Venti Boost Carpet 2W
20x20 - 7⁷/₈"x7⁷/₈"




A3OL Venti Boost Carpet 3W
20x20 - 7⁷/₈"x7⁷/₈"

[1] **Article composed of 16 different graphics, randomly mixed inside the boxes.** - Articolo composto da 16 grafiche diverse, miscelate in modo casuale all'interno delle scatole. - Article composé de 16 graphismes différents, mélangés au hasard dans les boîtes.. - Artikel mit 16 verschiedenen Grafiken, in den Schachteln nach dem Zufallsprinzip gemischt. - Artículo compuesto por 16 gráficos diferentes, mezclados en manera casual dentro a las cajas. - Артикул состоит из 16 различных рисунков, случайно перемешанных внутри коробок.

MATTE SURFACE — Floor — Wall



A3OC Venti Boost Cold
20x20 - 7⁷/₈"x7⁷/₈"




A3OE Venti Boost Mix Cold [1]
20x20 - 7⁷/₈"x7⁷/₈"

16 Patterns



A3OG Venti Boost Carpet 1C
20x20 - 7⁷/₈"x7⁷/₈"



A3OH Venti Boost Carpet 2C
20x20 - 7⁷/₈"x7⁷/₈"



A3OI Venti Boost Carpet 3C
20x20 - 7⁷/₈"x7⁷/₈"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Venti Boost

Glazed Porcelain Tiles

HEAVY TRAFFIC Matte ÷ 9 mm

R9 A Matte ÷ 9 mm

V2 Slight Variation
Classic Carpet 1, Classic Carpet 2, Classic Carpet 3, Blue Carpet 1, Blue Carpet 2, Blue Carpet 3

V4 Substantial Variation
Classic Mix, Blue Mix


MATTE SURFACE

Floor — Wall



A3OM Venti Boost Classic Mix [1]
20x20 - 7⅞"x7⅞"

20 Patterns




A3ON Venti Boost Classic Carpet 1
20x20 - 7⅞"x7⅞"





A3OO Venti Boost Classic Carpet 2
20x20 - 7⅞"x7⅞"



A3OP Venti Boost Classic Carpet 3
20x20 - 7⅞"x7⅞"


MATTE SURFACE

Floor — Wall



A3OQ Venti Boost Blue Mix [1]
20x20 - 7⅞"x7⅞"

20 Patterns




A3OR Venti Boost Blue Carpet 1
20x20 - 7⅞"x7⅞"





A3OS Venti Boost Blue Carpet 2
20x20 - 7⅞"x7⅞"



A3OT Venti Boost Blue Carpet 3
20x20 - 7⅞"x7⅞"

[1] **Article composed of 20 different graphics, randomly mixed inside the boxes**. - Articolo composto da 20 grafiche diverse, miscelate in modo casuale all'interno delle scatole. - Article composé de 20 graphismes différents, mélangés au hasard dans les boîtes.. - Artikel mit 20 verschiedenen Grafiken, in den Schachteln nach dem Zufallsprinzip gemischt. - Artículo compuesto por 20 gráficos diferentes, mezclados en manera casual dentro a las cajas. - Артикул состоит из 20 различных рисунков, случайно перемешанных внутри коробок.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel

WEBSITE COLLECTION

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
160x160 cm - 63"x63"	± 6 mm	Polished I Matte **R9 A**
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished I Matte **R9 A**
120x240 cm - 47 1/4"x94 1/2"	± 9 mm	Polished
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Polished I Matte Sensitech **R10 B**
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Polished I Matte Sensitech **R10 B**
75x150 cm - 29 1/2"x59"	± 9 mm	Polished I Matte Sensitech **R10 B**
75x75 cm - 29 1/2"x29 1/2"	± 9 mm	Polished I Matte Sensitech **R10 B**
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Polished I Matte Sensitech **R10 B**
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Polished I Matte Sensitech **R10 B**

LARGE SIZES P. 304

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished I Silk I Matte **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 3/4"x127 1/2" NON-RECTIFIED	± 12-20 mm	Polished I Silk I Matte
159x324 cm - 62 5/8"x127 1/2" NON-RECTIFIED	± 20 mm	Polished I Matte









Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 5/8"x47 1/4"	± 8,5 mm	Shiny
40x80 cm - 15 3/4"x31 1/2"	± 8,5 mm	Shiny
30,5x91,5 cm - 12"x36"	± 8,5 mm	Shiny
30,5x56 cm - 12"x22"	± 8,5 mm	Shiny
8x31,5 cm - 3 1/8"x12 3/8"	± 8,5 mm	Shiny

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel

Porcelain Tiles

MEDIUM TRAFFIC

Polished ∓ 6 - 9 mm

V2 Slight Variation

POLISHED SURFACE [1]

Floor Wall

atlasPLAN

∓ 6 mm
160x320 cm - 63"x126"
AJKT Marvel Calacatta Extra Bookmatch Polished
AJKS Marvel Calacatta Extra Polished
AO5U Marvel Calacatta Extra Polished Endless
AKFK Marvel Calacatta Extra Polished Kit Endless [2] [3]

∓ 6 mm
160x160 cm - 63"x63"
AO51 Marvel Calacatta Extra Polished

∓ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AØBM Marvel Calacatta Extra Polished
AOTJ Marvel Calacatta Extra Bookmatch A Polished
AOTK Marvel Calacatta Extra Bookmatch B Polished
AOQD Marvel Grey Stone Polished
AOUB Marvel Calacatta Extra Endless Polished
A6DU Marvel Calacatta Extra Kit Endless Lp Polished [2] [3]

∓ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AY2N Marvel Calacatta Extra Polished
AY2O Marvel Grey Stone Polished

∓ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AY2R Marvel Calacatta Extra Polished
AY2S Marvel Grey Stone Polished

∓ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A21S Marvel Calacatta Extra Polished
A21H Marvel Grey Stone Polished

∓ 9 mm
75x150 cm - 29 1/2"x59"
A6IF Marvel Calacatta Extra Polished
A7FN Marvel Grey Stone Polished
A7FM Marvel Champagne Onyx Polished

∓ 9 mm
75x75 cm - 29 1/2"x29 1/2"
ADPV Marvel Calacatta Extra Polished
ADPX Marvel Moon Onyx Polished
ADPY Marvel Grey Stone Polished
ADPW Marvel Champagne Onyx Polished

∓ 9 mm
60x60 cm - 23 5/8"x23 5/8"
7N3O Marvel Calacatta Extra Polished
7N3P Marvel Moon Onyx Polished
7N3T Marvel Grey Stone Polished
7N3Q Marvel Champagne Onyx Polished

∓ 9 mm
30x60 cm - 11 3/4"x23 5/8"
DØ16 Marvel Calacatta Extra Polished
DØ17 Marvel Moon Onyx Polished
DØ21 Marvel Grey Stone Polished
DØ18 Marvel Champagne Onyx Polished


[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 365**


CALACATTA EXTRA

CHAMPAGNE ONYX

MOON ONYX


GREY STONE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel

Porcelain Tiles

Silk ✣ 6 mm
Matte ✣ 6 mm
MEDIUM TRAFFIC

Matte Sensitech ✣ 9 mm
HEAVY TRAFFIC

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm

V2 Slight Variation

SILK SURFACE (1)

Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AJKZ Marvel Calacatta Extra Bookmatch Silk
AJKY Marvel Calacatta Extra Silk
AJKX Marvel Grey Stone Silk

MATTE SURFACE

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AO5Y Marvel Calacatta Extra Endless
AKFM Marvel Calacatta Extra Kit Endless (2) (3)

✣ 6 mm
160x160 cm - 63"x63"
AO54 Marvel Calacatta Extra

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AØBT Marvel Calacatta Extra
A2RP Marvel Grey Stone

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A2ØY Marvel Calacatta Extra
AEQY Marvel Grey Stone

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A2Ø8 Marvel Calacatta Extra
A2Ø9 Marvel Grey Stone

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
7N3A Marvel Calacatta Extra
7N3B Marvel Moon Onyx
7N3F Marvel Grey Stone
7N3C Marvel Champagne Onyx

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
DØ95 Marvel Calacatta Extra
DØ96 Marvel Moon Onyx
D1ØØ Marvel Grey Stone
DØ97 Marvel Champagne Onyx

Sensitech
✣ 9 mm
75x150 cm - 29 1/2"x59"
A7HX Marvel Calacatta Extra

Sensitech
✣ 9 mm
75x75 cm - 29 1/2"x29 1/2"
ASCE Marvel Calacatta Extra
ASCF Marvel Moon Onyx
ASCJ Marvel Grey Stone
ASCG Marvel Champagne Onyx

TRIM TILES
P. 300

	Battiscopa		Gradino *	Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x60 cm 2 7/8"x23 5/8"		30x60 cm 11 3/4"x23 5/8"	33x75 cm 13"x29 1/2"	33x60 cm 13"x23 5/8"	33x33 cm 13"x13"	7.2x30 cm 2 7/8"x11 1/4"		max 315x50 H.4 cm 124"x19 5/8" H.1 1/8"
	Matte	Polished	Matte	Matte	Matte	Matte	DX	SX	Matte
Calacatta Extra	ASLJ	AVXS	ASLQ	ASMZ	ASMN	ASMT	ASNC	ASNI	•
Moon Onyx	ASLK	AVXT	ASLR	ASMØ	ASMO	ASMU	ASND	ASNJ	•
Champagne Onyx	ASLL	AVXU	ASLS	ASM1	ASMP	ASMV	ASNE	ASNK	•
Grey Stone	ASLO	AVXX	ASLV	ASM7	ASMS	ASMY	ASNH	ASNN	•

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

(1) **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

(2) (3) **Please read the notes at page 365**

Sensitech P.402


CALACATTA EXTRA

CHAMPAGNE ONYX

MOON ONYX


GREY STONE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel

Porcelain Tiles

DECOR RANGE



ASLC Marvel Calacatta
Mosaico 3D [1]
30x30 - 11³/₄"x11³/₄"



ASLD Marvel Moon
Mosaico 3D [1]
30x30 - 11³/₄"x11³/₄"



ASLH Marvel Grey
Mosaico 3D [1]
30x30 - 11³/₄"x11³/₄"



ASLE Marvel Champagne
Mosaico 3D [1]
30x30 - 11³/₄"x11³/₄"



7,4x7,4 cm - 2⁷/₈"x2⁷/₈"

ASK5 Marvel Calacatta
Mosaico Matte
30x30 - 11³/₄"x11³/₄"

ASK6 Marvel Moon
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



ASLA Marvel Grey
Mosaico Matte
30x30 - 11³/₄"x11³/₄"

ASK7 Marvel Champagne
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



3,5x3,5 cm - 1³/₈"x1³/₈"



ASMB Marvel Calacatta
Mosaico Polished
30x30 - 11³/₄"x11³/₄"

ASMC Marvel Moon
Mosaico Polished
30x30 - 11³/₄"x11³/₄"




ASMG Marvel Grey
Mosaico Polished
30x30 - 11³/₄"x11³/₄"

ASMD Marvel Champagne
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



1,7x1,7 cm - ⁵/₈"x⁵/₈"



ASM9 Marvel
Grey/Moon
Greca Mosaico
18,5x30 - 7¹/₄"x11⁵/₈"



ASNB Marvel
Grey/Moon
Angolo Mosaico
18,5x18,5 - 7¹/₄"x 7¹/₄"



1,7x1,7 cm - ⁵/₈"x⁵/₈"



1,7x1,7 cm - ⁵/₈"x⁵/₈"

[1] **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины, укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel

Wall Tiles

V2 Slight Variation

SHINY SURFACE — Wall

± 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
A4ST Marvel Calacatta Extra

± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8MVA Marvel Calacatta Extra
8MVC Marvel Champagne Onyx
8MVS Marvel Silver Dream

± 8,5 mm
30,5x91,5 cm - 12"x36"
AR5J Marvel Calacatta Extra
AR5L Marvel Moon Onyx
AR5N Marvel Silver Dream
AR5K Marvel Champagne Onyx

± 8,5 mm
30,5x56 cm - 12"x22"
9P5L Marvel Calacatta Extra
9P5M Marvel Moon Onyx
9P5S Marvel Silver Dream
9P5H Marvel Champagne Onyx

± 8,5 mm
8x31,5 cm - 3¹/₈"x12³/₈"
LMKC Marvel Calacatta Extra Brick


CALACATTA EXTRA

CHAMPAGNE ONYX

MOON ONYX


SILVER DREAM

DECOR RANGE


ASCC Marvel Moon Line
30,5x91,5 - 12"x36"


ASCA Marvel Champagne Line
30,5x91,5 - 12"x36"

ASEN Marvel Champagne Wave
30,5x91,5 - 12"x36"



ASEK Marvel Greca Gold [1]
7,8x30,5 - 3¹/₈"x12"

ASEM Marvel Greca A.E. [1]
7,8x1,2 - 3¹/₈"x¹/₂"


ASCM Marvel Calacatta Mosaic [2]
30,5x30,5 - 12"x12"


ASCO Marvel Moon Mosaic [2]
30,5x30,5 - 12"x12"


ASCR Marvel Silver Mosaic [2]
30,5x30,5 - 12"x12"


ASCN Marvel Champagne Mosaic [2]
30,5x30,5 - 12"x12"


1,7x1,7 cm
⁵/₈"x⁵/₈"

ASC1 Marvel Moon Damask [3]
30,5x56 - 12"x22"

ASCØ Marvel Champagne Damask
30,5x56 - 12"x22"


ASC4 Marvel Silver Stripe
30,5x56 - 12"x22"


ASCV Marvel Silver Net Mosaic [2]
30,5x30,5 - 12"x12"


3,3x3,9 cm
1¹/₄"x1¹/₂"

[1] **Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[2] **Matching with both sizes 30.5x91.5 and 30.5x56.** - Abbinabili a entrambi i formati 30,5x91,5 e 30,5x56. - Combinables avec les deux formats 30,5x91,5 et 30,5x56. - Kombinierbar mit den beiden Formaten 30,5x91,5 und 30,5x56. Combinables con ambos formatos 30,5x91,5 y 30,5x56. - Сочетается с обоими форматами: 30,5x91,5 и 30,5x56.

[3] **Also matching with Calacatta Extra.** - Abbinabile anche al Calacatta Extra. - Combinable également avec Calacatta Extra. - Kombinierbar auch mit Calacatta Extra - Combinable también con Calacatta Extra. - Сочетается также с Calacatta Extra.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Dream

WEBSITE COLLECTION

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished I Matte **R9 A**
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished I Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Polished I Matte Sensitech **R10 B**
75x150 cm - 29¹/₂"x59"	± 9 mm	Polished I Matte Sensitech **R10 B**

LARGE SIZES P. 304

atlasPLAN

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	± 12 mm	Polished I Silk

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Marvel Dream

Porcelain Tiles

MEDIUM TRAFFIC Polished ± 6 - 9 mm

HEAVY TRAFFIC **R10 B** Matte Sensitech ± 9 mm

R9 A Matte ± 6 mm
R10 B Matte Sensitech ± 9 mm

V2 Slight Variation
Bianco Fantastico, Grigio Intenso, Black Atlantis

V3 Moderate Variation
Ultramarine

POLISHED SURFACE [1]

Floor — Wall

± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AOSE Marvel Bianco Fantastico Polished
AOSF Marvel Grigio Intenso Polished
AOSG Marvel Black Atlantis Polished
AL2I Marvel Ultramarine Polished [2]

± 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AO3P Marvel Bianco Fantastico Polished
AO3R Marvel Black Atlantis Polished

± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AL7N Marvel Bianco Fantastico Polished
AL7P Marvel Black Atlantis Polished

± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A21J Marvel Bianco Fantastico Polished
A21I Marvel Black Atlantis Polished

± 9 mm
75x150 cm - 29¹/₂"x59"
A7FS Marvel Bianco Fantastico Polished
A7FV Marvel Black Atlantis Polished

MATTE SURFACE

± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
A2RR Marvel Bianco Fantastico
A2RQ Marvel Black Atlantis

Sensitech
± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
A2Ø3 Marvel Bianco Fantastico
A2ØZ Marvel Black Atlantis

Sensitech
± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A21B Marvel Bianco Fantastico
A21A Marvel Black Atlantis

Sensitech
± 9 mm
75x150 cm - 29¹/₂"x59"
A7HY Marvel Bianco Fantastico
A7H1 Marvel Black Atlantis

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.


[2] **Ultramarine 120x278 cm: glazed porcelain tiles** - Ultramarine 120x278 cm: gres porcellanato smaltato - Ultramarine 120x278 cm: carreaux en grès cérame émaillé - Ultramarine 120x278 cm: glasierte Feinsteinzeugfliesen - Ultramarine 120x278 cm: mosaico de gres porcelánico esmaltado - Ultramarine 120x278 cm: *глазурованный керамогранит*.

Sensitech P.402


BIANCO FANTASTICO


GRIGIO INTENSO


BLACK ATLANTIS


ULTRAMARINE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


Marvel Dream

Porcelain Tiles


DECOR RANGE




AOU4 Marvel Bianco Fantastico Line Polished
30,5x26 - 12"x10¹/₄"



AOU5 Marvel Grigio Intenso Line Polished
30,5x26 - 12"x10¹/₄"



AOU6 Marvel Black Atlantis Line Polished
30,5x26 - 12"x10¹/₄"



AOU7 Marvel Ultramarine Line Polished
30,5x26 - 12"x10¹/₄"




AOU8 Marvel Bianco Fantastico Mosaico Polished
30x30 - 11³/₄"x11³/₄"



AOVB Marvel Black Atlantis Mosaico Polished
30x30 - 11³/₄"x11³/₄"




AOVF Marvel Bianco Fantastico Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AOVI Marvel Black Atlantis Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AOVJ Marvel Bianco Fantastico Basket Weave Matte
30,5x30,5 - 12"x12"
Bianco Fantastico +
Black Atlantis




A 34 cm - 13³/₈"
a 26 cm - 10¹/₄"
B 30,5 cm - 12"



1,7x1,7 cm
⁵/₈"x⁵/₈"



3,5x3,5 cm
1³/₈"x1³/₈"



A 30,5 cm - 12"
B 30,5 cm - 12"




AOVQ Marvel Bianco Fantastico Liberty Polished
31,8x26,1 - 12¹/₂"x10¹/₄"




AOVY Marvel Bianco Fantastico Hex
25,4x29,6 - 10"x11⁵/₈"



AOV1 Black Atlantis Hex
25,4x29,6 - 10"x11⁵/₈"



A 32,8 cm - 12⁷/₈"
a 26,1 cm - 10¹/₄"
B 31,8 cm - 12¹/₂"



A 29,7 cm - 11³/₄"
a 25,3 cm - 10"
B 34,4 cm - 13¹/₂"
b 29,5 cm - 11⁵/₈"

TRIM TILES P. 300	Battiscopa		Scalino *		Scalino Ang.*						Scalin Ang.*						Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x150 cm 2⁷/₈"x59"		37,5x150 cm 14³/₄"x59"		37,5x37,5 cm 14³/₄"x14³/₄"						33x33 cm 13"x13"						7,2x30 cm - 2⁷/₈"x11⁷/₈"		max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"
	Polished	Matte	Polished	Matte	Polished	Matte	Polished		Matte		Polished	Matte	Polished		Matte		Matte		Matte
							SX	DX	SX	DX			SX	DX	SX	DX	DX	SX	
Bianco Fantastico	AOWE	AOWA	AO7L	AO7H	-	-	APAG	APAF	AO95	AO94	-	-	AO9Z	AO9Y	AO9T	AO9S	AOWL	AOWP	*
Black Atlantis	AOWH	AOWD	AO7O	AO7K	AO99	AO93	-	-	-	-	AO9X	AO9R	-	-	-	-	AOWO	AOWS	*

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Gala

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Polished

LARGE SIZES P. 304

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	± 12 -20 mm	Polished | Silk
159x324 cm - 62⁵/₈"x127¹/₂" NON-RECTIFIED	± 20 mm	Polished

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Gala

Porcelain Tiles

MEDIUM TRAFFIC

Polished ∓ 6 - 9 mm

V3 Moderate Variation

POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

∓ 6 mm
160x320 cm - 63"x126"
AJKV Marvel Crystal White Bookmatch Polished
AJKU Marvel Crystal White Polished
AJKH Marvel Desert Soul Bookmatch Polished
AJKG Marvel Desert Soul Polished
AJRQ Marvel Exotic Green Bookmatch Polished
AJRP Marvel Exotic Green Polished

∓ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AFXU Marvel Exotic Green Polished
AFXV Marvel Desert Soul Polished
AFXW Marvel Crystal White Polished
AFXX Marvel Amazzonite Polished
AFXY Marvel Calacatta Black Polished


∓ 9 mm
120x120 cm - 47 1/4"x47 1/4"
ABKA Marvel Exotic Green Polished
AFXM Marvel Desert Soul Polished
AFXN Marvel Crystal White Polished
ABKB Marvel Amazzonite Polished
AFXO Marvel Calacatta Black Polished


∓ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AFXP Marvel Exotic Green Polished
AFXQ Marvel Desert Soul Polished
AFXR Marvel Crystal White Polished
AFXS Marvel Amazzonite Polished
AFXT Marvel Calacatta Black Polished

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

CRYSTAL WHITE


DESERT SOUL


AMAZZONITE


EXOTIC GREEN


CALACATTA BLACK

Marvel Gems

WEBSITE COLLECTION

Floor Wall













Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE Floor Wall

Sensitech
± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
ATW3 Marvel Terrazzo White
ATW4 Marvel Terrazzo Pearl
ATW5 Marvel Terrazzo Cream
ATW6 Marvel Terrazzo Grey
ATW7 Marvel Terrazzo Black

MEDIUM TRAFFIC Matte ± 9 mm | **R10 B** Matte Sensitech ± 9 mm | V2 Slight Variation

TRIM TILES
P. 300

	Battiscopa		Gradino *	Scalino *	Scalino Ang.*	Davanzale / Soglia *
	7.2x60 cm 2⁷/₈"x23⁵/₈"	Digitale 4.6x60 cm 1¹³/₁₆"x23⁵/₈"	30x60 cm 11¹³/₁₆"x23⁵/₈"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	max 315x50 H.4 cm 124"x19⁹/₁₆" H.1¹³/₁₆"
	Matte	Matte	Matte	Matte	Matte	Matte
Terrazzo White	AT9M	AT9H	AUDB	AT9R	AS8Y	•
Terrazzo Pearl	AT9N	AT9I	AUDC	AT9T	AS8Z	•
Terrazzo Cream	AT9O	AT9J	AUDD	AT9U	AS8Ø	•
Terrazzo Grey	AT9P	AT9K	AUDE	AT9V	AS81	•
Terrazzo Black	AT9Q	AT9L	AUDF	AT9W	AS82	•

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Meraviglia

Diamond decor designed by **Zaha Hadid Architects**

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades













Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	± 6 mm	Polished
120x240 cm - 47$^{1}/_{4}$"x94$^{1}/_{2}$"	± 9 mm	Polished
120x120 cm - 47$^{1}/_{4}$"x47$^{1}/_{4}$"	± 9 mm	Polished | Velvet
75x150 cm - 29$^{1}/_{2}$"x59"	± 9 mm	Polished
75x75 cm - 29$^{1}/_{2}$"x29$^{1}/_{2}$"	± 9 mm	Polished
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 6 mm	Polished
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 9 mm	Polished | Velvet Matte Sensitech **R10 B** Hammered Matte Sensitech **R10 B**
60x60 cm - 23$^{5}/_{8}$"x23$^{5}/_{8}$"	± 9 mm	Polished | Matte Sensitech **R10 B**
30x60 cm - 11$^{3}/_{4}$"x23$^{5}/_{8}$"	± 9 mm	Polished | Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 20 mm	Hammered Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished I Matte **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63$^{3}/_{4}$"x127$^{1}/_{2}$" **NON-RECTIFIED**	± 12 mm	Polished | Silk
159x324 cm - 62$^{5}/_{8}$"x127$^{1}/_{2}$" **NON-RECTIFIED**	± 20 mm	Polished I Matte

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Marvel Meraviglia

Porcelain Tiles

MEDIUM TRAFFIC — Polished ∓ 6 - 9 mm | V3 Moderate Variation

POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

∓ 6 mm
160x320 cm - 63"x126"
AJRT Marvel Calacatta Bernini Polished
AJRU Marvel Calacatta Bernini Bookmatch Polished
AJG9 Marvel Calacatta Meraviglia Polished Endless
AKFI Marvel Calacatta Meraviglia Polished Kit Endless [2] [3]
AJJ9 Marvel Calacatta Meraviglia Polished
AJKA Marvel Calacatta Meraviglia Bookmatch Polished

∓ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AJH2 Marvel Calacatta Meraviglia Polished
AJH3 Marvel Calacatta Bernini Polished
AJH4 Marvel Silver Majestic Polished
AJH5 Marvel Grigio Elegante Polished
AJH6 Marvel Black Origin Polished
AKF8 Marvel Calacatta Meraviglia Polished Kit Endless [2] [3]
AKF9 Marvel Calacatta Bernini Polished Kit Endless [2] [3]
AKQU Marvel Silver Majestic Polished Kit Endless [2] [3]
AKQV Marvel Grigio Elegante Polished Kit Endless [2] [3]
AKQW Marvel Black Origin Polished Kit Endless [2] [3]

∓ 6 mm
60x120 cm - 23 5/8"x47 1/4"
AKHM Marvel Calacatta Meraviglia Polished
AKHN Marvel Calacatta Bernini Polished
AKPF Marvel Black Origin Polished
AKHO Marvel Grigio Elegante Polished
ALSL Marvel Silver Majestic Polished

∓ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AJH7 Marvel Calacatta Meraviglia Polished
AJH8 Marvel Calacatta Bernini Polished
AJH9 Marvel Silver Majestic Polished
AJIA Marvel Grigio Elegante Polished
AJIB Marvel Black Origin Polished

∓ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AJIC Marvel Calacatta Meraviglia Polished
AJID Marvel Calacatta Bernini Polished
AJIE Marvel Silver Majestic Polished
AJIF Marvel Grigio Elegante Polished
AJIG Marvel Black Origin Polished

∓ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AJAN Marvel Calacatta Meraviglia Polished
AJHU Marvel Calacatta Bernini Polished
AJHV Marvel Silver Majestic Polished
AJHW Marvel Grigio Elegante Polished
AJHX Marvel Black Origin Polished

∓ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AJI5 Marvel Calacatta Meraviglia Polished
AJI6 Marvel Calacatta Bernini Polished
AJI7 Marvel Silver Majestic Polished
AJI8 Marvel Grigio Elegante Polished
AJI9 Marvel Black Origin Polished

∓ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AJJF Marvel Calacatta Meraviglia Polished
AJJG Marvel Calacatta Bernini Polished
AJJH Marvel Silver Majestic Polished
AJJI Marvel Grigio Elegante Polished
AJJJ Marvel Black Origin Polished

∓ 9 mm
75x150 cm - 29 1/2"x59"
AJEQ Marvel Calacatta Meraviglia Polished
AJHY Marvel Calacatta Bernini Polished
AJHZ Marvel Silver Majestic Polished
AJHØ Marvel Grigio Elegante Polished
AJH1 Marvel Black Origin Polished

∓ 9 mm
75x75 cm - 29 1/2"x29 1/2"
AJIØ Marvel Calacatta Meraviglia Polished
AJI1 Marvel Calacatta Bernini Polished
AJI2 Marvel Silver Majestic Polished
AJI3 Marvel Grigio Elegante Polished
AJI4 Marvel Black Origin Polished

[1] **The Polished and Velvet finishes are suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching. The glossy Polished finish offers a surprisingly bright, mirrored surface with slight irregularities typical of natural marbles. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. The Velvet surface replicates the effect of semi-Polished marble. It has a velvety touch and silky highlights. The natural character of the surface is highlighted by areas of different opacity perceptible in oblique or reflected light.** - Le finiture Lappata e Velvet sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi. La finitura Lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. La superficie Velvet replica l'effetto di un marmo levigato. Si distingue per la mano vellutata e per i riflessi semi-opachi. La naturalezza della superficie è evidenziata da zone di diversa opacità percettibili in luce radente o riflessa.

[2] [3] **Please read the notes at page 365**


CALACATTA MERAVIGLIA


CALACATTA BERNINI


SILVER MAJESTIC


GRIGIO ELEGANTE


BLACK ORIGIN

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Meraviglia

Porcelain Tiles

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R10 B Hammered Matte Sensitech ✣ 9 mm
R11 C Hammered Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MEDIUM TRAFFIC: Matte ✣ 9 mm, Velvet ✣ 9 mm

HEAVY TRAFFIC: Matte Sensitech ✣ 9 mm, Hammered Matte Sensitech ✣ 9 mm, Hammered Outdoor Sensitech ✣ 20 mm

VELVET SURFACE [1]

Floor — Wall

Velvetech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AJII Marvel Calacatta Meraviglia Velvet
AJIJ Marvel Calacatta Bernini Velvet
AJIK Marvel Silver Majestic Velvet
AJIL Marvel Grigio Elegante Velvet
AJIM Marvel Black Origin Velvet

Velvetech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJGJ Marvel Calacatta Meraviglia Velvet
AJGK Marvel Calacatta Bernini Velvet
AJGL Marvel Silver Majestic Velvet
AI8R Marvel Grigio Elegante Velvet
AJGN Marvel Black Origin Velvet

MATTE SURFACE

atlasPLAN
✣ 6 mm
160x320 cm - 63"x126"
AJSZ Marvel Calacatta Meraviglia Endless
AKFJ Marvel Calacatta Meraviglia Kit Endless [2] [3]

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJIR Marvel Calacatta Meraviglia
AJIS Marvel Calacatta Bernini
AJIT Marvel Silver Majestic
AJIU Marvel Grigio Elegante
AJIV Marvel Black Origin

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AJJA Marvel Calacatta Meraviglia
AJJB Marvel Calacatta Bernini
AJJC Marvel Silver Majestic
AJJD Marvel Grigio Elegante
AJJE Marvel Black Origin

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AJJK Marvel Calacatta Meraviglia
AJJL Marvel Calacatta Bernini
AJJM Marvel Silver Majestic
AJJN Marvel Grigio Elegante
AJJO Marvel Black Origin

HAMMERED MATTE SURFACE

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJIX Marvel Calacatta Meraviglia Hammered
AJJU Marvel Calacatta Bernini Hammered
AJIY Marvel Grigio Elegante Hammered

HAMMERED OUTDOOR ✣ 20 mm

Outdoor

Sensitech
✣ 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJPQ Marvel Calacatta Meraviglia Hammered Outdoor
AJPR Marvel Calacatta Bernini Hammered Outdoor
AJPS Marvel Grigio Elegante Hammered Outdoor

[1] **The Polished and Velvet finishes are suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching. The glossy Polished finish offers a surprisingly bright, mirrored surface with slight irregularities typical of natural marbles. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. The Velvet surface replicates the effect of semi-Polished marble. It has a velvety touch and silky highlights. The natural character of the surface is highlighted by areas of different opacity perceptible in oblique or reflected light.** – Le finiture Lappata e Velvet sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi. La finitura Lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. La superficie Velvet replica l'effetto di un marmo levigato. Si distingue per la mano vellutata e per i riflessi semi-opachi. La naturalezza della superficie è evidenziata da zone di diversa opacità percettibili in luce radente o riflessa.


Sensitech P.402 Velvetech P.403

VELVET/MATTE


CALACATTA MERAVIGLIA


CALACATTA BERNINI


SILVER MAJESTIC


GRIGIO ELEGANTE


BLACK ORIGIN

HAMMERED


CALACATTA MERAVIGLIA HAMMERED


CALACATTA BERNINI HAMMERED


GRIGIO ELEGANTE HAMMERED


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Meraviglia

Porcelain Tiles

Decor designed by
Zaha Hadid Architects

DECOR RANGE





AJQ6 Marvel Calacatta Meraviglia
Diamond Polished
46,6x284,6 - 18³/₈"x112"

Calacatta Meraviglia + Black Origin




AJQ8 Marvel Black Origin
Diamond Polished
46,6x284,6 - 18³/₈"x112"

Black Origin + Calacatta Meraviglia


AJQ7 Marvel Silver Majestic
Diamond Polished
46,6x284,6 - 18³/₈"x112"

Silver Majestic + Black Origin




mod A

A	50,5 cm - 19⁷/₈"
a	46,6 cm - 18³/₈"
B	44,8 cm - 17⁵/₈"
b	40,3 cm - 15⁷/₈"




mod B

A	50,5 cm - 19⁷/₈"
a	46,6 cm - 18³/₈"
B	58,3 cm - 23"
b	51,9 cm - 20⁷/₈"



mod C

A	52,9 cm - 20⁷/₈"
a	46,6 cm - 18³/₈"
B	54,2 cm - 21³/₈"
b	49,8 cm - 19⁵/₈"



mod D

A	52,9 cm - 20⁷/₈"
a	46,6 cm - 18³/₈"
B	54,2 cm - 21³/₈"
b	49,3 cm - 19³/₈"

Diamond designed by ZHA consists of six modules in a box. The mosaic covers a height of 2.85 m, but it's possible to lengthen the composition for larger areas by using the Hexagon mosaic, which corresponds to Module A. For an optimal aesthetic result, it's recommended to lay the product keeping the color transition of the tiles in the center of the composition. - Diamond designed by ZHA è composto da sei moduli contenuti in una scatola. Il mosaico ricopre un'altezza di 2.85 mt, ma è possibile allungare la composizione per superfici più estese utilizzando il mosaico Hexagon, che corrisponde al modulo A. Per un risultato estetico ottimale si consiglia di posare il prodotto mantenendo la transizione di colore delle tessere al centro della composizione.



© Copyright Zaha Hadid Limited 2023 manufactured by Ceramiche Atlas Concorde under license from Zaha Hadid Limited

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Meraviglia

DECOR RANGE


AJQY Marvel Calacatta Meraviglia
Hexagon[1] Polished
40,3x46,6 - 15⁷/₈"x18³/₈"



AJQZ Marvel Calacatta Bernini
Hexagon[1] Polished
40,3x46,6 - 15⁷/₈"x18³/₈"




AJQØ Marvel Silver Majestic
Hexagon[1] Polished
40,3x46,6 - 15⁷/₈"x18³/₈"



A 50,5 cm - 19⁷/₈"
a 46,6 cm - 18³/₈"
B 44,8 cm - 17⁵/₈"
b 40,3 cm - 15⁷/₈"



AJQ1 Marvel Grigio Elegante
Hexagon[1] Polished
40,3x46,6 - 15⁷/₈"x18³/₈"



AJQ2 Marvel Black Origin
Hexagon[1] Polished
40,3x46,6 - 15⁷/₈"x18³/₈"

AJP8 Marvel Calacatta Meraviglia
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJP9 Marvel Calacatta Bernini
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"




AJQA Marvel Silver Majestic
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



3,5x3,5 cm - 1³/₈"x1³/₈"



AJQB Marvel Grigio Elegante
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"




AJQC Marvel Black Origin
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"

[1] **Marvel Meraviglia Hexagon recalls the hexagonal Module A of Diamond designed by ZHA, which can be combined with to clad larger surfaces. Or use it on its own to give rooms a prestigious touch.** - Marvel Meraviglia Hexagon riprende il modulo esagonale A di Diamond designed by ZHA, a cui si può abbinare per ricoprire superfici più estese. Oppure utilizzare da solo per conferire agli ambienti un tocco di pregio. - Marvel Meraviglia Hexagon reprend le module hexagonal A de Diamond designed by ZHA, auquel elle peut être associée pour recouvrir de plus grandes superficies. Elle peut aussi être utilisée seule pour conférer une touche d'élégance aux espaces. - Marvel Meraviglia Hexagon greift das Sechskantmodul A von Diamond designed by ZHA auf und kann mit diesem kombiniert werden, um ausgedehntere Flächen zu verkleiden. Es kann auch allein verwendet werden, um dem Ambiente besonderes Prestige zu verleihen.- Marvel Meraviglia Hexagon toma el módulo hexagonal A de Diamond diseñado por ZHA, con el cual se puede combinar para cubrir superficies más grandes. O bien, se puede utilizar solo para dar un toque de prestigio a los ambientes.- Marvel Meraviglia Hexagon перенимает шестигранный модуль A у декора Diamond от ZHA и может сочетаться с последним для облицовки более крупных поверхностей. Также может использоваться отдельно для придания интерьерам ноты изысканности.



APV5 Marvel Calacatta Meraviglia
Grid Velvet
59,5x118,2 - 23³/₈"x46¹/₂"



A 118,2 cm - 46¹/₂"
B 59,5 cm - 23³/₈"
a 29,4 cm - 11⁵/₈"



APV6 Marvel Calacatta Bernini
Grid Velvet
59,5x118,2 - 23³/₈"x46¹/₂"



APV8 Marvel Grigio Elegante
Grid Velvet
59,5x118,2 - 23³/₈"x46¹/₂"



APV7 Marvel Silver Majestic
Grid Velvet
59,5x118,2 - 23³/₈"x46¹/₂"



APV9 Marvel Black Origin
Grid Velvet
59,5x118,2 - 23³/₈"x46¹/₂"

TRIM TILES P. 300	Battiscopa						Gradino *		Scalino *			Scalino *		Scalino Ang.*		Battiscopa Sag. Scala *				Davanzale / Soglia *	Corner * ∓ 6 mm	Corner A.E * ∓ 6 mm
	7,2x60 cm 2⁷/₈"x23⁵/₈"		7,2x150 cm 2⁷/₈"x59"	7,2x120 cm 2⁷/₈"x47¹/₄"			30x60 cm 11³/₄"x23⁵/₈"	30x120 cm 11³/₄"x47¹/₄"	33x120 cm 13"x47¹/₄"		33x150 cm 13"x59"	33x60 cm 13"x23⁵/₈"		33x33 cm 13"x13"		7,2x30 cm 2⁷/₈"x11³/₄"				max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"	1x120 cm ³/₈"x47¹/₄"	1x1 cm ³/₈"x³/₈"
	Polished	Matte	Polished	Polished	Matte	Hammered Matte	Matte	Matte	Polished	Matte	Polished	Polished	Matte	Polished	Matte	Polished		Matte		Matte	Polished	Polished
																DX	SX	DX	SX			
Calacatta Meraviglia	AJUG	AJUV	AJUQ	AJUL	AJUØ	AJU5	AJVS	AJVX	AJWH	AJV7	AJWM	AJWC	AJV2	AJWW	AJWR	AJVD	AJU8	AJVN	AJVI	•	AJW1	AJW6
Calacatta Bernini	AJUH	AJUW	AJUR	AJUM	AJU1	AJU6	AJVT	AJVY	AJWI	AJV8	AJWN	AJWD	AJV3	AJWX	AJWS	AJVE	AJU9	AJVO	AJVJ	•	AJW2	AJW7
Silver Majestic	AJUI	AJUX	AJUS	AJUN	AJU2	-	AJVU	AJVZ	AJWJ	AJV9	AJWO	AJWE	AJV4	AJWY	AJWT	AJVF	AJVA	AJVP	AJVK	•	AJW3	AJW8
Grigio Elegante	AJUJ	AJUY	AJUT	AJUO	AJU3	AJU7	AJVV	AJVØ	AJWK	AJWA	AJWP	AJWF	AJV5	AJWZ	AJWU	AJVG	AJVB	AJVQ	AJVL	•	AJW4	AJW9
Black Origin	AJUK	AJUZ	AJUU	AJUP	AJU4	-	AJVW	AJV1	AJWL	AJWB	AJWQ	AJWG	AJV6	AJWØ	AJWV	AJVH	AJVC	AJVR	AJVM	•	AJW5	AJXA

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Onyx

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	± 6 mm	Polished
120x240 cm - 47$^{1}/_{4}$"x94$^{1}/_{2}$"	± 9 mm	Polished
120x120 cm - 47$^{1}/_{4}$"x47$^{1}/_{4}$"	± 9 mm	Polished
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 6 mm	Polished
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 9 mm	Polished
60x60 cm - 23$^{5}/_{8}$"x23$^{5}/_{8}$"	± 9 mm	Polished

LARGE SIZES P. 304

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63$^{3}/_{4}$"x127$^{1}/_{2}$" NON-RECTIFIED	± 12 mm	Polished | Silk

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Marvel Onyx

Porcelain Tiles

MEDIUM TRAFFIC

Polished ǂ 6 - 9 mm

V3 Moderate Variation

POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

ǂ 6 mm
160x320 cm - 63"x126"
AJHA Marvel White Polished
AJKB Marvel White Bookmatch Polished

ǂ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AJAH Marvel White Polished
AJAI Marvel Alabaster Polished
AJAJ Marvel Pearl Polished
AJAK Marvel Noir Polished
AJAL Marvel Sky Polished
AJAM Marvel Quartz Polished

ǂ 6 mm
60x120 cm - 23 5/8"x47 1/4"
AKPH Marvel White Polished

ǂ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AJBG Marvel White Polished
AJBH Marvel Alabaster Polished
AJBI Marvel Pearl Polished
AJBJ Marvel Noir Polished

ǂ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AJBK Marvel White Polished
AJBL Marvel Alabaster Polished
AJBM Marvel Pearl Polished
AJBN Marvel Noir Polished

ǂ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AJBO Marvel White Polished
AJBQ Marvel Alabaster Polished
AJBS Marvel Pearl Polished
AJBT Marvel Noir Polished


ǂ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AJBU Marvel White Polished
AJBV Marvel Alabaster Polished
AJBW Marvel Pearl Polished
AJBX Marvel Noir Polished

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

WHITE


PEARL


ALABASTER


NOIR


SKY


QUARTZ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Pro

WEBSITE COLLECTION

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
160x160 cm - 63"x63"	6 mm	Polished
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Polished I Matte **R9 A**
120x240 cm - 47¹/₄"x94¹/₂"	9 mm	Polished
120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Polished I Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Polished I Matte Sensitech **R10 B**
75x150 cm - 29¹/₂"x59"	9 mm	Polished
75x75 cm - 29¹/₂"x29¹/₂"	9 mm	Polished
60x60 cm - 23⁵/₈"x23⁵/₈"	9 mm	Polished I Matte Sensitech **R10 B**
30x60 cm - 11⁵/₈"x23⁵/₈"	9 mm	Polished I Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

30x60 cm - 11⁵/₈"x23⁵/₈"	9 mm	Textured **R11 B**

atlasPLAN

160x320 cm - 63"x126"	6 mm	Polished









Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⁵/₈"x47¹/₄"	8,5 mm	Shiny
40x80 cm - 15³/₄"x31¹/₂"	8,5 mm	Shiny
30,5x91,5 cm - 12"x36"	8,5 mm	Shiny
8x31,5 cm - 3¹/₈"x12⁵/₈"	8,5 mm	Shiny

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Pro

Porcelain Tiles

MEDIUM TRAFFIC

Polished ✚ 6 - 9 mm

V2 Slight Variation
Cremo Delicato, Noir St. Laurent

V3 Moderate Variation
Statuario Select, Grey Fleury

POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

✚ 6 mm
160x320 cm - 63"x126"
AO5W Marvel Cremo Delicato Polished

✚ 6 mm
160x160 cm - 63"x63"
AO52 Marvel Cremo Delicato Polished

✚ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AØBN Marvel Statuario Select Polished
AØBO Marvel Cremo Delicato Polished
A2RX Marvel Grey Fleury Polished

✚ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AY2P Marvel Statuario Select Polished
AY2Q Marvel Cremo Delicato Polished

✚ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AY2T Marvel Statuario Select Polished
AY2U Marvel Cremo Delicato Polished
A21O Marvel Grey Fleury Polished

✚ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A21N Marvel Cremo Delicato Polished
A21M Marvel Grey Fleury Polished

✚ 9 mm
60x60 cm - 23 5/8"x23 5/8"
ADUM Marvel Statuario Select Polished
ADUK Marvel Cremo Delicato Polished
ADUO Marvel Grey Fleury Polished
ADUP Marvel Noir St. Laurent Polished

✚ 9 mm
30x60 cm - 11 3/4"x23 5/8"
DØ32 Marvel Statuario Select Polished
DØ3Ø Marvel Cremo Delicato Polished
DØ34 Marvel Grey Fleury Polished
DØ35 Marvel Noir St. Laurent Polished

✚ 9 mm
75x150 cm - 29 1/2"x59"
A7F4 Marvel Statuario Select Polished
A7F6 Marvel Cremo Delicato Polished
A7F8 Marvel Grey Fleury Polished
A7F9 Marvel Noir St. Laurent Polished

✚ 9 mm
75x75 cm - 29 1/2"x29 1/2"
AD4U Marvel Statuario Select Polished
AD4W Marvel Cremo Delicato Polished
AD4Y Marvel Grey Fleury Polished
AD4Z Marvel Noir St. Laurent Polished

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.


STATUARIO SELECT


CREMO DELICATO


GREY FLEURY


NOIR SAINT LAURENT

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Pro

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte ✣ 9 mm
Textured ✣ 9 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R11 B Textured ✣ 9 mm

V2 Slight Variation
Cremo Delicato, Noir St. Laurent

V3 Moderate Variation
Statuario Select, Grey Fleury

MATTE SURFACE

Floor — Wall

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
A2RU Marvel Cremo Delicato
A2RT Marvel Grey Fleury

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
A2Ø6 Marvel Cremo Delicato
A2Ø5 Marvel Grey Fleury

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A21G Marvel Cremo Delicato
A21F Marvel Grey Fleury

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AVGC Marvel Statuario Select
AVGD Marvel Cremo Delicato
AVGF Marvel Grey Fleury
AVGG Marvel Noir St. Laurent

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
D1Ø1 Marvel Statuario Select
D1Ø3 Marvel Cremo Delicato
D1Ø5 Marvel Grey Fleury
D1Ø6 Marvel Noir St. Laurent

TEXTURED SURFACE

Outdoor

✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
D1Ø9 Marvel Statuario Select Strutturato
D1Ø7 Marvel Cremo Delicato Strutturato
D1Ø8 Marvel Grey Fleury Strutturato

TRIM TILES
P. 300

	Battiscopa 7,2x60 cm 2⁷/₈"x23⁵/₈"		Gradino * 30x60 cm 11³/₄"x23⁵/₈"	Scalino * 33x60 cm 13"x23⁵/₈"	Scalino Ang.* 33x33 cm 13"x13"		Battiscopa Sag. Scala * 7,2x30 cm 2⁷/₈"x11³/₄"		Davanzale / Soglia * max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"	Elemento L Str. * 15x60 H. 4 cm 5⁷/₈"x23⁵/₈" H. 1⁵/₈"
	Matte	Polished	Matte	Matte	Matte		Matte		Matte	Matte
					DX	SX	DX	SX		
Statuario Select	ADV3	ADV9	ADW5	ADXH	ADXQ		ADXY	ADXZ	•	ADYD
Cremo Delicato	ADV5	ADWB	ADW7	ADXJ	ADXR		ADX2	ADX3	•	ADYE
Grey Fleury	ADV7	ADWD	ADW9	ADXL	ADXS		ADX6	ADX7	•	ADYF
Noir St. Laurent	ADV8	ADWE	ADXA	ADXM	ADXT		ADX8	ADX9	•	-

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - *Изготовляются на заказ*

Sensitech P.402


STATUARIO SELECT


CREMO DELICATO


GREY FLEURY


NOIR SAINT LAURENT


STATUARIO SELECT TEXTURED


CREMO DELICATO TEXTURED


GREY FLEURY TEXTURED

Marvel Pro

Porcelain Tiles

DECOR RANGE



ADP6 Marvel
Statuario Select
Mosaico 3D [1]
30x30 - 11³/₄"x11³/₄"



ADQA Marvel
Grey Fleury
Mosaico 3D [1]
30x30 - 11³/₄"x11³/₄"




ADQB Marvel
Noir St. Laurent
Mosaico 3D [1]
30x30 - 11³/₄"x11³/₄"



ADP8 Marvel
Cremo Delicato
Mosaico 3D [1]
30x30 - 11³/₄"x11³/₄"



ADQI Marvel
Statuario Select
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



ADQM Marvel
Grey Fleury
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



ADQN Marvel
Noir St. Laurent
Mosaico Matte
30x30 - 11³/₄"x11³/₄"




ADQK Marvel
Cremo Delicato
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



ADQC Marvel
Statuario Select
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



ADQG Marvel
Grey Fleury
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



ADQH Marvel
Noir St. Laurent
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



ADQE Marvel
Cremo Delicato
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



7,4x7,4 cm - 2⁷/₈"x2⁷/₈"



3,5x3,5 cm - 1³/₈"x1³/₈"



1,7x1,7 cm - ⁵/₈"x⁵/₈"




ADVK Marvel Statuario Select
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"



ADVO Marvel Grey Fleury
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"



ADVQ Marvel
Mosaico Esagono Multicolor Cold
30x35 - 11³/₄"x13³/₄"
Statuario Select + Grey Fleury + Noir St. Laurent



A 30 cm - 11³/₄"
B 35 cm - 13³/₄"
10x17 cm - 3⁷/₈"x6³/₄"



ADVM Marvel Cremo Delicato
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"




ADVP Marvel Noir St. Laurent
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"



ADVA Marvel Mosaico
Honeycomb Cold Polished
30x49 - 11³/₄"x19³/₄"
Statuario Select + Noir St. Laurent




ADVB Marvel Mosaico
Honeycomb Warm Polished
30x49 - 11³/₄"x19³/₄"
Cremo Delicato + Noir St. Laurent



1,7x1,7 cm - ⁵/₈"x⁵/₈"



ADU9 Marvel Mosaico
Circle Polished
30x30 - 11³/₄"x11³/₄"
Cremo Delicato + Noir St. Laurent



1,7x1,7 cm - ⁵/₈"x⁵/₈"




ADRJ Marvel Noir/Cremo
Greca Mosaico
18,5x30 - 7¹/₄"x11³/₄"
Cremo Delicato + Noir St. Laurent



ADRI Marvel Noir/Cremo
Angolo Mosaico
18,5x18,5 - 7¹/₄"x 7¹/₄"



1,7x1,7 cm - ⁵/₈"x⁵/₈"



1,7x1,7 cm - ⁵/₈"x⁵/₈"

[1] **Multi-thickness mosaic, close joint installation without grouting** - Mosaico multispessore, posa senza stuccatura a giunto unito - Mosaique multi-épaisseur, pose sans mastic avec joint nul - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel - Mosaico multiespesor, colocación sin mástique y sin juntas - Мозаика разной толщины, укладка встык без затирки швов

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Pro

Wall Tiles

V2 Slight Variation
Cremo Delicato,
Noir St. Laurent

V3 Moderate Variation
Statuario Select,
Grey Fleury

SHINY SURFACE —— Wall

± 8,5 mm
50x120 cm - 19$^{5}/_{8}$"x47"/$_{4}$"
A4SW Marvel Statuario Select
A4SU Marvel Cremo Delicato
A4SV Marvel Noir St. Laurent

± 8,5 mm
40x80 cm - 15$^{3}/_{4}$"x31$^{1}/_{2}$"
9M4R Marvel Statuario Select
9M4E Marvel Cremo Delicato
9M4F Marvel Grey Fleury
9M4L Marvel Travertino Alabastrino
9M4O Marvel Noir St. Laurent
9M4Q Marvel Travertino Silver


± 8,5 mm
30,5x91,5 cm - 12"x36"
9M3S Marvel Statuario Select
9M3C Marvel Cremo Delicato
9M3G Marvel Grey Fleury
9M3T Marvel Travertino Alabastrino
9M3N Marvel Noir St. Laurent
9M3V Marvel Travertino Silver

± 8,5 mm
8x31,5 cm - 3$^{1}/_{8}$"x12$^{3}/_{8}$"
LMKT Marvel Statuario Select Brick



STATUARIO SELECT


CREMO DELICATO


GREY FLEURY



NOIR SAINT LAURENT

DECOR RANGE


9MVS Marvel
Statuario Select Mosaic
30,5x30,5 - 12"x12"


9MVE Marvel Grey Fleury
Mosaic
30,5x30,5 - 12"x12"


9MVN Marvel
Noir St. Laurent Mosaic
30,5x30,5 - 12"x12"


9MVC Marvel
Cremo Delicato Mosaic
30,5x30,5 - 12"x12"


1,7x1,7 cm
$^{5}/_{8}$"x$^{5}/_{8}$"


9MVD Marvel
Grey Fleury
Diagonal Mosaic
30,5x30,5 - 12"x12"


9MVH Marvel Noir Mix
Diagonal Mosaic
30,5x30,5 - 12"x12"

Noir St. Laurent
+ Statuario Select


9MVF Marvel Cremo Mix
Diagonal Mosaic
30,5x30,5 - 12"x12"

Cremo Delicato
+ Noir St. Laurent


2x2 cm - $^{3}/_{4}$"x$^{3}/_{4}$"
2x8,5 cm - $^{3}/_{4}$"x3$^{3}/_{8}$"


9MVP Marvel Grey Fleury
Net Mosaic
30,5x30,5 - 12"x12"


3,3x3,9 cm
1$^{1}/_{4}$"x1$^{1}/_{2}$"


8MHG Marvel Grey Fleury Hexagon
40x80 - 15$^{3}/_{4}$"x31$^{1}/_{2}$"


LVGW Marvel Gold White [1]
7,8x30,5 - 3$^{1}/_{8}$"x12"


LVGB Marvel Gold Black [1]
7,8x30,5 - 3$^{1}/_{8}$"x12"

AVGW Marvel
Gold White A.E. [1]
7,8x1,2 - 3$^{1}/_{8}$"x$^{1}/_{2}$"

AVGB Marvel
Gold Black A.E. [1]
7,8x1,2 - 3$^{1}/_{8}$"x$^{1}/_{2}$"


9MBN Marvel
Noir St.Laurent
Brocade
30,5x91,5 - 12"x36"

[1] **Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Shine

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
160x160 cm - 63"x63"	6 mm	Polished
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Polished I Silk
120x240 cm - 47¹/₄"x94¹/₂"	9 mm	Polished
120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Polished I Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Polished I Matte Sensitech **R10 B**
75x150 cm - 29¹/₂"x59"	9 mm	Polished I Silk
75x75 cm - 29¹/₂"x29¹/₂"	9 mm	Polished I Silk
60x60 cm - 23⁵/₈"x23⁵/₈"	9 mm	Polished I Silk I Matte Sensitech **R10 B**
30x60 cm - 11³/₄"x23⁵/₈"	9 mm	Silk

LARGE SIZES P. 304

atlasPLAN

160x320 cm - 63"x126"	6 mm	Polished I Silk

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	12 mm	Polished I Silk I Satin
159x324 cm - 62⁵/₈"x127¹/₂" NON-RECTIFIED	20* mm	Polished I Matte









Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⁵/₈"x47¹/₄"	8,5 mm	Silk
40x80 cm - 15³/₄"x31¹/₂"	8,5 mm	Shiny

* Natura-vein tech

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Shine

Porcelain Tiles

MEDIUM TRAFFIC

Polished ± 6 - 9 mm

V2 Slight Variation
Calacatta Delicato, Calacatta Prestigio, Statuario Supremo

V3 Moderate Variation
Calacatta Imperiale

POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

± 6 mm
160x320 cm - 63"x126"
A4RR Marvel Calacatta Prestigio Polished Endless
AKFL Marvel Calacatta Prestigio Polished Kit Endless [2] [3]
A4RS Marvel Statuario Supremo Polished Endless
AKFO Marvel Statuario Supremo Polished Kit Endless [2] [3]

± 6 mm
160x160 cm - 63"x63"
A4RP Marvel Calacatta Prestigio Polished
A4RQ Marvel Statuario Supremo Polished

± 6 mm
120x278 cm - 47 1/4"x109 1/2"
A4OY Marvel Calacatta Delicato Polished
A4OZ Marvel Calacatta Prestigio Polished
A4O2 Marvel Calacatta Prestigio Bookm A Lp [3] [5]
A4O3 Marvel Calacatta Prestigio Bookm B Lp [3] [5]
A6EO Marvel Calacatta Prestigio Polished Kit Endless [2] [3]
A4OØ Marvel Statuario Supremo Polished
A4O4 Marvel Statuario Supremo Bookm A Lp [3] [5]
A4O5 Marvel Statuario Supremo Bookm B Lp [3] [5]
A6EP Marvel Statuario Supremo Polished Kit Endless [2] [3]
A4O1 Marvel Calacatta Imperiale Polished
A6EQ Marvel Calacatta Imperiale Polished Kit Endless [2] [3]

± 9 mm
120x240 cm - 47 1/4"x94 1/2"
A4RH Marvel Calacatta Delicato Polished
A4RI Marvel Calacatta Prestigio Polished
A4RJ Marvel Statuario Supremo Polished
A4RK Marvel Calacatta Imperiale Polished

± 9 mm
120x120 cm - 47 1/4"x47 1/4"
A4Q8 Marvel Calacatta Delicato Polished
A4Q9 Marvel Calacatta Prestigio Polished
A4RA Marvel Statuario Supremo Polished
A4RB Marvel Calacatta Imperiale Polished

± 9 mm
60x120 cm - 23 5/8"x47 1/4"
A4QØ Marvel Calacatta Delicato Polished
A4Q1 Marvel Calacatta Prestigio Polished
A4Q2 Marvel Statuario Supremo Polished
A4Q3 Marvel Calacatta Imperiale Polished

± 9 mm
60x60 cm - 23 5/8"x23 5/8"
A4QS Marvel Calacatta Delicato Polished
A4QT Marvel Calacatta Prestigio Polished
A4QU Marvel Statuario Supremo Polished
A4QV Marvel Calacatta Imperiale Polished

± 9 mm
75x150 cm - 29 1/2"x59"
A7GA Marvel Calacatta Delicato Polished
A7GB Marvel Calacatta Prestigio Polished
A7GC Marvel Statuario Supremo Polished
A4PH Marvel Statuario Supremo Lp Macchia Aperta
A7GD Marvel Calacatta Imperiale Polished
A4PI Marvel Calacatta Imperiale Lp Macchia Aperta

± 9 mm
75x75 cm - 29 1/2"x29 1/2
A3WX Marvel Calacatta Delicato Polished
A3WY Marvel Calacatta Prestigio Polished
A3WZ Marvel Calacatta Statuario Supremo Polished
A3WØ Marvel Calacatta Imperiale Polished

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] [5] **Please read the notes at page 365**

CALACATTA DELICATO


CALACATTA PRESTIGIO


STATUARIO SUPREMO


CALACATTA IMPERIALE

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Marvel Shine

MEDIUM TRAFFIC — Silk ∓ 6 - 9 mm

HEAVY TRAFFIC — Matte ∓ 9 mm

R9 A Matte ∓ 9 mm
R10 B Matte Sensitech ∓ 9 mm

V2 Slight Variation
Calacatta Delicato, Calacatta Prestigio, Statuario Supremo

V3 Moderate Variation
Calacatta Imperiale

Porcelain Tiles

SILK SURFACE [1]

Floor — Wall



∓ 6 mm
160x320 cm - 63"x126"
AJK1 Marvel Calacatta Imperiale Bookmatch Silk
AJKØ Marvel Calacatta Imperiale Silk



∓ 6 mm
120x278 cm - 47 1/4"x109 1/2"
A4O6 Marvel Calacatta Prestigio Silk
A6ER Marvel Calacatta Prestigio Silk Kit Endless [2] [3]
A4O7 Marvel Statuario Supremo Silk
A6ES Marvel Statuario Supremo Silk Kit Endless [2] [3]



∓ 9 mm
75x150 cm - 29 1/2"x59"
A7H2 Marvel Calacatta Delicato Silk
A7H3 Marvel Calacatta Prestigio Silk
A7H4 Marvel Statuario Supremo Silk
A7H5 Marvel Calacatta Imperiale Silk



∓ 9 mm
75x75 cm - 29 1/2"x29 1/2
A3W1 Marvel Calacatta Delicato Silk
A3W2 Marvel Calacatta Prestigio Silk
A3W4 Marvel Statuario Supremo Silk
A3W5 Marvel Calacatta Imperiale Silk



∓ 9 mm
60x60 cm - 23 5/8"x23 5/8"
A5TC Marvel Calacatta Delicato Silk
A5TD Marvel Calacatta Prestigio Silk
A5TE Marvel Statuario Supremo Silk
A5TF Marvel Calacatta Imperiale Silk



∓ 9 mm
30x60 cm - 11 3/4"x23 5/8"
A5TG Marvel Calacatta Delicato Silk
A5TH Marvel Calacatta Prestigio Silk
A5TI Marvel Statuario Supremo Silk
A5TJ Marvel Calacatta Imperiale Silk

MATTE SURFACE



Sensitech
∓ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A4Q4 Marvel Calacatta Delicato
A4Q5 Marvel Calacatta Prestigio
A4Q6 Marvel Statuario Supremo
A4Q7 Marvel Calacatta Imperiale



Sensitech
∓ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A4QW Marvel Calacatta Delicato
A4QX Marvel Calacatta Prestigio
A4QY Marvel Statuario Supremo
A4QZ Marvel Calacatta Imperiale



Sensitech
∓ 9 mm
60x60 cm - 23 5/8"x23 5/8"
A4QO Marvel Calacatta Delicato
A4QQ Marvel Calacatta Prestigio
A4QR Marvel Calacatta Imperiale
A4QP Marvel Calacatta Imperiale

TRIM TILES P. 300

	Battiscopa					Gradino *		Scalino *			Scalino Ang.*					Battiscopa Sag. Scala *						Davanzale / Soglia *	Corner * ∓ 6 mm	Corner A.E. * ∓ 6 mm
	7.2x150 cm 2 1/8"x59"		7.2x120 cm 2 1/8"x47 1/4"	7.2x60 cm 2 1/8"x23 5/8"		30x120 cm 11 3/4"x47 1/4"	30x60 cm 11 3/4"x23 5/8"	37.5x150 cm 14 1/4"x59"		33x120 cm 13"x47 1/4"	33x60 cm 13"x23 5/8"	37.5x37.5 cm 14 3/4"x14 3/4"		33x33 cm 13"x13"			7.2x30 cm 2 1/8"x11 1/4"					max 315x50 H.4 cm 124"x19 3/4" H.1 1/2"	1x120 cm 3/8"x47 1/4"	1x1 cm 3/8"x3/8"
	Polish.	Silk	Matte	Polish.	Silk	Matte	Silk	Polish.	Silk	Matte	Silk	Polish.	Silk	Polish.	Matte	Silk	Polished		Matte		Silk		Matte	Polish.	Silk	Polished
																	DX	SX	DX	SX	DX	SX				
Calacatta Delicato	A43T	A43P	A535	A43H	A539	A55F	A54W	A443	A44Z	A3CV	A44I	A543	A45K	A45G	A45C	A547	A55B	A54G	A54K	A43X	A431	A54O	A54S	•	A45O	-	A45U
Calacatta Prestigio	A43U	A43Q	A536	A43I	A54D	A55G	A54X	A444	A44Ø	A54Ø	A44J	A544	A45L	A45H	A45D	A548	A55C	A54H	A54L	A43Y	A432	A54P	A54T	•	A45P	A45S	A45X
Statuario Supremo	A43V	A43R	A537	A43J	A54E	A55H	A54Y	A445	A441	A541	A44K	A545	A45M	A45I	A45E	A549	A55D	A54I	A54M	A43Z	A433	A54Q	A54U	•	A45Q	A45T	A45W
Calacatta Imperiale	A43W	A43S	A538	A43K	A54F	A55I	A54Z	A446	A442	A542	A44L	A546	A45N	A45J	A45F	A55A	A55E	A54J	A54N	A43Ø	A434	A54R	A54V	•	A45R	-	A45V

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 365**

Sensitech P.402

CALACATTA DELICATO


CALACATTA PRESTIGIO


STATUARIO SUPREMO


CALACATTA IMPERIALE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Shine

Porcelain Tiles


MACCHIA APERTA, SUGGESTED COMPOSITION

A4PI Marvel Calacatta Imperiale Lappato Macchia Aperta - 75x150 - 29½"x59"


LAYOUT A




LAYOUT B



LAYOUT C



LAYOUT D



The collection allows creating an open vein measuring 6 m x 3 m (16 75x150 slabs) ideal for large rooms where you can enhance the entire interior design. The junction between the graphics that make up the open vein is not geometrically perfect but imitates the natural irregularity of the open veins of natural marble products. The code "polished open vein" corresponds to a pallet composed of 16 tiles in the 75x150 cm (8+8) format that make up the entire open vein. A number is printed on the edge of each tile (see laying diagram).

La collezione permette di creare una macchia aperta di dimensioni 6m x 3m (16 facce di 75x150) ideale per ambienti ampi nei quali poter valorizzare l'intera composizione. La giunzione tra le grafiche che compongono la macchia aperta non è geometricamente perfetta ma imita la naturale irregolarità delle macchie aperte dei prodotti in marmo naturale. Il codice "lappato macchia aperta" corrisponde ad un pallet composto da 16 piastrelle in formato 75cmx150cm (8+8) che compongono l'intera macchia aperta. Sulla costa di ciascuna piastrella è stampato il numero corrispondente (vedi schema di posa).

La collection permet de créer une tache ouverte de 6m x 3m (16 faces de 75x150) idéale pour les grandes pièces où l'on peut mettre en valeur l'ensemble de la composition. La jonction entre les graphismes qui composent la tache ouverte n'est pas géométriquement parfaite mais imite l'irrégularité naturelle des taches ouvertes des produits en marbre naturel. Le code "lappato macchia aperta" (tache ouverte rodée) correspond à une palette composée de 16 carreaux au format 75cmx150cm (8+8) qui constituent la totalité de la tache ouverte. Le numéro correspondant est imprimé sur le bord de chaque carreau (voir schéma de pose).

Die Kollektion erlaubt die Bildung einer Spiegeloptik mit den Abmessungen 6 m x 3 m (16 verschiedenen Oberflächen 75 x 150). Ideal in weitläufigen Räumen, in denen die Komposition optimal zur Geltung gebracht werden kann. Der Anschluss zwischen den einzelnen Grafikbildern, die den Spiegeleffekt bilden, ist geometrisch nicht perfekt, sondern empfindet die natürliche Unregelmäßigkeit der mit Naturmarmor erzielten Spiegeloptik nach. Die Artikelbezeichnung „geläppt gespiegelt" entspricht einer Palette mit 16 Fliesen im Format 75 cm x 150 cm (8+8), die das gesamte, gespiegelte Motiv bilden. Jede Fliese ist an der Seite nummeriert (siehe Verlegeplan).


La colección permite crear una mancha abierta de 6m x 3m (16 caras de 75x150) ideal para ambientes amplios donde se puede realzar toda la composición. La unión entre los gráficos que componen la mancha abierta no es geométricamente perfecta, sino que imita la natural irregularidad de las manchas abiertas de los productos de mármol natural. El código «lapeado mancha abierta» corresponde a una paleta compuesta de 16 baldosas de formato 75cmx150cm (8+8) que componen toda la mancha abierta. El número correspondiente está impreso en el borde de cada baldosa (ver diagrama de colocación).

Коллекция позволяет создавать облицовку с симметричным зеркальным рисунком 6 м x 3 м (16 плит 75x150). Данная композиция максимально раскрывает свой потенциал в больших помещениях. Стык между плитами, которые образуют симметричный рисунок, не является геометрически совершенным, а имитирует естественную неровность аналогичных рисунков, составляемых из плит природного мрамора. Код «лаппатированный с симметричным зеркальным рисунком» соответствует поддону, состоящему из 16 плит формата 75 см x 150 см (8+8), из которых складывается данный симметричный рисунок. На торце каждой из плит напечатан соответствующий номер (см. схему укладки).


The miniatures are not in proportion. - I minimali non sono in proporzione. - Les illustrations à échelle réduite ne sont pas proportionnelles. - Die Abbildungen sind nicht verhältnismäßig. - Los miniaturas no están en proporción. n. - Изображения не соблюдают пропорций.

A4PH Marvel Statuario Supremo Lappato Macchia Aperta - 75x150 - 29½"x59"


LAYOUT E




LAYOUT F



LAYOUT G



LAYOUT H



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Shine

Porcelain Tiles


DECOR RANGE




A421 Marvel Calacatta Prestigio Scenic Bookm A Lp[1]
120x278 - 47¹/₄"x109¹/₂"




A43L Marvel Calacatta Prestigio Scenic Bookm B Lp [1]
120x278 - 47¹/₄"x109¹/₂"



A43O Marvel Statuario Supremo Scenic Bookm A Lp [1]
120x278 - 47¹/₄"x109¹/₂"



A43M Marvel Statuario Supremo Scenic Bookm B Lp [1]
120x278 - 47¹/₄"x109¹/₂"



A423 Marvel Calacatta Delicato Mosaico Polished
30x30 - 11³/₄"x11³/₄"




A424 Marvel Calacatta Prestigio Mosaico Polished
30x30 - 11³/₄"x11³/₄"



A425 Marvel Statuario Supremo Mosaico Polished
30x30 - 11³/₄"x11³/₄"



A426 Marvel Calacatta Imperiale Mosaico Polished
30x30 - 11³/₄"x11³/₄"



2,3x2,3 cm - ⁷/₈"x⁷/₈"

A413 Marvel Calacatta Delicato Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A414 Marvel Calacatta Prestigio Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A415 Marvel Statuario Supremo Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A416 Marvel Calacatta Imperiale Mosaico Matte
30x30 - 11³/₄"x11³/₄"



3,1x3,1 cm - 1¹/₄"x1¹/₄"

A42K Marvel Calacatta Delicato Mosaico. Esagono Polished
30,5x35,2 - 12"x13³/₈"




A42W Marvel Calacatta Prestigio Mosaico Esagono Polished
30,5x35,2 - 12"x13³/₈"



A42X Marvel Statuario Supremo Mosaico Esagono Polished
30,5x35,2 - 12"x13³/₈"



A42Y Marvel Calacatta Imperiale Mosaico Esagono Polished
30,5x35,2 - 12"x13³/₈"



A 30,5 cm - 12"
B 35,2 cm - 13³/₈"
10x17 cm - 3⁷/₈"x6⁷/₈"

A417 Marvel Calacatta Delicato Mosaico Esagono Matte
30,5x35,2 - 12"x13³/₈"



A418 Marvel Calacatta Prestigio Mosaico Esagono Matte
30,5x35,2 - 12"x13³/₈"



A419 Marvel Statuario Supremo Mosaico Esagono Matte
30,5x35,2 - 12"x13³/₈"



A42J Marvel Calacatta Imperiale Mosaico Esagono Matte
30,5x35,2 - 12"x13³/₈"

[1] **120x278 cm slabs cut into modules that recompose the open vein. This makes it possible to lay them even on curved surfaces. Each slab is cut into 16 numbered modules measuring 15x139 cm. To recreate the open vein, follow the sequence of pieces indicated in the laying patterns inside the packaging. Each slab is placed in 4 boxes, each of which contains 4 modules, for a total of 16 modules, corresponding to a surface of 3.3 mq.** - Lastre 120cmx278cm tagliate in moduli che ricompongono la macchia aperta. Consentono la posa anche su superfici curve. Ogni lastra viene tagliata in 16 moduli numerati, di dimensione 15cmx139cm: per ricreare la macchia aperta seguire la sequenza dei pezzi indicata negli schemi di posa all'interno dell'imballo. Ogni lastra viene collocata in 4 scatole, ciascuna delle quali contiene 4 moduli, per un totale di 16 moduli, corrispondenti ad una superficie di 3,3mq. - Dalles de 120 cm x 278 cm découpées en modules qui recomposent la tache ouverte. Elles permettent la pose même sur des surfaces courbes. Chaque dalle est découpée en 16 modules numérotés, mesurant 15 cm x 139 cm: pour recréer la tache ouverte, suivez la séquence de pièces indiquée dans les schémas de pose à l'intérieur de l'emballage. Chaque dalle est placée dans 4 boîtes contenant chacune 4 modules, pour un total de 16 modules, correspondant à une surface de 3,3 mètres carrés. - Platten 120 cm x 278 cm, zu Modulen geschnitten, die das gespiegelte Motiv bilden. Die Verlegung ist auch auf gewölbten Oberflächen möglich. Jede Platte wird in 16 nummerierte Module mit Abmessungen 15 cm x 139 cm geschnitten. Um die Spiegeloptik zu erzielen, die auf den der Verpackung beiliegenden Verlegeplänen angegebene Reihenfolge beachten. Jede Platte wird in 4 Schachteln mit je 4 Modulen verpackt. Die insgesamt 16 Module entsprechen einer Oberfläche von 3,3 qm. - Placas 120cmx278cm cortadas en módulos que recomponen la mancha abierta. También permiten la colocación en superficies curvas. Cada losa se corta en 16 módulos numerados que miden 15cmx139cm: para recrear la mancha abierta, se sigue la secuencia de las piezas indicadas en los esquemas de colocación dentro del embalaje. Cada losa se coloca en 4 cajas, cada una de estas contiene 4 módulos por un total de 16 módulos, lo que corresponde a un área de 3,3 metros cuadrados. - Плиты 120 см x278 см разрезаны на модули, которые впоследствии складываются в симметричный зеркальный рисунок. Также возможна укладка на изогнутые поверхности. Каждая плита разрезается на 16 пронумерованных модулей размером 15 см x 139 см: чтобы заново сложить исходный симметричный рисунок, необходимо соблюдать последовательность, указанную на схемах укладки внутри упаковки. Каждая плита помещается в 4 коробки по 4 модуля; всего - 16 модулей, соответствующих площади 3,3 кв.м.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Shine

Wall Tiles

V2 Slight Variation
Calacatta Delicato, Calacatta Prestigio, Statuario Supremo

V3 Moderate Variation
Calacatta Imperiale

SILK SURFACE — Wall

± 8,5 mm
50x120 cm - 19⅝"x47¼"
A4TT Marvel Calacatta Delicato Silk
A4TU Marvel Calacatta Prestigio Silk
A4TV Marvel Statuario Supremo Silk
A4TW Marvel Calacatta Imperiale Silk

SHINY SURFACE

± 8,5 mm
40x80 cm - 15¾"x31½"
A3ZS Marvel Calacatta Delicato Shiny
A3ZT Marvel Calacatta Prestigio Shiny
A3ZU Marvel Statuario Supremo Shiny
A3ZV Marvel Calacatta Imperiale Shiny

CALACATTA DELICATO


CALACATTA PRESTIGIO


STATUARIO SUPREMO


CALACATTA IMPERIALE

TRIM TILES



1,4x50 cm - 9/16"x19⅝"
A41D Marvel Calacatta Delicato Corner 50 Silk *
A41E Marvel Calacatta Prestigio Corner 50 Silk *
A41F Marvel Statuario Supremo Corner 50 Silk *
A41G Marvel Calacatta Imperiale Corner 50 Silk *



1,4x40 cm - 9/16"x15¾"
A41H Marvel Calacatta Delicato Corner 40 Shiny *
A41I Marvel Calacatta Prestigio Corner 40 Shiny *
A41J Marvel Statuario Supremo Corner 40 Shiny *
A41K Marvel Calacatta Imperiale Corner 40 Shiny *

1,4x1,4 cm - 9/16"x9/16"
A41L Marvel Calacatta Delicato Corner A.E. *
A41M Marvel Calacatta Prestigio Corner A.E. *
A41N Marvel Statuario Supremo Corner A.E. *
A41O Marvel Calacatta Imperiale Corner A.E. *

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


DECOR RANGE

A4WK Marvel
Calacatta Delicato
Mosaico Twist Shiny
30,5x30,5 - 12"x12"


A4WL Marvel
Calacatta Prestigio
Mosaico Twist Shiny
30,5x30,5 - 12"x12"


A4WM Marvel
Statuario Supremo
Mosaico Twist Shiny
30,5x30,5 - 12"x12"


A4WN Marvel
Calacatta Imperiale
Mosaico Twist Shiny
30,5x30,5 - 12"x12"


2,5x6,8 cm
1"x2⅝"

A4WO Marvel
Calacatta Delicato
Mosaico Twist Silk
30,5x30,5 - 12"x12"


A4WP Marvel
Calacatta Prestigio
Mosaico Twist Silk
30,5x30,5 - 12"x12"


A4WQ Marvel
Statuario Supremo
Mosaico Twist Silk
30,5x30,5 - 12"x12"


A4WR Marvel
Calacatta Imperiale
Mosaico Twist Silk
30,5x30,5 - 12"x12"



A4WT Marvel
Calacatta Delicato
Gold Hex Shiny (1)
25,1x29 - 9⅞"x11⅜"


A4WU Marvel
Calacatta Prestigio
Gold Hex Shiny (1)
25,1x29 - 9⅞"x11⅜"


A4WV Marvel
Statuario Supremo
Platino Hex Shiny (1)
25,1x29 - 9⅞"x11⅜"


A4WW Marvel
Calacatta Imperiale
Gold Hex Shiny (1)
25,1x29 - 9⅞"x11⅜"


A4WS Marvel
Calacatta Prestigio
Rose Hex Silk
25,1x29 - 9⅞"x11⅜"



A 33,9 cm - 13⅜"
a 29 cm - 11⅜"
B 27,9 cm - 11"
b 25,1 cm - 9⅞"

(1) Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Stone

COLLECTION
CATALOG

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades













Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
160x160 cm - 63"x63"	± 6 mm	Polished
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished I Matte **R9 A**
120x240 cm - 47 1/4"x94 1/2"	± 9 mm	Polished
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Polished I Matte Sensitech **R10 B**
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Polished I Matte Sensitech **R10 B**
75x150 cm - 29 1/2"x59"	± 9 mm	Polished
75x75 cm - 29 1/2"x29 1/2"	± 9 mm	Polished
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Polished I Matte Sensitech **R10 B**
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Polished I Matte Sensitech **R10 B**

LARGE SIZES P. 304

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished | Silk

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 3/4"x127 1/2" NON-RECTIFIED	± 12-20 mm	Polished | Silk | Matte | Satin
159x324 cm - 62 5/8"x127 1/2" NON-RECTIFIED	± 20 mm	Polished











Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 5/8"x47 1/4"	± 8,5 mm	Shiny
40x80 cm - 15 3/4"x31 1/2"	± 8,5 mm	Shiny
8x31,5 cm - 3 1/8"x12 5/8"	± 8,5 mm	Shiny

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Stone

Porcelain Tiles

MEDIUM TRAFFIC — Polished ± 6 - 9 mm | V2 Slight Variation

POLISHED SURFACE [1]

Floor — Wall



± 6 mm
160x320 cm - 63"x126"
AO5X Marvel Bianco Dolomite Polished
AJKW Marvel Nero Marquina Polished



± 6 mm
160x160 cm - 63"x63"
AO53 Marvel Bianco Dolomite Polished



± 6 mm
120x278 cm - 47 1/4"x109 1/2"
AØBP Marvel Bianco Dolomite Polished
A2RW Marvel Carrara Pure Polished



± 9 mm
120x240 cm - 47 1/4"x94 1/2"
AZTV Marvel Bianco Dolomite Polished
AZTW Marvel Carrara Pure Polished



± 9 mm
120x120 cm - 47 1/4"x47 1/4"
AZTT Marvel Bianco Dolomite Polished
AZTU Marvel Carrara Pure Polished



± 9 mm
60x120 cm - 23 5/8"x47 1/4"
A21K Marvel Bianco Dolomite Polished
AKSØ Marvel Carrara Pure Polished



± 9 mm
60x60 cm - 23 5/8"x23 5/8"
AZRI Marvel Bianco Dolomite Polished
AZRJ Marvel Cream Prestige Polished
AZRK Marvel Bardiglio Grey Polished
AZRL Marvel Carrara Pure Polished
AZRM Marvel Nero Marquina Polished



± 9 mm
30x60 cm - 11 3/4"x23 5/8"
DØ39 Marvel Bianco Dolomite Polished
DØ4Ø Marvel Cream Prestige Polished
DØ41 Marvel Bardiglio Grey Polished
DØ44 Marvel Carrara Pure Polished
DØ45 Marvel Nero Marquina Polished



± 9 mm
75x150 cm - 29 1/2"x59"
A7GE Marvel Bianco Dolomite Polished
A7GF Marvel Cream Prestige Polished
A7GG Marvel Bardiglio Grey Polished
A7GH Marvel Carrara Pure Polished
A7GI Marvel Nero Marquina Polished



± 9 mm
75x75 cm - 29 1/2"x29 1/2"
AZNH Marvel Bianco Dolomite Polished
AZNI Marvel Cream Prestige Polished
AZNJ Marvel Bardiglio Grey Polished
AZNK Marvel Carrara Pure Polished
AZNL Marvel Nero Marquina Polished


[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.


BIANCO DOLOMITE


CARRARA PURE


CREAM PRESTIGE


BARDIGLIO GREY


NERO MARQUINA

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Stone

Porcelain Tiles

MEDIUM TRAFFIC: Silk ✣ 6 mm, Matte ✣ 6 mm
HEAVY TRAFFIC: Matte ✣ 9 mm
R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
V2 Slight Variation

SILK SURFACE (1)

Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AJK2 Marvel Nero Marquina Silk

MATTE SURFACE

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
A2RS Marvel Bianco Dolomite
A2RV Marvel Carrara Pure

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A2Ø4 Marvel Bianco Dolomite
A2Ø7 Marvel Carrara Pure

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A21C Marvel Bianco Dolomite
A21E Marvel Carrara Pure

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AZQS Marvel Bianco Dolomite
AZQT Marvel Cream Prestige
AZQU Marvel Bardiglio Grey
AZQV Marvel Carrara Pure
AZQW Marvel Nero Marquina

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
D11Ø Marvel Bianco Dolomite
D111 Marvel Cream Prestige
D112 Marvel Bardiglio Grey
D113 Marvel Carrara Pure
D114 Marvel Nero Marquina

TRIM TILES
P. 300

	Battiscopa 7,2x60 cm 2 7/8"x23 5/8"		Battiscopa Digitale 4,6x60 cm 1 3/4"x23 5/8"		Gradino * 30x60 cm 11 3/4"x23 5/8"	Scalino * 33x60 cm 13"x23 5/8"	Scalino Ang.* 33x33 cm 13"x13"		Battiscopa Sag. Scala * 7,2x30 cm 2 7/8"x11 3/4"		Davanzale / Soglia * max 315x50 H.4 cm 124"x19 5/8" H.1 5/8"
	Matte	Polished	Matte	Polished	Matte	Matte	DX	SX	DX	SX	Matte
Bianco Dolomite	ATDT	ATDO	ATDJ	ATDE	ATDY	ATD3	ATEE	ATD8	ATEO	ATEJ	•
Cream Prestige	ATDU	ATDP	ATDK	ATDF	ATDZ	ATD4	ATEF	ATD9	ATEP	ATEK	•
Bardiglio Grey	ATDV	ATDQ	ATDL	ATDG	ATDØ	ATD5	ATEG	ATEA	ATEQ	ATEL	•
Carrara Pure	ATDW	ATDR	ATDM	ATDH	ATD1	ATD6	ATEH	ATEC	ATER	ATEM	•
Nero Marquina	ATDX	ATDS	ATDN	ATDI	ATD2	ATD7	ATEI	ATED	ATES	ATEN	•

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

(1) **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

Sensitech P.402


BIANCO DOLOMITE


CARRARA PURE


CREAM PRESTIGE


BARDIGLIO GREY


NERO MARQUINA

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Stone

Porcelain Tiles

DECOR RANGE



AS3Y Marvel Carrara Pure
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AS3V Marvel Bianco Dolomite
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AS3W Marvel Cream Prestige
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AS3X Marvel Bardiglio Grey
Mosaico Matte
30x30 - 11³/₄"x11³/₄"




AS3Z Marvel Nero Marquina
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



3,5x3,5 cm - 1³/₈"x1³/₈"




AS3T Marvel Carrara Pure
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



AS2T Marvel Bianco Dolomite
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



AS3Q Marvel Cream Prestige
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



AS3S Marvel Bardiglio Grey
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



AS3U Marvel Nero Marquina
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



1,7x1,7 cm - ⁵/₈"x⁵/₈"

AS2J Marvel Carrara Pure
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"

AS2G Marvel Bianco Dolomite
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"




AS2H Marvel Cream Prestige
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"



AS2I Marvel Bardiglio Grey
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"



AS2K Marvel Nero Marquina
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"



A 30 cm - 11³/₄"
B 35 cm - 13³/₄"
10x17 cm - 3⁷/₈"x6³/₄"



AS4A Marvel Carrara Pure
Mosaico Esagono 3D [1]
28,2x35,3 - 11"x14"



AS36 Marvel Bianco Dolomite
Mosaico Esagono 3D [1]
28,2x35,3 - 11"x14"




AS38 Marvel Cream Prestige
Mosaico Esagono 3D [1]
28,2x35,3 - 11"x14"



AS39 Marvel Bardiglio Grey
Mosaico Esagono 3D [1]
28,2x35,3 - 11"x14"



AS4B Marvel Nero Marquina
Mosaico Esagono 3D [1]
28,2x35,3 - 11"x14"



A 8,8 cm - 3¹/₃₂"
B 8,1 cm - 3¹/₈"



AS34 Marvel Carrara Pure
Mosaico Polished Burattato [2]
29,8x29,8 - 11³/₄"x11³/₄"



AS31 Marvel Bianco Dolomite
Mosaico Polished Burattato [2]
29,8x29,8 - 11³/₄"x11³/₄"



AS32 Marvel Cream Prestige
Mosaico Polished Burattato [2]
29,8x29,8 - 11³/₄"x11³/₄"



AS33 Marvel Bardiglio Grey
Mosaico Polished Burattato [2]
29,8x29,8 - 11³/₄"x11³/₄"



AS35 Marvel Nero Marquina
Mosaico Polished Burattato [2]
29,8x29,8 - 11³/₄"x11³/₄"



3,5x1,7 cm
1³/₈"x⁵/₈"

AS1V Marvel
Carrara Pure
Chevron Polished
22,5x22,9 - 8³/₄"x9"

AS1Q Marvel
Bianco Dolomite
Chevron Polished
22,5x22,9 - 8³/₄"x9"



AS1R Marvel
Cream Prestige
Chevron Polished
22,5x22,9 - 8³/₄"x9"




AS1U Marvel
Bardiglio Grey
Chevron Polished
22,5x22,9 - 8³/₄"x9"



AS1W Marvel
Nero Marquina
Chevron Polished
22,5x22,9 - 8³/₄"x9"



AS2F Marvel
Chevron Cold Polished
22,5x22,9 - 8³/₄"x9"
Carrara Pure + Nero Marquina



A 26,4 cm - 10³/₈"
B 9,6 cm - 3³/₄"




AS2L Marvel
Mosaico Esagono Geo Cold Polished
25,4x35,2 - 10"x13³/₄"

Carrara Pure +
Bardiglio Grey +
Nero Marquina



AS2M Marvel
Mosaico Esagono Geo Warm Polished
25,4x35,2 - 10"x13³/₄"


Bianco Dolomite +
Cream Prestige +
Nero Marquina



10x17 cm
3⁷/₈"x6³/₄"



AMMS Marvel Half Hex Cold Polished
33x48,3 - 13"x19"
Carrara Pure + Nero Marquina



32,1x8 cm
12⁵/₈"x3¹/₈"



AS2O Marvel
Basketweave Cold Polished
30x30 - 11³/₄"x11³/₄"

Carrara Pure +
Nero Marquina



AS2P Marvel
Basketweave Warm Polished
30x30 - 11³/₄"x11³/₄"

Cream Prestige +
Nero Marquina



6,7x2,9 cm / 2⁵/₈"x1¹/₈"
1,7x1,7 cm / ⁵/₈"x⁵/₈"

[1] **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины; укладка встык без затирки швов.

[2] **Tumbled. Irregularities in the edges are not defects but rather features intrinsic to this type of product.** - Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. - Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. - Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. - Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. - Галтованная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Stone

Wall Tiles

V2 Slight Variation

SHINY SURFACE — Wall

± 8,5 mm
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"
A4S3 Marvel Carrara Pure
A4S4 Marvel Bianco Dolomite
A4S5 Marvel Cream Prestige
A4S6 Marvel Bardiglio Grey
A4S7 Marvel Nero Marquina

± 8,5 mm
40x80 cm - 15$^{3}/_{4}$"x31$^{1}/_{2}$"
9MSF Marvel Carrara Pure
9MSB Marvel Bianco Dolomite
9MSI Marvel Cream Prestige
9MSD Marvel Bardiglio Grey
9MSM Marvel Nero Marquina

± 8,5 mm
8x31,5 cm - 3$^{1}/_{8}$"x12$^{3}/_{8}$"
AZA2 Marvel Carrara Pure Brick


CARRARA PURE

BIANCO DOLOMITE


CREAM PRESTIGE


BARDIGLIO GREY


NERO MARQUINA

DECOR RANGE


9MQC Carrara Pure Mosaic Q
30,5x30,5 - 12"x12"


9MQB Bianco Dolomite Mosaic Q
30,5x30,5 - 12"x12"


9MQE Cream Prestige Mosaic Q
30,5x30,5 - 12"x12"


9MQA Bardiglio Grey Mosaic Q
30,5x30,5 - 12"x12"


9MQN Nero Marquina Mosaic Q
30,5x30,5 - 12"x12"


1,7x1,7 cm - $^{5}/_{8}$"x$^{5}/_{8}$"


9SHC Carrara Pure Herringbone Wall
30,5x30 - 12"x11$^{3}/_{4}$"


9SHD Bianco Dolomite Herringbone Wall
30,5x30 - 12"x11$^{3}/_{4}$"


9SHE Cream Prestige Herringbone Wall
30,5x30 - 12"x11$^{3}/_{4}$"


9SHB Bardiglio Grey Herringbone Wall
30,5x30 - 12"x11$^{3}/_{4}$"


9SHN Nero Marquina Herringbone Wall
30,5x30 - 12"x11$^{3}/_{4}$"


1,7x10,6 cm - $^{5}/_{8}$"x4$^{1}/_{8}$"



9STA Carrara Pure Twist
30,5x30,5 - 12"x12"


9STD Bianco Dolomite Twist
30,5x30,5 - 12"x12"


9STE Cream Prestige Twist
30,5x30,5 - 12"x12"


9STB Bardiglio Grey Twist
30,5x30,5 - 12"x12"


9STN Nero Marquina Twist
30,5x30,5 - 12"x12"


2,5x6,8 cm - 1"x2$^{5}/_{8}$"


9SCA Carrara Pure Chevron Wall
30,5x25 - 12"x9$^{7}/_{8}$"



9SCD Bianco Dolomite Chevron Wall
30,5x25 - 12"x9$^{7}/_{8}$"


9SCN Nero Marquina Chevron Wall
30,5x25 - 12"x9$^{7}/_{8}$"


9SCL Chevron Cold Wall
30,5x25 - 12"x9$^{7}/_{8}$"
Carrara Pure + Nero Marquina


9SCW Chevron Warm Wall
30,5x25 - 12"x9$^{7}/_{8}$"
Bianco Dolomite + Nero Marquina


9SCM Chevron Mix Wall
30,5x25 - 12"x9$^{7}/_{8}$"
Carrara Pure + Bardiglio Grey + Nero Marquina


17,5x3,4 cm - 6$^{7}/_{8}$"x1$^{3}/_{8}$"


ASEK Marvel Greca Gold [1]
7,8x30,5 - 3$^{1}/_{8}$"x12"

ASEM Marvel Greca A.E. [1]
7,8x1,2 - 3$^{1}/_{8}$"x$^{1}/_{2}$"


LVGB Marvel Gold Black [1]
7,8x30,5 - 3$^{1}/_{8}$"x12"

AVGB Marvel Gold Black A.E. [1]
7,8x1,2 - 3$^{1}/_{8}$"x$^{1}/_{2}$"


LVGW Marvel Gold White [1]
7,8x30,5 - 3$^{1}/_{8}$"x12"

AVGW Marvel Gold White A.E. [1]
7,8x1,2 - 3$^{1}/_{8}$"x$^{1}/_{2}$"

[1] **Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Travertine

In collaboration with **HBA**

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades















Porcelain Tiles RECTIFIED MONOCALIBER

VEIN CUT

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte **R9 A**
120x240 cm - 47¹/₄"x94¹/₂"	9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	6 mm	Matte **R9 A**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	6 mm	Hammered **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	12 mm	Hammered

CROSS CUT

Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Grip Sensitech **R11 C**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Travertine

MEDIUM TRAFFIC — Matte ✣ 6 mm
Hammered ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R9 A Matte / Hammered ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

Porcelain Tiles

Vein Cut

MATTE SURFACE — Floor — Wall

atlasPLAN
✣ 6 mm
160x320 cm - 63"x126"
AJKQ Marvel Travertino Sand Hammered

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AFS1 Marvel White Vein
AFS2 Marvel Sand Vein
AFS3 Marvel Pearl Vein

✣ 6 mm
60x120 cm - 23 5/8"x47 1/4"
AKQO Marvel White Vein
AKQP Marvel Sand Vein
AKQQ Marvel Pearl Vein

Sensitech
✣ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AFT7 Marvel White Vein
AFT8 Marvel Sand Vein
AFT9 Marvel Pearl Vein

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A8UW Marvel White Vein
AFUA Marvel Sand Vein
AFUB Marvel Pearl Vein

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AFUC Marvel White Vein Grip
AFUD Marvel Sand Vein Grip
AFUE Marvel Pearl Vein Grip

Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x47 1/4"
AGE7 Marvel White Vein 20 mm
AGE8 Marvel Sand Vein 20 mm
AGE9 Marvel Pearl Vein 20 mm

Cross Cut

MATTE SURFACE — Floor — Wall

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A8WU Marvel White Cross
A8WV Marvel Sand Cross
A8WW Marvel Pearl Cross

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A8UZ Marvel White Cross
AFUF Marvel Sand Cross
AFUG Marvel Pearl Cross

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AFUK Marvel White Cross
AFUL Marvel Sand Cross
AFUM Marvel Pearl Cross

GRIP SURFACE — Outdoor

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AFUH Marvel White Cross Grip
AFUI Marvel Sand Cross Grip
AFUJ Marvel Pearl Cross Grip

Sensitech P.402


WHITE VEIN CUT

WHITE CROSS CUT


SAND VEIN CUT


SAND CROSS CUT


PEARL VEIN CUT


PEARL CROSS CUT

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel Travertine

Porcelain Tiles

Decors designed by HBA

DECOR RANGE



AF9S Marvel Travertine White Diamond [1]
60x60 cm - 23⅝"x23⅝" Cross Cut



AF9T Marvel Travertine Sand Diamond [1]
60x60 cm - 23⅝"x23⅝" Cross Cut



AF9U Marvel Travertine Pearl Diamond [1]
60x60 cm - 23⅝"x23⅝" Cross Cut

AF9P Marvel Travertine White Cross Chiselled Urban Grid [2]
30x60 cm - 11⅞"x23⅝" Cross Cut




AF9Q Marvel Travertine Sand Cross Chiselled Urban Grid [2]
30x60 cm - 11⅞"x23⅝" Cross Cut




AF9R Marvel Travertine Pearl Cross Chiselled Urban Grid [2]
30x60 cm - 11⅞"x23⅝" Cross Cut


For best results it is recommended to follow one of the following laying patterns. - Per un risultato estetico ottimale si consiglia di seguire uno dei seguenti schemi di posa. - Nous vous invitons à respecter un des schémas de pose suivants pour un résultat esthétique optimal. - Für ein optisch optimales Resultat empfehlen wir, eines der nachstehenden Verlegemuster zu befolgen. - Para obtener un mejor resultado estético, es aconsejable seguir uno de los siguientes esquemas de colocación. - Для достижения наилучшего эстетического результата рекомендуется использовать одну из следующих схем укладки.



LAYING PATTERN 1



LAYING PATTERN 2



[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки. использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[2] **Engraved mosaic. For best results it is advisable to completely plaster the engravings.** - Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. - Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. - Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. - Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. - Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой.

Decors designed by HBA

DECOR RANGE


AF9J Marvel Travertine White Mosaico Origami
28x41,2 cm - 11"x16¼"



AF9K Marvel Travertine Sand Mosaico Origami
28x41,2 cm - 11"x16¼"



AF9L Marvel Travertine Pearl Mosaico Origami
28x41,2 cm - 11"x16¼"



Vein Cut

A	38,81 cm - 15¼"
B	28 cm - 11"
C	48,05 cm - 18⅞"
D	41,2 cm - 16¼"




AF9M Marvel Travertine White Mosaico Basketweave
35x46,8 cm - 13¾"x18¾"



AF9N Marvel Travertine Sand Mosaico Basketweave
35x46,8 cm - 13¾"x18¾"



AF9O Marvel Travertine Pearl Mosaico Basketweave
35x46,8 cm - 13¾"x18¾"



Vein Cut
Cross Cut

A	35 cm - 13¾"
B	49,8 cm - 19⅝"
C	46,8 cm - 18⅜"
D	14,5 cm - 5¾"
E	1,3 cm - ½"
F	5,7 cm - 2¼"
G	8,7 cm - 3⅜"


AF9G Marvel Travertine White Mosaico Tessellation
22x26 cm - 8⅝"x10¼"



AF9H Marvel Travertine Sand Mosaico Tessellation
22x26 cm - 8⅝"x10¼"



AF9I Marvel Travertine Pearl Mosaico Tessellation
22x26 cm - 8⅝"x10¼"



Vein Cut
Cross Cut

A	31,6 cm - 12½"
B	26,2 cm - 10¼"
C	22 cm - 8⅝"

TRIM TILES P. 300

	Battiscopa	**Gradino ***	**Scalino ***		**Scalino Ang.***		**Corner *** ✝ 6 mm	**Battiscopa Sag. Scala ***		**Davanzale / Soglia ***	**Elemento L**
	Digitale 7,2x120 cm 2⅞"x47¼"	30x120 cm 11¾"x47¼"	33x120 cm 13"x47¼"	33x60 cm 13"x23⅝"	33x33 cm 13"x13"		1x120 cm ⅜"x47¼"	7,2x30 cm 2⅞"x11¾"		max 315x50 H.4 cm 124"x19⅝" H.1⅝"	33x120 H. 4 cm 13"x47¼" H.1 ⅝"
	Matte	Matte	Matte	Matte	Matte		Matte	Matte		Matte	Grip
					DX	SX		DX	SX		
White Vein Cut	AF7B	AF7T	AF7Z	-	AF9V	AF9Y	AGE2	AF7K	AF7H	•	AGEV
Sand Vein Cut	AF7C	AF7U	AF8A	-	AF9W	AF9Z	AGE3	AF7L	AF7I	•	AGEW
Pearl Vein Cut	AF7D	AF7V	AF8B	-	AF9X	AF92	AGE4	AF7M	AF7J	•	AGEX
White Cross Cut	AF7E	AF7W	AF8C	AGAA	AGEQ		-	AF7Q	AF7N	•	AGEY
Sand Cross Cut	AF7F	AF7X	AF8D	AGEO	AGET		-	AF7R	AF7O	•	AGEZ
Pearl Cross Cut	AF7G	AF7Y	AF8E	AGEP	AGEU		-	AF7S	AF7P	•	AGEØ

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel X

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades




CALACATTA APUANO


CALACATTA SUBLIME

CALACATTA PERLA


GREY CLOUD


FIOR DI BOSCO


CALACATTA APUANO HAMMERED


FIOR DI BOSCO HAMMERED

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	± 6 mm	Polished | Silk
120x240 cm - 47$^{1}/_{4}$"x94$^{1}/_{2}$"	± 9 mm	Polished
120x120 cm - 47$^{1}/_{4}$"x47$^{1}/_{4}$"	± 9 mm	Polished | Silk
75x150 cm - 29$^{1}/_{2}$"x59"	± 9 mm	Polished | Silk
75x75 cm - 29$^{1}/_{2}$"x29$^{1}/_{2}$"	± 9 mm	Polished | Silk
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 6 mm	Polished
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 9 mm	Polished | Matte Sensitech **R10 B** Hammered Matte Sensitech **R10 B**
60x60 cm - 23$^{5}/_{8}$"x23$^{5}/_{8}$"	± 9 mm	Polished | Matte Sensitech **R10 B**
30x60 cm - 11$^{3}/_{4}$"x23$^{5}/_{8}$"	± 9 mm	Polished | Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63$^{3}/_{4}$"x127$^{1}/_{2}$" NON-RECTIFIED	± 12 mm	Polished | Silk

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Marvel X

Porcelain Tiles

MEDIUM TRAFFIC

Polished ✠ 6 - 9 mm

V2 Slight Variation
Calacatta Apuano

V3 Moderate Variation
Calacatta Sublime, Calacatta Perla, Grey Cloud, Fior di Bosco

POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

✠ 6 mm
160x320 cm - 63"x126"
AJRV Marvel Fior di Bosco Polished
AJRW Marvel Fior di Bosco Bookmatch Polished
AJRR Marvel Calacatta Apuano Polished Endless
AKFN Marvel Calacatta Apuano Polished Kit Endless [2] [3]

✠ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AFUS Marvel Calacatta Apuano Polished
AFUT Marvel Calacatta Sublime Polished
AFWN Marvel Calacatta Sublime Kit Endless [2] [3]
AFUU Marvel Calacatta Perla Polished
AFUV Marvel Grey Cloud Polished
AFUW Marvel Fior di Bosco Polished

✠ 6 mm
60x120 cm - 23 5/8"x47 1/4"
AKQR Marvel Calacatta Apuano Polished
AKQS Marvel Fior di Bosco Polished

✠ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AFU2 Marvel Calacatta Apuano Polished
AFU3 Marvel Calacatta Sublime Polished
AFU4 Marvel Calacatta Perla Polished
AFU5 Marvel Grey Cloud Polished
AFU6 Marvel Fior di Bosco Polished

✠ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AFU7 Marvel Calacatta Apuano Polished
A8YT Marvel Calacatta Sublime Polished
AFU8 Marvel Calacatta Perla Polished
AFU9 Marvel Grey Cloud Polished
AFVA Marvel Fior di Bosco Polished

✠ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A8Z2 Marvel Calacatta Apuano Polished
A8Z3 Marvel Calacatta Sublime Polished
A8Z4 Marvel Calacatta Perla Polished
A8Z5 Marvel Grey Cloud Polished
A8Z6 Marvel Fior di Bosco Polished

✠ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AFVY Marvel Calacatta Apuano Polished
AFVZ Marvel Calacatta Sublime Polished
AFVØ Marvel Calacatta Perla Polished
AFV1 Marvel Grey Cloud Polished
AFV2 Marvel Fior di Bosco Polished

✠ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AFV8 Marvel Calacatta Apuano Polished
AFV9 Marvel Calacatta Sublime Polished
AFWA Marvel Calacatta Perla Polished
AFWB Marvel Grey Cloud Polished
AFWC Marvel Fior di Bosco Polished

✠ 9 mm
75x150 cm - 29 1/2"x59"
AFVB Marvel Calacatta Apuano Polished
AFVC Marvel Calacatta Sublime Polished
AFVD Marvel Calacatta Perla Polished
AEKQ Marvel Grey Cloud Polished
AEKR Marvel Fior di Bosco Polished

✠ 9 mm
75x75 cm - 29 1/2"x29 1/2"
AFVE Marvel Calacatta Apuano Polished
AFVF Marvel Calacatta Sublime Polished
AFVG Marvel Calacatta Perla Polished
AFVH Marvel Grey Cloud Polished
AFVI Marvel Fior di Bosco Polished

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 365**


CALACATTA APUANO


CALACATTA SUBLIME


CALACATTA PERLA


GREY CLOUD


FIOR DI BOSCO

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel X

MEDIUM TRAFFIC — Silk ∔ 6 - 9 mm

HEAVY TRAFFIC — Matte Sensitech ∔ 9 mm
Hammered Matte Sensitech ∔ 9 mm
Outdoor Sensitech ∔ 20 mm

R10 B Matte Sensitech ∔ 9 mm
R10 B Hammered Matte Sensitech ∔ 9 mm
R11 C Outdoor Sensitech ∔ 20 mm

V2 Slight Variation
Calacatta Apuano

V3 Moderate Variation
Calacatta Sublime, Calacatta Perla, Grey Cloud, Fior di Bosco

Porcelain Tiles

SILK SURFACE [1]

Floor — Wall

∔ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AFUX Marvel Calacatta Apuano Silk
AFUY Marvel Calacatta Sublime Silk
AFWO Marvel Calacatta Sublime 120x278 Silk Kit Endless [2] [3]
AFUZ Marvel Calacatta Perla Silk
AFUØ Marvel Grey Cloud Silk
AFU1 Marvel Fior di Bosco Silk

∔ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AFVJ Marvel Calacatta Apuano Silk
AFVK Marvel Calacatta Sublime Silk
AFVL Marvel Calacatta Perla Silk
AFVM Marvel Grey Cloud Silk
AFVN Marvel Fior di Bosco Silk

∔ 9 mm
75x150 cm - 29 1/2"x59"
AFVO Marvel Calacatta Apuano Silk
AFVP Marvel Calacatta Sublime Silk
AFVQ Marvel Calacatta Perla Silk
AFVR Marvel Grey Cloud Silk
AFVS Marvel Fior di Bosco Silk

∔ 9 mm
75x75 cm - 29 1/2"x29 1/2"
AFVT Marvel Calacatta Apuano Silk
AFVU Marvel Calacatta Sublime Silk
AFVV Marvel Calacatta Perla Silk
AFVW Marvel Grey Cloud Silk
AFVX Marvel Fior di Bosco Silk

MATTE SURFACE

Sensitech
∔ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AFWI Marvel Calacatta Apuano
AFWJ Marvel Calacatta Sublime
AFWK Marvel Calacatta Perla
AFWL Marvel Grey Cloud
AFWM Marvel Fior di Bosco

Sensitech
∔ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AFV3 Marvel Calacatta Apuano
AFV4 Marvel Calacatta Sublime
AFV5 Marvel Calacatta Perla
AFV6 Marvel Grey Cloud
AFV7 Marvel Fior di Bosco

Sensitech
∔ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AFWD Marvel Calacatta Apuano
AFWE Marvel Calacatta Sublime
AFWF Marvel Calacatta Perla
AFWG Marvel Grey Cloud
AFWH Marvel Fior di Bosco

HAMMERED MATTE SURFACE

Sensitech
∔ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AFM2 Marvel Calacatta Apuano Hammered
AFM3 Marvel Fior di Bosco Hammered

OUTDOOR SURFACE

Outdoor

Sensitech
∔ 20 mm
60x120 cm - 23 5/8"x47 1/4"
AGFA Marvel Calacatta Apuano Hammered 20 mm
AGFB Marvel Fior di Bosco Hammered 20 mm

[1] **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.
[2] [3] **Please read the notes at page 365**

Sensitech P.402


SILK/MATTE


CALACATTA APUANO


CALACATTA SUBLIME


CALACATTA PERLA


GREY CLOUD


FIOR DI BOSCO

HAMMERED


CALACATTA APUANO HAMMERED


FIOR DI BOSCO HAMMERED

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Marvel X

Porcelain Tiles

DECOR RANGE




AF8W Marvel Calacatta Apuano
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"



AF8X Marvel Calacatta Sublime
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"



AF8Y Marvel Calacatta Perla
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"



A 46,3 cm - 18¼"
B 32,2 cm - 12⅝"
C 19,2 cm - 7½"



AF8Z Marvel Grey Cloud
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"




AF9A Marvel Fior di Bosco
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"



AF8Q Marvel
Mosaico Hive Hex Polished [2]
37,2x32,2 - 14⅝"x12⅝"

Calacatta Sublime + Grey Cloud + Fior di Bosco



A 37 cm - 14⅝"
a 32,2 cm - 12⅝"
B 40 cm - 15¾"
b 37,2 cm - 14⅝"

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

[1] **Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Eviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[2] **For an optimal look it is advisable to lay the product in the same direction.** - Per un risultato estetico ottimale si consiglia di posare il prodotto mantenendo lo stesso verso. - Pour un résultat esthétique optimal, il est recommandé de poser le produit dans le même sens. - Für ein optisch optimales Resultat sollte die Verlegung stets in dieselbe Richtung erfolgen. - Para un resultado estético óptimo, se recomienda colocar el producto manteniendo la misma dirección. - Для оптимального эстетического результата рекомендуется укладывать изделие в одном направлении.

AF8R Marvel Calacatta Apuano
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"



AF8S Calacatta Sublime
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"


AF8T Calacatta Perla
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"



AF8U Calacatta Grey Cloud
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"



AF8V Calacatta Fior di Bosco
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"



A 34,2 cm - 13½"
a 30,5 cm - 12"
B 38 cm - 15"
b 27,7 cm - 10⅞"

AF8L Marvel Calacatta Apuano
Mosaico Esagono Silk
30x35 - 11¾"x13¾"



AF8M Marvel Calacatta Sublime
Mosaico Esagono Silk
30x35 - 11¾"x13¾"


AF8N Marvel Calacatta Perla
Mosaico Esagono Silk
30x35 - 11¾"x13¾"



AF8O Marvel Grey Cloud
Mosaico Esagono Silk
30x35 - 11¾"x13¾"



AF8P Marvel Fior di Bosco
Mosaico Esagono Silk
30x35 - 11¾"x13¾"



A 30 cm - 11¾"
B 35 cm - 13¾"
10x17 cm - 3⅞"x6¾"



AF9B Marvel Calacatta Apuano
Mosaico Matte
30x30 - 11¾"x11¾"



AF9C Marvel Calacatta Sublime
Mosaico Matte
30x30 - 11¾"x11¾"



AF9D Marvel Calacatta Perla
Mosaico Matte
30x30 - 11¾"x11¾"



AF9E Marvel Grey Cloud
Mosaico Matte
30x30 - 11¾"x11¾"



AF9F Marvel Fior di Bosco
Mosaico Matte
30x30 - 11¾"x11¾"



3,5x3,5 cm
1⅜"x1⅜"

TRIM TILES P. 300

	Battiscopa					Gradino *		Scalino *						Scalino Ang.*				Battiscopa Sag. Scala *						Davanzale / Soglia *	Corner * ✠ 6 mm		Corner A.E.* ✠ 6 mm	
	7,2x150 cm 2⅜"x59"		7,2x120 cm 2⅜"x47¼"			7,2x60 cm 2⅜"x23⅝"		30x120 cm 11¾"x47¼"	30x60 cm 11¾"x23⅝"	37,5x150 cm 14¾"x59"		33x120 cm 13"x47¼"			33x60 cm 13"x23⅝"		37,5x37,5 cm 14¾"x14¾"		33x33 cm 13"x13"			7,2x30 cm 2⅜"x11¾"				max 315x50 H 4 cm 124"x19¾" H ⅛"	1x120 cm ⅜"x47¼"		1x1 cm ⅜"x⅜"	
	Pol.	Silk	Pol.	Silk	Matte	Pol.	Matte	Matte	Matte	Pol.	Silk	Matte	Pol.	Silk	Matte	Pol.	Pol.	Silk	Pol.	Matte	Silk	Polished DX	Polished SX	Matte DX	Matte SX	Silk DX	Silk SX	Matte	Pol.	Silk	Pol.	Silk
Calacatta Apuano	AGF8	AGGD	AGFV	AGFØ	AGFO	AGFI	AGFD	AGHM	AGHH	AGIO	AGIU	AGH7	AGID	AGI8	AGHS	AGHX	AGJN	AGJI	AGI8	AGIZ	AGJD	AGGV	AGGØ	AGGI	AGGO	AGG6	AGHC	•	AGJX	AGJS	AGJ9	AGJ4
Calacatta Sublime	AGF9	AGGE	AGFW	AGF1	AGFR	AGFJ	AGFE	AGHN	AGHI	AGIP	AGIV	AGH9	AGIE	AGIJ	AGHT	AGHY	AGJO	AGJJ	AGI9	AGIØ	AGJE	AGGW	AGG2	AGGJ	AGGP	AGG7	AGHD	•	AGJY	AGJT	AGKA	AGJ5
Calacatta Perla	AGGA	AGGF	AGFX	AGF2	AGFS	AGFK	AGFF	AGHO	AGHJ	AGIQ	AGIW	AGIA	AGIF	AGIK	AGHU	AGHZ	AGJP	AGJK	AGJA	AGI5	AGJF	AGGX	AGG3	AGGL	AGGQ	AGG8	AGHE	•	AGJZ	AGJU	AGKB	AGJ6
Grey Cloud	AGGB	AGGG	AGFY	AGF3	AGFT	AGFM	AGFG	AGHP	AGHK	AGIS	AGIX	AGIB	AGIG	AGIL	AGHV	AGHØ	AGJQ	AGJL	AGJB	AGI6	AGJG	AGGY	AGG4	AGGM	AGGS	AGHA	AGHF	•	AGJØ	AGJV	AGKC	AGJ7
Fior di Bosco	AGGC	AGGH	AGFZ	AGF5	AGFU	AGFN	AGFH	AGHQ	AGHL	AGIT	AGIY	AGIC	AGIH	AGIN	AGHW	AGH5	AGJR	AGJM	AGJC	AGI7	AGJH	AGGZ	AGG5	AGGN	AGGU	AGHB	AGHG	•	AGJ1	AGJW	AGKD	AGJ8
Calacatta Apuano Hammered	-	-	-	-	AGF6			-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	•	-	-	-	-
Fior di Bosco Hammered	-	-	-	-	AGF7			-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	•	-	-	-	-

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Mineral

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Facades













Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte **R9 A** *
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte Sensitech **R10 B** *
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 6 mm	Matte Sensitech **R10 B** *
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
75x150 cm - 29¹/₂"x59"	± 9 mm	Matte Sensitech **R10 B**
75x75 cm - 29¹/₂"x29¹/₂"	± 9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**
30x60 cm - 11³/₄"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Grip Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 9 mm	Grip Sensitech **R11 C**
120x240 cm - 47¹/₄"x94¹/₂"	± 20 mm	Outdoor Sensitech **R11 C** *
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x90 cm - 23⁵/₈"x35¹/₈"	± 20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	± 12 mm	Hammered

*Elegant surface

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Boost Mineral

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm · Matte Sensitech ✣ 6 mm · Hammered ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm · Grip Sensitech ✣ 9 mm · Outdoor Sensitech ✣ 20 mm

R9 A Matte / Hammered ✣ 6 mm
R10 B Matte Sensitech ✣ 6 - 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE — Floor — Wall

atlasPLAN
✣ 6 mm
160x320 cm - 63"x126"
AKGA Boost Mineral Grey Hammered

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AHWZ Boost Mineral Smoke Elegant
AHWØ Boost Mineral Tarmac Elegant
AHWW Boost Mineral White Elegant
AHWX Boost Mineral Pearl Elegant
AHWY Boost Mineral Grey Elegant

Sensitech
✣ 6 mm
60x120 cm - 23 5/8"x47 1/4"
ALSW Boost Mineral White Elegant
ALSX Boost Mineral Pearl Elegant

Sensitech
✣ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AHW4 Boost Mineral Smoke Elegant
AHW5 Boost Mineral Tarmac Elegant
AHW1 Boost Mineral White Elegant
AHW2 Boost Mineral Pearl Elegant
AHW3 Boost Mineral Grey Elegant

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AHT9 Boost Mineral Smoke
AHUA Boost Mineral Tarmac
AHT6 Boost Mineral White
AHT7 Boost Mineral Pearl
AHT8 Boost Mineral Grey

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AHUE Boost Mineral Smoke
AHUF Boost Mineral Tarmac
AHUB Boost Mineral White
AHUC Boost Mineral Pearl
AHUD Boost Mineral Grey

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AHW9 Boost Mineral Smoke
AHXA Boost Mineral Tarmac
AHW6 Boost Mineral White
AHW7 Boost Mineral Pearl
AHW8 Boost Mineral Grey

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AH2V Boost Mineral Smoke
AH2W Boost Mineral Tarmac
AH2S Boost Mineral White
AH2T Boost Mineral Pearl
AH2U Boost Mineral Grey

Sensitech
✣ 9 mm
75x150 cm - 29 1/2"x59"
AHWU Boost Mineral Smoke
AHWV Boost Mineral Tarmac
AHWS Boost Mineral White
AHWT Boost Mineral Pearl
AHSD Boost Mineral Grey

Sensitech
✣ 9 mm
75x75 cm - 29 1/2"x29 1/2"
AHXE Boost Mineral Smoke
AHXF Boost Mineral Tarmac
AHXB Boost Mineral White
AHXC Boost Mineral Pearl
AHXD Boost Mineral Grey

GRIP SURFACE — Outdoor

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AHXJ Boost Mineral Smoke Grip
AHXK Boost Mineral Tarmac Grip
AHXG Boost Mineral White Grip
AHXH Boost Mineral Pearl Grip
AHXI Boost Mineral Grey Grip

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AHXO Boost Mineral Smoke Grip
AHXP Boost Mineral Tarmac Grip
AHXL Boost Mineral White Grip
AHXM Boost Mineral Pearl Grip
AHXN Boost Mineral Grey Grip

OUTDOOR ✣ 20 mm

Sensitech
✣ 20 mm
120x240 cm - 47 1/4"x94 1/2"
AH34 Boost Mineral Grey Elegant 20 mm

Sensitech
✣ 20 mm
120x120 cm - 47 1/4"x47 1/4"
AH37 Boost Mineral Smoke 20 mm
AH38 Boost Mineral Tarmac 20 mm
AH35 Boost Mineral White 20 mm
AH36 Boost Mineral Grey 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x47 1/4"
AH4B Boost Mineral Smoke 20 mm
AH4C Boost Mineral Tarmac 20 mm
AH39 Boost Mineral White 20 mm
AH4A Boost Mineral Grey 20 mm

Sensitech
✣ 20 mm
60x90 cm - 23 5/8"x35 3/8"
AH4F Boost Mineral Smoke 20 mm
AH4G Boost Mineral Tarmac 20 mm
AH4D Boost Mineral White 20 mm
AH4E Boost Mineral Grey 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23 5/8"x23 5/8"
AH4J Boost Mineral Smoke 20 mm
AH4K Boost Mineral Tarmac 20 mm
AH4H Boost Mineral White 20 mm
AH4I Boost Mineral Grey 20 mm

TRIM TILES P. 300

	Battiscopa			Gradino *		Scalino *			Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L	Corner * ✣ 6 mm	Corner A.E * ✣ 6 mm
	7.2x150 cm 2 3/8"x59"	7.2x120 cm 2 3/8"x47 1/4"	7.2x60 cm 2 3/8"x23 5/8"	30x120 cm 11 3/4"x47 1/4"	30x60 cm 11 3/4"x23 5/8"	33x150 cm 13"x59"	33x120 cm 13"x47 1/4"	33x60 cm 13"x23 5/8"	33x33 cm 13"x13"	7.2x30 cm 2 3/8"x11 3/4"		max 315x50 H.4 cm 124"x19 5/8" H.1 1/8"	33x120 H. 4 cm 13"x47 1/4" H. 1 1/8"	1x120 cm 3/8"x47 1/4"	1x1 cm 3/8"x3/8"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	DX	SX	Matte	Grip	Matte	Matte
White	AIIR	AIIK	AIIA	AIJC	AII7	AIJW	AIJR	AIJM	AIJ1	AIIW	AII1	•	AIJH	AIJ6	AIKB
Pearl	AIIS	AIIL	AIIB	AIJD	AII8	AIJX	AIJS	AIJN	AIJ2	AIIX	AII2	•	AIJI	AIJ7	AIKC
Grey	AIIT	AIIN	AIIC	AIJE	AII9	AIJY	AIJT	AIJO	AIJ3	AIIY	AII4	•	AIJJ	AIJ8	AIKD
Smoke	AIIU	AIIO	AIID	AIJF	AIJA	AIJZ	AIJU	AIJP	AIJ4	AIIZ	AII5	•	AIJK	AIJ9	AIKE
Tarmac	AIIV	AIIP	AIIE	AIJG	AIJB	AIJØ	AIJV	AIJQ	AIJ5	AIIØ	AII6	•	AIJL	AIKA	AIKF

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


Sensitech P.402











INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Mineral

Porcelain Tiles

DECOR RANGE



AIGS Boost Mineral White
Mosaico Matte
30x30 - 11³/₄"x11³/₄"




AIGT Boost Mineral Pearl
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AIGU Boost Mineral Grey
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AIGW Boost Mineral Smoke
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AIGX Boost Mineral Tarmac
Mosaico Matte
30x30 - 11³/₄"x11³/₄"




4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



AIGY Boost Mineral White
Brick
30x60 - 11³/₄"x23⁵/₈"



AIGZ Boost Mineral Pearl
Brick
30x60 - 11³/₄"x23⁵/₈"



A 59,5 cm - 18¹/₄"
B 29,65 cm - 12⁵/₈"
b 2,3 cm - 7/₂"



AIGØ Boost Mineral Grey
Brick
30x60 - 11³/₄"x23⁵/₈"



AIG2 Boost Mineral Smoke
Brick
30x60 - 11³/₄"x23⁵/₈"



AIG3 Boost Mineral Tarmac
Brick
30x60 - 11³/₄"x23⁵/₈"




AIHG Boost Mineral White
Domino Lux (*)
35x29,2 - 13³/₄"x11¹/₂"



AIHH Boost Mineral Pearl
Domino Lux (*)
35x29,2 - 13³/₄"x11¹/₂"




AIHI Boost Mineral Grey
Domino Lux (*)
35x29,2 - 13³/₄"x11¹/₂"



A 34,951 cm - 18¹/₄"
a 1,5 cm - 18¹/₄"
B 29,21 cm - 12⁵/₈"
b 9,6 cm - 7⁵/₂"



AIHJ Boost Mineral Smoke
Domino Lux (*)
35x29,2 - 13³/₄"x11¹/₂"




AIHK Boost Mineral Tarmac
Domino Lux (*)
35x29,2 - 13³/₄"x11¹/₂"

DECOR RANGE



AIG4 Boost Mineral White
Venus Lux (*)(°)
60x120 - 23⁵/₈"x47¹/₄"



A 120 cm - 18¹/₄"
B 60 cm - 12⁵/₈"



AIG5 Boost Mineral Pearl
Venus Lux (*)(°)
60x120 - 23⁵/₈"x47¹/₄"



AIG7 Boost Mineral Grey
Venus Lux (*)(°)
60x120 - 23⁵/₈"x47¹/₄"



AIG8 Boost Mineral Smoke
Venus Lux (*)(°)
60x120 - 23⁵/₈"x47¹/₄"



AIG9 Boost Mineral Tarmac
Venus Lux (*)(°)
60x120 - 23⁵/₈"x47¹/₄"

(*) **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** / Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. / Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. / Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. / Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. / Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.


(°) **Engraved mosaic. For best results it is advisable to completely plaster the engravings.** / Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. / Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. / Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. / Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. / Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


Boost Mineral

Porcelain Tiles

DECOR RANGE




AIHN Boost Mineral White
Slice A [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech




AIHR Boost Mineral White
Slice B [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech



AIHO Boost Mineral Grey
Slice A [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech




AIHS Boost Mineral Grey
Slice B [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech




A	119,5 cm - 18¹/₄"
B	59,5 cm - 12⁵/₈"
a	35,3 cm - 7¹/₂"
b	24,2 cm - 7¹/₂"
c	14 cm - 7¹/₂"
d	45,5 cm - 7¹/₂"

[1] **We recommend "dry" installation on gravel and/or grass.** / Si consiglia posa "a secco" su ghiaia e/o erba. / Pose « à sec » sur gravillons et/ou herbe conseillée. / Es wird eine Trockenverlegung auf Kies bzw. Rasen empfohlen. / Se recomienda colocación «en seco» sobre grava o hierba. / Рекомендуется «сухая» укладка на гравий и/или траву.


Sensitech P.402




AIHP Boost Mineral Smoke
Slice A [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech



AIHT Boost Mineral Smoke
Slice B [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech



AIHQ Boost Mineral Tarmac
Slice A [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech



AIHU Boost Mineral Tarmac
Slice B [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Mix


COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades









Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	6 mm	Matte **R9 A**
120x120 cm - 47 1/4"x47 1/4"	9 mm	Matte Sensitech **R10 B**
60x120 cm - 23 5/8"x47 1/4"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23 5/8"x23 5/8"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11 3/4"x23 5/8"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

30x60 cm - 11 3/4"x23 5/8"	9 mm	Grip Sensitech **R11 C**
120x120 cm - 47 1/4"x47 1/4"	20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23 5/8"x47 1/4"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23 5/8"x23 5/8"	20 mm	Outdoor Sensitech **R11 C**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Mix

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm; Grip Sensitech ✣ 9 mm; Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE — Floor — Wall

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
A8Y7 Boost Mix Ivory
A8Y8 Boost Mix Pearl
A8Y9 Boost Mix Smoke

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
A8XD Boost Mix Ivory
A8XE Boost Mix Pearl
A8XF Boost Mix Smoke

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A8ØI Boost Mix Ivory
A8ØJ Boost Mix Pearl
A8ØK Boost Mix Smoke

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
A8ØL Boost Mix Ivory
A8ØM Boost Mix Pearl
A8ØN Boost Mix Smoke

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
A8ØO Boost Mix Ivory
A8ØP Boost Mix Pearl
A8ØQ Boost Mix Smoke

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
A8ØR Boost Mix Ivory Grip
A8ØS Boost Mix Pearl Grip
A8ØT Boost Mix Smoke Grip

Sensitech
✣ 20 mm
120x120 cm - 47¹/₄"x47¹/₄"
A84U Boost Mix Ivory 20 mm
A84V Boost Mix Pearl 20 mm
A84W Boost Mix Smoke 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A84R Boost Mix Ivory 20 mm
A84S Boost Mix Pearl 20 mm
A84T Boost Mix Smoke 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
A84O Boost Mix Ivory 20 mm
A84P Boost Mix Pearl 20 mm
A84Q Boost Mix Smoke 20 mm

TRIM TILES P. 300

	Battiscopa		Gradino *		Scalino *	Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L	Corner * ✣ 6 mm	Corner A.E * ✣ 6 mm
	7,2x120 cm 2⁷/₈"x47¹/₄"	7,2x60 cm 2⁷/₈"x23⁵/₈"	30x120 cm 11³/₄"x47¹/₄"	30x60 cm 11³/₄"x23⁵/₈"	33x120 cm 13"x47¹/₄"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11³/₄"		max 315x50 H.4 cm 124"x19⁹/₁₆" H.1⁹/₁₆"	15x60 H. 4 cm 5⁹/₁₆"x23⁵/₈" H. 1⁹/₁₆"	1x120 cm ³/₈"x47¹/₄"	1x1 cm ³/₈"x³/₈"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Grip	Matte	Matte
							DX	SX				
Ivory	A83O	A83L	A832	A83X	A838	A835	A84C	A83U	A83R	•	A84F	A84I	A84L
Pearl	A83P	A83M	A833	A83Y	A839	A836	A84D	A83V	A83S	•	A84G	A84J	A84M
Smoke	A83Q	A83N	A834	A83Z	A84B	A837	A84E	A83W	A83T	•	A84H	A84K	A84N

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - *Изготовляются на заказ*

Sensitech P.402

Porcelain Tiles


DECOR RANGE



A829 Boost Mix Ivory
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A83G Boost Mix Pearl
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A83H Boost Mix Smoke
Mosaico Matte
30x30 - 11³/₄"x11³/₄"




4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A83I Boost Mix Ivory
Mosaico Slide [1]
29x32,6 - 11³/₈"x12⁷/₈"



A83J Boost Mix Pearl
Mosaico Slide [1]
29x32,6 - 11³/₈"x12⁷/₈"



A83K Boost Mix Smoke
Mosaico Slide [1]
29x32,6 - 11³/₈"x12⁷/₈"



a 6,3x28,8 cm - 2⁷/₁₆"x11³/₈"
b 6,3x29,8 cm - ⁵/₈"x11³/₄"
C 32,57 cm - 12⁷/₈"

[1] For the best performance of the mosaic we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions. - Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attendendosi alle indicazioni di utilizzo fornite dal produttore. - Afin d'obtenir un rendu optimal de la mosaique, nous vous conseillons d'utiliser des mortiers époxy (classe RG - EN 13888/ISO 13007) ou des résines à base de ciment, en suivant les indications d'utilisation fournies par le fabricant. - Um das Mosaik optimal zur Geltung zu bringen, empfehlen wir die Verwendung von Epoxidharzfugenmörtel (Klasse RG - EN 13888/ISO 13007) oder von vergüteten Fugenmörteln unter Beachtung der vom Hersteller angegebenen Verwendungshinweise. - Para obtener un rendimiento óptimo del mosaico, se aconseja utilizar mortero epoxi (clase RG - EN 13888/ISO 13007) o resinas de cemento siguiendo las indicaciones entregadas por el fabricante. - Для наилучшего эстетического результата при укладке мозаики рекомендуется использовать эпоксидные растворы (класс RG - EN 13888/ISO 13007) или полимерцемент, соблюдая инструкции производителя.


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Boost Stone

COLLECTION CATALOG


VIDEO

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades













Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 6 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**
30x60 cm - 11⁵/₈"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Grip Sensitech **R11 C**
30x60 cm - 11⁵/₈"x23⁵/₈"	± 9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	± 12 mm	Hammered

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Boost Stone

Porcelain Tiles

MEDIUM TRAFFIC: Matte ✣ 6 mm · Matte Sensitech ✣ 6 mm · Hammered ✣ 6 mm

HEAVY TRAFFIC: Matte Sensitech ✣ 9 mm · Grip Sensitech ✣ 9 mm · Outdoor Sensitech ✣ 20 mm

R9 A Matte / Hammered ✣ 6 mm
R10 B Matte Sensitech ✣ 6 - 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

MATTE SURFACE — Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AJRX B.Stone Ivory Hammered

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
A6R7 B.Stone White
A6SC B.Stone Pearl
A6SD B.Stone Grey
A6SE B.Stone Smoke
A6SG B.Stone Tarmac
A6R8 B.Stone Ivory
A6R9 B.Stone Cream
A6SA B.Stone Clay
A6SB B.Stone Taupe
A6SF B.Stone Tobacco

Sensitech
✣ 6 mm
60x120 cm - 23 5/8"x47 1/4"
AKQL B.Stone White
AKQN B.Stone Pearl
AKQM B.Stone Ivory

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A6QS B.Stone White
A6QX B.Stone Pearl
A6QY B.Stone Grey
A6L8 B.Stone Smoke
A6QØ B.Stone Tarmac
A6QT B.Stone Ivory
A6QU B.Stone Cream
A6QV B.Stone Clay
A6QW B.Stone Taupe
A6QZ B.Stone Tobacco

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A6Q2 B.Stone White
A6Q7 B.Stone Pearl
A6Q8 B.Stone Grey
A6Q9 B.Stone Smoke
A6RB B.Stone Tarmac
A6Q3 B.Stone Ivory
A6Q4 B.Stone Cream
A6Q5 B.Stone Clay
A6Q6 B.Stone Taupe
A6RA B.Stone Tobacco

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
A6RC B.Stone White
A6RL B.Stone Pearl
A6RM B.Stone Grey
A6RN B.Stone Smoke
A6RP B.Stone Tarmac
A6RD B.Stone Ivory
A6RI B.Stone Cream
A6RJ B.Stone Clay
A6RK B.Stone Taupe
A6RO B.Stone Tobacco

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
A6RX B.Stone White
A6R2 B.Stone Pearl
A6R3 B.Stone Grey
A6R4 B.Stone Smoke
A6R6 B.Stone Tarmac
A6RY B.Stone Ivory
A6RZ B.Stone Cream
A6RØ B.Stone Clay
A6R1 B.Stone Taupe
A6R5 B.Stone Tobacco

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A66R B.Stone White Grip
A66W B.Stone Pearl Grip
A66X B.Stone Grey Grip
A66Y B.Stone Smoke Grip
A66Ø B.Stone Tarmac Grip
A66S B.Stone Ivory Grip
A66T B.Stone Cream Grip
A66U B.Stone Clay Grip
A66V B.Stone Taupe Grip
A66Z B.Stone Tobacco Grip

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
A661 B.Stone White Grip
A666 B.Stone Pearl Grip
A667 B.Stone Grey Grip
A668 B.Stone Smoke Grip
A67A B.Stone Tarmac Grip
A662 B.Stone Ivory Grip
A663 B.Stone Cream Grip
A664 B.Stone Clay Grip
A665 B.Stone Taupe Grip
A669 B.Stone Tobacco Grip

Sensitech
✣ 20 mm
120x120 cm - 47 1/4"x47 1/4"
A67M B.Stone White 20 mm
A67P B.Stone Grey 20 mm
A7II B.Stone Smoke 20 mm
A67Q B.Stone Tarmac 20 mm
A67N B.Stone Cream 20 mm
A67O B.Stone Clay 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x47 1/4"
A67R B.Stone White 20 mm
A67U B.Stone Grey 20 mm
A7IJ B.Stone Smoke 20 mm
A67V B.Stone Tarmac 20 mm
A67S B.Stone Cream 20 mm
A67T B.Stone Clay 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23 5/8"x23 5/8"
A67W B.Stone White 20 mm
A67Z B.Stone Grey 20 mm
A7IK B.Stone Smoke 20 mm
A67Ø B.Stone Tarmac 20 mm
A67X B.Stone Cream 20 mm
A67Y B.Stone Clay 20 mm

TRIM TILES P. 300

	Battiscopa 7.2x60 cm 2 7/8"x23 5/8" Matte	Gradino * 30x60 cm 11 3/4"x23 5/8" Matte	Scalino * 33x120 cm 13"x47 1/4" Matte	 33x60 cm 13"x23 5/8" Matte	Scalino Ang.* 33x33 cm 13"x13" Matte	Battiscopa Sag. Scala * 7.2x30 cm 2 7/8"x11 3/4" Matte DX	 SX	Davanzale / Soglia * max 315x50 H 4 cm 124"x19 5/8" H.1 5/8" Matte	Elemento L 33x120 H. 4 cm 13"x47 1/4" H. 1 5/8" Grip	Corner * ✣ 6 mm 1x120 cm 3/8"x47 1/4" Matte	Corner A.E * ✣ 6 mm 1x1 cm 3/8"x3/8" Matte
White	A7NC	A7N6	A7OQ	A7OG	A7OØ	A7NW	A7NM	•	A7P8	A7PA	A7PK
Pearl	A7NH	A7OB	A7OV	A7OL	A7O5	A7N1	A7NR	•	A7QD	A7PF	A7PP
Grey	A7NI	A7OC	A7OW	A7OM	A7O6	A7N2	A7NS	•	A7QE	A7PG	A7PQ
Smoke	A7NJ	A7OD	A7OX	A7ON	A7O7	A7N3	A7NT	•	A7QF	A7PH	A7PR
Tarmac	A7NL	A7OF	A7OZ	A7OP	A7O9	A7N5	A7NV	•	A7QH	A7PJ	A7PT
Ivory	A7ND	A7N7	A7OR	A7OH	A7O1	A7NX	A7NN	•	A7P9	A7PB	A7PL
Cream	A7NE	A7N8	A7OS	A7OI	A7O2	A7NY	A7NO	•	A7QA	A7PC	A7PM
Clay	A7NF	A7N9	A7OT	A7OJ	A7O3	A7NZ	A7NP	•	A7QB	A7PD	A7PN
Taupe	A7NG	A7OA	A7OU	A7OK	A7O4	A7NØ	A7NQ	•	A7QC	A7PE	A7PO
Tobacco	A7NK	A7OE	A7OY	A7OO	A7O8	A7N4	A7NU	•	A7QG	A7PI	A7PS

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P.402


WHITE


IVORY



PEARL


CREAM


GREY


CLAY


SMOKE


TAUPE


TARMAC


TOBACCO

Boost Stone

Porcelain Tiles

DECOR RANGE



A7C3 Boost Stone White
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C4 Boost Stone Ivory
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C8 Boost Stone Pearl
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C5 Boost Stone Cream
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C9 Boost Stone Grey
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C6 Boost Stone Clay
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7DA Boost Stone Smoke
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"




A7C7 Boost Stone Taupe
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7DC Boost Stone Tarmac
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7DB Boost Stone Tobacco
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A 3,9x60 cm - 1¹/₂"x23⁵/₈"
B 1,7x60 cm - ⁵/₈"x23⁵/₈"
C 4,6x60 cm - 1³/₄"x23⁵/₈"



A7DD Boost Stone White
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




A7DI Boost Stone Pearl
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DJ Boost Stone Grey
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DK Boost Stone Smoke
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DM Boost Stone Tarmac
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A7DE Boost Stone Ivory
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




A7DF Boost Stone Cream
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DG Boost Stone Clay
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DH Boost Stone Taupe
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DL Boost Stone Tobacco
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A67I Boost Stone White
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CY Boost Stone Pearl
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"




A7CZ Boost Stone Grey
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CØ Boost Stone Smoke
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7C2 Boost Stone Tarmac
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A 9,7x3,8 cm - 3⁷/₈"x1¹/₂"
B 4,8x3,8 cm - 1⁷/₈"x1¹/₂"
C 4,6x3,6 cm - 1³/₄"x1⁵/₈"



A7CU Boost Stone Ivory
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CV Boost Stone Cream
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CW Boost Stone Clay
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CX Boost Stone Taupe
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"




A7C1 Boost Stone Tobacco
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7DO Boost Stone
Mosaico Cube Warm
30x30 cm - 11³/₄"x11³/₄"
Warm:
Boost Stone Cream
Boost Stone Clay
Boost Stone Ivory
Boost Pro Ivory



A7DN Boost Stone
Mosaico Cube Cold
30x30 cm - 11³/₄"x11³/₄"
Cold:
Boost Stone Smoke
Boost Stone Grey
Boost Stone Pearl
Boost Pearl



A 29,8 cm - 11³/₄"
a 14,6 cm - 5³/₄"
b 14,8 cm - 5⁷/₈"
c 20,8 cm - 8¹/₄"
D 29,8 cm - 11³/₄"
d 29,5 cm - 11⁵/₈"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Brave

COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades













Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
75x150 cm - 29 1/2"x59"	9 mm	Matte Sensitech **R10 B**
75x75 cm - 29 1/2"x29 1/2"	9 mm	Matte Sensitech **R10 B**
45x90 cm - 17 3/4"x35 3/8"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23 5/8"x23 5/8"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11 3/4"x23 5/8"	9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

30x60 cm - 11 3/4"x23 5/8"	9 mm	Grip Sensitech **R12 C**
60x120 cm - 23 5/8"x47 1/4"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23 5/8"x23 5/8"	20 mm	Outdoor Sensitech **R11 C**















Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 3/4"x31 1/2"	8,5 mm	Matte

3D WALL TILES

40x80 cm - 15 3/4"x31 1/2"	10 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Brave

Porcelain Tiles

HEAVY TRAFFIC
Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R10 B Matte Sensitech ✣ 9 mm
R12 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

MATTE SURFACE — Floor — Wall

Sensitech
✣ **9 mm**
75x150 cm - 29$^{1}/_{2}$"x59"
A7G5 Brave Gypsum
A7G6 Brave Pearl
A7G7 Brave Grey
A7G8 Brave Earth
A7G9 Brave Coke

Sensitech
✣ **9 mm**
75x75 cm - 29$^{1}/_{2}$"x29$^{1}/_{2}$"
AXAJ Brave Gypsum
AXAK Brave Pearl
AXAL Brave Grey
AXAM Brave Earth
AXAN Brave Coke

Sensitech
✣ **9 mm**
60x60 cm - 23$^{5}/_{8}$"x23$^{5}/_{8}$"
AW9U Brave Gypsum
AW9V Brave Pearl
AW9W Brave Grey
AW9X Brave Earth
AW9Y Brave Coke

Sensitech
✣ **9 mm**
30x60 cm - 11$^{3}/_{4}$"x23$^{5}/_{8}$"
DØ46 Brave Gypsum
DØ47 Brave Pearl
DØ48 Brave Grey
DØ49 Brave Earth
DØ5Ø Brave Coke

Sensitech
✣ **9 mm**
45x90 cm - 17$^{3}/_{4}$"x35$^{3}/_{8}$"
AXAE Brave Gypsum
AXAF Brave Pearl
AXAG Brave Grey
AXAH Brave Earth
AXAI Brave Coke

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ **9 mm**
30x60 cm - 11$^{3}/_{4}$"x23$^{5}/_{8}$"
DØ51 Brave Gypsum Grip
DØ52 Brave Pearl Grip
DØ53 Brave Grey Grip
DØ54 Brave Earth Grip
DØ55 Brave Coke Grip

Sensitech
✣ **20 mm**
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"
AT5I Brave Gypsum 20 mm
AT5J Brave Pearl 20 mm
AT5K Brave Grey 20 mm
AT5L Brave Earth 20 mm
AT5M Brave Coke 20 mm

Sensitech
✣ **20 mm**
60x60 cm - 23$^{5}/_{8}$"x23$^{5}/_{8}$"
AXAT Brave Gypsum 20 mm
AXAU Brave Pearl 20 mm
AXAV Brave Grey 20 mm
AXAW Brave Earth 20 mm
AXAX Brave Coke 20 mm

TRIM TILES P. 300

	Battiscopa	Gradino *	Scalino *	Scalino *			Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *
	7,2x60 2"/$_{8}$"x23$^{5}/_{8}$"	30x60 11$^{3}/_{4}$"x23$^{5}/_{8}$"	33x150 13"x59"	33x90 13"x35$^{3}/_{8}$"	33x75 13"x29$^{1}/_{2}$"	33x60 13"x23$^{5}/_{8}$"	33x33 13"x13"		7,2x30 2"/$_{8}$"x11$^{3}/_{4}$"		max 315x50 H.4 cm 124"x19$^{5}/_{8}$" H.1$^{5}/_{8}$"	15x60 H. 4 5"/$_{8}$"x23$^{5}/_{8}$" H. 1$^{5}/_{8}$"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte		Matte	Grip
							DX	SX	DX	SX		
Gypsum	A1IE	A1IJ	AZT9	A1IP	A1IU	A1IZ	A1JA	A1I4	A1JK	A1JF	•	A1JP
Pearl	A1IF	A1IL	AZUA	A1IQ	A1IV	A1Iø	A1JB	A1I5	A1JL	A1JG	•	A1JQ
Grey	A1IG	A1IM	A1ZQ	A1IR	A1IW	A1I1	A1JC	A1I6	A1JM	A1JH	•	A1JR
Earth	A1IH	A1IN	AZUB	A1IS	A1IX	A1I2	A1JD	A1I7	A1JN	A1JI	•	A1JS
Coke	A1II	A1IO	AZEW	A1IT	A1IY	A1I3	A1JE	A1I8	A1JO	A1JJ	•	A1JT

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


Sensitech P.402


GYPSUM


PEARL


EARTH


GREY


COKE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Brave

Porcelain Tiles

2,4x22 cm - 1"x8⁵/₈"

DECOR RANGE



A1FW Brave Gypsum
Industrial 3D [1]
44x28,5 - 17³/₈"x11¹/₄"



A1FY Brave Grey
Industrial 3D [1]
44x28,5 - 17³/₈"x11¹/₄"



A1FØ Brave Coke
Industrial 3D [1]
44x28,5 - 17³/₈"x11¹/₄"



A1FX Brave Pearl
Industrial 3D [1]
44x28,5 - 17³/₈"x11¹/₄"



A1FZ Brave Earth
Industrial 3D [1]
44x28,5 - 17³/₈"x11¹/₄"



A1FM Brave Gypsum
Mosaico
30x30 - 11³/₄"x11³/₄"




A1FO Brave Grey
Mosaico
30x30 - 11³/₄"x11³/₄"



A1FQ Brave Coke
Mosaico
30x30 - 11³/₄"x11³/₄"



A1FN Brave Pearl
Mosaico
30x30 - 11³/₄"x11³/₄"



A1FP Brave Earth
Mosaico
30x30 - 11³/₄"x11³/₄"




4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A1F1 Brave Gypsum
Brick 3D [1]
29x59 - 11³/₈"x23¹/₄"



A1F2 Brave Pearl
Brick 3D [1]
29x59 - 11³/₈"x23¹/₄"



A 19,9x7,1 cm - 7⁷/₈"x2⁷/₈"
B 38,6x7,1 cm - 15⁷/₈"x2⁷/₈"



A1F3 Brave Grey
Brick 3D [1]
29x59 - 11³/₈"x23¹/₄"



A1F4 Brave Earth
Brick 3D [1]
29x59 - 11³/₈"x23¹/₄"



A1F5 Brave Coke
Brick 3D [1]
29x59 - 11³/₈"x23¹/₄"

[1] **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины; укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

Wall Tiles

MATTE SURFACE

± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8BWU Brave Gypsum
8BWL Brave Pearl
8BWY Brave Grey

± 10 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
8BDG Brave 3D Wave Gypsum
8BDP Brave 3D Wave Pearl
8BDE Brave 3D Wave Grey
8BBG Brave 3D Blade Gypsum















DECOR RANGE




9BBG Brave Gypsum
Mosaic
30,5x30,5 - 12"x12"



9BBP Brave Pearl
Mosaic
30,5x30,5 - 12"x12"



9BBE Brave Grey
Mosaic
30,5x30,5 - 12"x12"



1,7x8,5 cm
⁵/₈"x3³/₈"

1,7x6,4 cm
⁵/₈"x2¹/₂"

TRIM TILES

LBSU Brave Gypsum
Spigolo 0,8
0,8x20 cm - ³/₈"x7⁷/₈"

LBSL Brave Pearl
Spigolo 0,8
0,8x20 cm - ³/₈"x7⁷/₈"

LBSE Brave Grey
Spigolo 0,8
0,8x20 cm - ³/₈"x7⁷/₈"

A1BU Brave Gypsum
Spigolo 0,8 A.E.
0,8x0,8 cm - ³/₈"x³/₈"

A1BL Brave Pearl
Spigolo 0,8 A.E.
0,8x0,8 cm - ³/₈"x³/₈"

A1BR Brave Grey
Spigolo 0,8 A.E.
0,8x0,8 cm - ³/₈"x³/₈"

3D TRIM TILES

LB1G Brave Gypsum Spigolo 10mm * [1]
1x20 cm - ³/₈"x7⁷/₈"

LB1R Brave Pearl Spigolo 10mm * [1]
1x20 cm - ³/₈"x7⁷/₈"

LB1E Brave Grey Spigolo 10mm * [1]
1x20 cm - ³/₈"x7⁷/₈"

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **The 10 mm edge matches three-dimensional wall tiles having a 10-11 mm thickness** - Lo spigolo 10 mm si abbina a rivestimenti tridimensionali di spessore 10-11 mm - Le bord 10 mm s'adapte aux revêtements tridimensionnels épaisseur 10-11 mm - Die 10 mm Kante ist mit dreidimensionalen Wandfliesen mit einer Dicke von 10-11 mm kombinierbar - La arista de 10 mm se combina con revestimientos tridimensionales de 10 -11 mm de grosor - Угловой элемент 10 мм сочетается с трехмерной настенной плиткой толщиной 10-11 мм

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Klif

COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE — Floor | Wall

Sensitech
9 mm
75x150 cm - 29 1/2"x59"
A7HJ Klif White
A7HK Klif Silver
A7HL Klif Grey
A7HM Klif Dark

Sensitech
9 mm
75x75 cm - 29 1/2"x29 1/2"
ANXS Klif White
ANXT Klif Silver
ANXU Klif Grey
ANXV Klif Dark

Sensitech
9 mm
37,5x75 cm - 14 3/4"x29 1/2"
ANXW Klif White
ANXX Klif Silver
ANXY Klif Grey
ANXZ Klif Dark

GRIP SURFACE — Outdoor

Sensitech
9 mm
37,5x75 cm - 14 3/4"x29 1/2"
ANXØ Klif White Grip
ANX1 Klif Silver Grip
ANX2 Klif Grey Grip
ANX3 Klif Dark Grip

HEAVY TRAFFIC — Matte Sensitech 9 mm
Grip Sensitech 9 mm

R10 B Matte Sensitech 9 mm
R11 C Grip Sensitech 9 mm

V3 Moderate Variation

TRIM TILES P. 300	Battiscopa	Gradino *	Scalino *	Scalino *	Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L
	7,2x75 cm 2 7/8"x29 1/2"	37,5x75 cm 14 3/4"x29 1/2"	37,5x150 cm 14 3/4"x59"	37,5x75 cm 14 3/4"x29 1/2"	37,5x37,5 cm 14 3/4"x14 3/4"	7,2x30 cm 2 7/8"x11 3/4"		max 315x50 H.4 cm 124"x19 3/4" H.1 5/8"	15x75 H.4 cm 5 7/8"x29 1/2" H.1 5/8"
	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Grip
						DX	SX		
White	AN4F	AN4P	AN4T	AN4X	AN42	AN4H	AN4L	•	AN5A
Silver	AN2R	AN4Q	AN4U	AN4Y	AN43	AN4I	AN4M	•	AN5B
Grey	AN2S	AMG4	AN4V	AN4Z	AN44	AN4J	AN4N	•	AN5C
Dark	AN4G	AN4S	AN4W	AN41	AN45	AN4K	AN4O	•	AN5D

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Klif

Porcelain Tiles

DECOR RANGE



AN46 Klif White
Mosaico
30x30 - 11³/₄"x11³/₄"



AN47 Klif Silver
Mosaico
30x30 - 11³/₄"x11³/₄"



AN48 Klif Grey
Mosaico
30x30 - 11³/₄"x11³/₄"



AN49 Klif Dark
Mosaico
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



AN7G Klif White
Triangles
28,5x33 - 11¹/₄"x13"




AN7H Klif Silver
Triangles
28,5x33 - 11¹/₄"x13"



AN7I Klif Grey
Triangles
28,5x33 - 11¹/₄"x13"



AN7J Klif Dark
Triangles
28,5x33 - 11¹/₄"x13"




A 32,8 cm - 13"
B 28,5 cm - 11¹/₄"
C 7,9 cm - 3¹/₈"



AN7C Klif White
Brick
37,5x75 - 14³/₄"x29¹/₂"



AN7D Klif Silver
Brick
37,5x75 - 14³/₄"x29¹/₂"




A 74,8 cm - 29¹/₂"
B 37,4 cm - 14³/₄"



AN7E Klif Grey
Brick
37,5x75 - 14³/₄"x29¹/₂"



AN7F Klif Dark
Brick
37,5x75 - 14³/₄"x29¹/₂"



AN7K Klif White
Brick 3D [1]
28x55 - 11"x21⁵/₈"




AN7L Klif Silver
Brick 3D [1]
28x55 - 11"x21⁵/₈"



AN7M Klif Grey
Brick 3D [1]
28x55 - 11"x21⁵/₈"



AN7N Klif Dark
Brick 3D [1]
28x55 - 11"x21⁵/₈"



A 18x2,1 cm - 7¹/₈"x⁷/₈"
B 37x2,9 cm - 14⁵/₈"x1¹/₈"
C 37x4,2 cm - 14⁵/₈"x1⁵/₈"
D 37x2,1 cm - 14⁵/₈"x⁷/₈"
E 18x2,9 cm - 7¹/₈"x1¹/₈"
F 18x4,2 cm - 7¹/₈"x1⁵/₈"

[1] **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины, укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Kone

COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Facades













Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
75x150 cm - 29 1/2"x59"	9 mm	Matte Sensitech **R10 B**
75x75 cm - 29 1/2"x29 1/2"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23 5/8"x23 5/8"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11 3/4"x23 5/8"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

30x60 cm - 11 3/4"x23 5/8"	9 mm	Grip Sensitech **R11 B**

atlasPLAN

160x320 cm - 63"x126"	6 mm	Hammered **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 3/4"x127 1/2" NON-RECTIFIED	12 mm	Hammered

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Kone

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm
Hammered ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm

R9 A Hammered ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R11 B Grip Sensitech ✣ 9 mm

V2 Slight Variation

MATTE SURFACE

Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AJKP Kone Mix Hammered

Sensitech
✣ 9 mm
60x60 cm - 23⅝"x23⅝"
AUK8 Kone White
AUK9 Kone Beige
AULA Kone Silver
AULB Kone Pearl
AULC Kone Grey

Sensitech
✣ 9 mm
30x60 cm - 11¾"x23⅝"
D216 Kone White
D217 Kone Beige
D218 Kone Silver
D219 Kone Pearl
D22Ø Kone Grey

Sensitech
✣ 9 mm
75x150 cm - 29½"x59"
A7HN Kone White
A7HO Kone Beige
A7HP Kone Silver
A7HQ Kone Pearl
A7HR Kone Grey
A7HS Kone Mix

Sensitech
✣ 9 mm
75x75 cm - 29½"x29½"
AUKT Kone White
AUKU Kone Beige
AUKV Kone Silver
AUKW Kone Pearl
AUKX Kone Grey

GRIP SURFACE

Outdoor

Sensitech
✣ 9 mm
30x60 cm - 11¾"x23⅝"
D221 Kone White Grip
D222 Kone Beige Grip
D223 Kone Silver Grip
D224 Kone Pearl Grip
D225 Kone Grey Grip

TRIM TILES P. 300

	Battiscopa	Gradino *	Scalino *	Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *
	7,2x60 cm 2⅞"x23⅝" Matte	30x60 cm 11¾"x23⅝" Matte	33x150 cm 13"x59" Matte	33x75 cm 13"x29½" Matte	33x60 cm 13"x23⅝" Matte	33x33 cm 13"x13" Matte	7,2x30 cm 2⅞"x11¾" Matte DX	SX	max 315x50 H.4 cm 124"x19⅝" H.1⅝" Matte	15x60 H. 4 cm 5⅞"x23⅝" H. 1⅝" Grip
White	AUOT	AUP6	A8N7	AALE	AAK3	AALK	AUO3	AUOY	•	AAQ4
Beige	AUOU	AUP7	A8N8	AALG	AAK4	AALL	AUO4	AUOZ	•	AAQ5
Silver	AUOV	AUP8	A8N9	AALH	AAK5	AALM	AUO5	AUOØ	•	AAQ6
Pearl	AUOW	AUP9	A8OA	AALI	AAK6	AALN	AUO6	AUO1	•	AAQ7
Grey	AUOX	AUQA	A8OB	AALJ	AAK7	AALO	AUO7	AUO2	•	AAQ8

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


Sensitech P.402


WHITE


BEIGE


PEARL


SILVER


GREY


MIX

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Kone

Porcelain Tiles

DECOR RANGE



AUNR Kone White Mosaico
30x30 - 11³/₄"x11³/₄"



AUNS Kone Beige Mosaico
30x30 - 11³/₄"x11³/₄"



AUNT Kone Silver Mosaico
30x30 - 11³/₄"x11³/₄"



AUNU Kone Pearl Mosaico
30x30 - 11³/₄"x11³/₄"



AUNV Kone Grey Mosaico
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"




AUN9 Kone White Mosaico Pinnacle 3D [1]
30x30 - 11³/₄"x11³/₄"



AUOA Kone Beige Mosaico Pinnacle 3D [1]
30x30 - 11³/₄"x11³/₄"



AUOB Kone Silver Mosaico Pinnacle 3D [1]
30x30 - 11³/₄"x11³/₄"



AUOC Kone Pearl Mosaico Pinnacle 3D [1]
30x30 - 11³/₄"x11³/₄"



AUOD Kone Grey Mosaico Pinnacle 3D [1]
30x30 - 11³/₄"x11³/₄"




29,6x2,5 cm - 11⁵/₈"x1"



AUNW Kone White Brick
30x60 - 11³/₄"x23⁵/₈"



AUNZ Kone Pearl Brick
30x60 - 11³/₄"x23⁵/₈"



A 2,1x24,8 cm - ³/₄"x9³/₄"
B 2,1x34,5 cm - ³/₄" 13⁵/₈"
C 3,3x34,5 cm - 1³/₄"x13⁵/₈"
D 3,3x24,8 cm - 1³/₄"x9³/₄"
E 2,5x60 cm - 1"x23⁵/₈"



AUNX Kone Beige Brick
30x60 - 11³/₄"x23⁵/₈"



AUNØ Kone Grey Brick
30x60 - 11³/₄"x23⁵/₈"




AUNY Kone Silver Brick
30x60 - 11³/₄"x23⁵/₈"



AUOO Kone White Chevron
11,5x67 - 4¹/₂"x26³/₈"



AUOR Kone Pearl Chevron
11,5x67 - 4¹/₂"x26³/₈"



A 11,5 cm - 4¹/₂"
B 73,4 cm - 28⁷/₈"
C 67 cm - 26³/₈"



AUOP Kone Beige Chevron
11,5x67 - 4¹/₂"x26³/₈"



AUOS Kone Grey Chevron
11,5x67 - 4¹/₂"x26³/₈"



AUOQ Kone Silver Chevron
11,5x67 - 4¹/₂"x26³/₈"

[1] **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины, укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Lims

WEBSITE COLLECTION

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades









Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
75x150 cm - 29¹/₂"x59"	± 9 mm	Matte Sensitech **R10 B**
75x75 cm - 29¹/₂"x29¹/₂"	± 9 mm	Matte Sensitech **R10 B**
37,5x75 cm - 14³/₄"x29¹/₂"	± 9 mm	Matte | Tumbled Sensitech **R10 B**

LARGE SIZES P. 304

OUTDOOR AND WET AREAS

37,5x75 cm - 14³/₄"x29¹/₂"	± 9 mm	Grip Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 20 mm	Outdoor Sensitech **R11 C**











Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15³/₄"x31¹/₂"	± 8,5 mm	Matte

3D WALL TILES

40x80 cm - 15³/₄"x31¹/₂"	± 10 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Lims

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech / Tumbled ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech / Tumbled ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE — Floor — Wall

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
A3EI Lims Ivory
A3EJ Lims Beige
A3EK Lims Grey
A3EL Lims Desert

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
A3DI Lims Ivory
A3DJ Lims Beige
A3DK Lims Grey
A3DL Lims Desert

Sensitech
✣ 9 mm
75x150 cm - 29¹/₂"x59"
A7HT Lims Ivory
A7HU Lims Beige
A7HV Lims Grey
A7HW Lims Desert

Sensitech
✣ 9 mm
75x75 cm - 29¹/₂"x29¹/₂
A3DQ Lims Ivory
A3DR Lims Beige
A3DS Lims Grey
A3DT Lims Desert

Sensitech
✣ 9 mm
37,5x75 cm - 14³/₄"x29¹/₂
A3DU Lims Ivory
A3DV Lims Beige
A3DW Lims Grey
A3DX Lims Desert

TUMBLED EDGES (1)

Sensitech
✣ 9 mm
37,5x75 cm - 14³/₄"x29¹/₂
A3FT Lims Ivory Tumbled
A3FU Lims Beige Tumbled
A3FV Lims Grey Tumbled
A3FW Lims Desert Tumbled

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
37,5x75 cm - 14³/₄"x29¹/₂
A3DY Lims Ivory Grip
A3DZ Lims Beige Grip
A3DØ Lims Grey Grip
A3D1 Lims Desert Grip

Sensitech
✣ 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A3LU Lims Ivory 20 mm
A3LV Lims Beige 20 mm
A3LW Lims Grey 20 mm
A3LX Lims Desert 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
A3LY Lims Ivory 20 mm
A3LZ Lims Beige 20 mm
A3LØ Lims Grey 20 mm
A3L1 Lims Desert 20 mm

(1) **Tumbled. Irregularities in the edges are not defects but rather features intrinsic to this type of product.** - Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. - Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. - Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. - Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. - Галтованная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.

Sensitech P.402

MATTE


IVORY


BEIGE


GREY


DESERT

TUMBLED


IVORY


BEIGE


GREY


DESERT

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Lims

Porcelain Tiles

DECOR RANGE



A3JE Lims Ivory
Mosaico Gemini
41,6x24 - 16³/₈"x9¹/₂"




A3JF Lims Beige
Mosaico Gemini
41,6x24 - 16³/₈"x9¹/₂"



A3JG Lims Grey
Mosaico Gemini
41,6x24 - 16³/₈"x9¹/₂"



A3JH Lims Desert
Mosaico Gemini
41,6x24 - 16³/₈"x9¹/₂"



A 41,6 cm - 16³/₈"
B 24 cm - 9¹/₂"



A3HK Lims Ivory
Mosaico Tumbled [1]
30x30 - 11³/₄"x11³/₄"



A3HL Lims Beige
Mosaico Tumbled [1]
30x30 - 11³/₄"x11³/₄"



A3HM Lims Grey
Mosaico Tumbled [1]
30x30 - 11³/₄"x11³/₄"



A3HN Lims Desert
Mosaico Tumbled [1]
30x30 - 11³/₄"x11³/₄"




4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A3JA Lims Ivory Brick
37,5x75 - 14³/₄"x29¹/₂"



A3JB Lims Beige Brick
37,5x75 - 14³/₄"x29¹/₂"



A 37,5 cm - 14³/₄"
B 75 cm - 29¹/₂"



A3JC Lims Grey Brick
37,5x75 - 14³/₄"x29¹/₂"



A3JD Lims Desert Brick
37,5x75 - 14³/₄"x29¹/₂"

TRIM TILES
P. 300

	Battiscopa	Gradino *	Scalino *			Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *	Corner * ⧗ 6 mm	Corner A.E * ⧗ 6 mm
	7,2x75 cm 2⁷/₈"x29¹/₂"	37,5x75 cm 14³/₄"x29¹/₂"	37,5x150 cm 14³/₄"x59"	33x120 cm 13"x47¹/₄"	37,5x75 cm 14³/₄"x29¹/₂"	37,5x37,5 cm 14³/₄"x14³/₄"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11¹/₄"		max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"	15x75 H. 4 cm 5⁷/₈"x29¹/₂" H. 1⁵/₈"	1x120 cm ³/₈"x47¹/₄"	1x1 cm ³/₈"x³/₈"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Grip	Matte	Matte
								DX	SX				
Ivory	A3MK	A3VV	A3NU	A3NQ	A3VZ	A3WD	A3NY	A3JQ	A3JM	•	A3N2	A3WH	A3WL
Beige	A3ML	A3VW	A3NV	A3NR	A3WA	A3WE	A3NZ	A3JR	A3JN	•	A3N3	A3WI	A3WM
Grey	A3VT	A3VX	A3NW	A3NS	A3WB	A3WF	A3NØ	A3JS	A3JO	•	A3N4	A3WJ	A3WN
Desert	A3VU	A3VY	A3NX	A3NT	A3WC	A3WG	A3N1	A3JT	A3JP	•	A3N5	A3WK	A3WO

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **Tumbled. Irregularities in the edges are not defects but rather features intrinsic to this type of product.** - Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. - Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. - Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. - Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. - Галтованная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.

V2 Slight Variation

Wall Tiles

MATTE SURFACE —— Wall

⧗ 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
A3HO Lims Ivory
A3HP Lims Beige

⧗ 10 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
A3HR Lims 3D Wallpaper Ivory
A3HS Lims 3D Wallpaper Beige
A3HT Lims 3D Way Ivory
A3HU Lims 3D Way Beige

TRIM TILES



1,4x40 cm - ⁵/₈"x15³/₄"
A3HV Lims Ivory Corner 40 *
A3HW Lims Beige Corner 40 *



1,4x1,4 cm - ⁵/₈"x⁵/₈"
A3HZ Lims Ivory Corner A.E. *
A3HØ Lims Beige Corner A.E. *




1,4x40 cm - ⁵/₈"x15³/₄"
A3HX Lims 3D Wallpaper Ivory Corner 40 *
A3HY Lims 3D Wallpaper Beige Corner 40 *

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ











INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Norde

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
60x120 cm – 23⁵/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
60x60 cm – 23⁵/₈"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**
30x60 cm – 11³/₄"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

30x60 cm – 11³/₄"x23⁵/₈"	9 mm	Roccia **R12 C**
60x120 cm – 23⁵/₈"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
60x120 cm – 23⁵/₈"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**
60x90 cm – 23⁵/₈"x35³/₈"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm – 23⁵/₈"x23⁵/₈"	20 mm	Outdoor Sensitech **R11 C**
80x80 cm – 31¹/₂"x31¹/₂"	20 mm	Outdoor Sensitech **R11 C**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Norde

Porcelain Tiles

HEAVY TRAFFIC
Matte Sensitech ✣ 9 mm
Grip Sensitech / Roccia ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R12 C Roccia ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE — Floor — Wall

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A5LM Norde Magnesio
A5LN Norde Oro
A45Z Norde Platino
A5LO Norde Piombo

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
A5M6 Norde Magnesio
A5M7 Norde Oro
A5M8 Norde Platino
A5M9 Norde Piombo

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
A5ND Norde Magnesio
A5NE Norde Oro
A5NF Norde Platino
A5NG Norde Piombo

GRIP SURFACE — ROCCIA SURFACE — Outdoor

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A5MH Norde Magnesio Grip
A5MI Norde Oro Grip
A45Ø Norde Platino Grip
A5MJ Norde Piombo Grip

✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
A5NA Norde Magnesio Roccia
A5NB Norde Oro Roccia
A5NC Norde Platino Roccia
A45Y Norde Piombo Roccia

OUTDOOR ✣ 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A5TV Norde Magnesio 20 mm
A5TW Norde Oro 20 mm
A451 Norde Platino 20 mm
A5TX Norde Piombo 20 mm

Sensitech
✣ 20 mm
60x90 cm - 23⁵/₈"x35⁵/₈"
A5T2 Norde Magnesio 20 mm
A5T3 Norde Oro 20 mm
A5T4 Norde Platino 20 mm
A5T5 Norde Piombo 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
A5TY Norde Magnesio 20 mm
A5TZ Norde Oro 20 mm
A5TØ Norde Platino 20 mm
A5T1 Norde Piombo 20 mm


Sensitech
✣ 20 mm
80x80 cm - 31¹/₂"x31¹/₂"
A56L Norde Magnesio 20 mm
A56M Norde Oro 20 mm
A56N Norde Platino 20 mm
A56O Norde Piombo 20 mm

TRIM TILES
P. 300

	Battiscopa	Gradino *	Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *	
	7,2x60 cm 2⁷/₈"x23⁵/₈" Matte	30x60 cm 11³/₄"x23⁵/₈" Matte	33x120 cm 13"x47¹/₄" Matte	33x60 cm 13"x23⁵/₈" Matte	33x33 cm 13"x13" Matte	7,2x30 cm 2⁷/₈"x11³/₄" Matte		max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈" Matte	33x120 H. 4 cm 13"x47¹/₄" H.1⁵/₈" Grip	15x60 H. 4 cm 5⁷/₈"x23⁵/₈" H.1⁵/₈" Roccia
						DX	SX			
Magnesio	A58Y	A59D	A59T	A59H	A59X	A583	A587	•	A592	A6H2
Oro	A58Z	A59E	A59U	A59I	A59Y	A584	A588	•	A593	A6H3
Platino	A581	A59F	A59V	A59J	A59Z	A585	A589	•	A594	A6H4
Piombo	A582	A59G	A59W	A59K	A591	A586	A59C	•	A595	A6H5

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - *Изготовляются на заказ*

Sensitech P.402



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Norde

Porcelain Tiles


DECOR RANGE



A59P Norde Magnesio Brick
30x60 - 11³/₄"x23⅝"



A59Q Norde Oro Brick
30x60 - 11³/₄"x23⅝"



30x60 cm - 11³/₄"x23⅝"



A59R Norde Platino Brick
30x60 - 11³/₄"x23⅝"



A59S Norde Piombo Brick
30x60 - 11³/₄"x23⅝"



A59L Norde Magnesio
Mosaico
30x30 - 11³/₄"x11³/₄"



A59M Norde Oro
Mosaico
30x30 - 11³/₄"x11³/₄"



A59N Norde Platino
Mosaico
30x30 - 11³/₄"x11³/₄"



A59O Norde Piombo
Mosaico
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A58U Norde Magnesio
Composizione Palladiana Grip Sensitech [2] [3]



A58V Norde Oro
Composizione Palladiana Grip Sensitech [2] [3]



A58W Norde Platino
Composizione Palladiana Grip Sensitech [2] [3]



A58X Norde Piombo
Composizione Palladiana Grip Sensitech [2] [3]

[2] **Minimum order: 8 m2. Variable tessera size and shape with tumbled edge. We recommend installation with a joint of no less than 10 mm.** - Ordine minimo di 8 mq. Dimensione e forma delle tessere variabile con bordo burattato. Si consiglia posa con fuga non inferiore a 10mm. - Commande minimum: 8 mètres carrés. Dimensions et forme des tesselles variables avec bord tamisé. Pose conseillée avec un joint non inférieur à 10mm. - Mindestbestellmenge 8 qm. Abmessung und Form der Steine sind unterschiedlich, aber alle weisen getrommelte Kanten auf. Für die Verlegung wird eine Fugenbreite von nicht weniger als 10 mm empfohlen. - Pedido mínimo de 8 m². Tamaño y forma variable de los mosaicos con borde bruñido. Se recomienda colocación con junta de no menos de 10 mm. - Минимальный объем заказа - 8 кв.м. Размер и форма чипа варьируются, чипы имеют выщербленные края. Рекомендуется укладка с межплиточным швом не менее 10 мм.

[3] **Example of layout measuring about 1 m².** - Esempio di posato corrispondente a circa 1 mq. - Exemple de produit posé correspondant à 1 mètre carré environ. - Verlegebeispiel für circa 1 qm. - Ejemplo de colocación correspondiente aproximadamente a 1 m². - Пример укладки, соответствующий примерно 1 кв.м.

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Norde

Porcelain Tiles

DECOR RANGE




A58M Norde Magnesio Path A+B 20 mm Outdoor Sensitech [1]
54x54 - 21 1/4"x21 1/4"

A58Q Norde Magnesio Path C 20 mm Outdoor Sensitech [1]
55x109 - 21 5/8"x42 7/8"



A58N Norde Oro Path A+B 20mm Outdoor Sensitech [1]
54x54 - 21 1/4"x21 1/4"

A58R Norde Oro Path C 20mm Outdoor Sensitech [1]
55x109 - 21 5/8"x42 7/8"



a 53,7 cm - 21 1/8"
b 40,1 cm - 15 3/4"
c 45 cm - 17 3/4"
d 105 cm - 41 3/8"
e 39,6 cm - 15 5/8"
f 55,6 cm - 21 7/8"



A58O Norde Platino Path A+B 20 mm Outdoor Sensitech [1]
54x54 - 21 1/4"x21 1/4"

A58S Norde Platino Path C 20 mm Outdoor Sensitech [1]
55x109 - 21 5/8"x42 7/8"




A58P Norde Piombo Path A+B 20mm Outdoor Sensitech [1]
54x54 - 21 1/4"x21 1/4"

A58T Norde Piombo Path C 20mm Outdoor Sensitech [1]
55x109 - 21 5/8"x42 7/8"

[1] **We recommend "dry" installation on gravel and/or grass.** - Si consiglia posa "a secco" su ghiaia e/o erba. - Pose « à sec » sur gravillons et/ou herbe conseillée. - Es wird eine Trockenverlegung auf Kies bzw. Rasen empfohlen. Se recomienda colocación «en seco» sobre grava o hierba. - Рекомендуется «сухая» укладка на гравий и/или траву.

Sensitech P.402



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Trust

COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades















Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
60x60 cm - 23⁵/₈"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11³/₄"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

30x60 cm - 11³/₄"x23⁵/₈"	9 mm	Grip Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	20 mm	Outdoor Sensitech **R11 C**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Trust

Porcelain Tiles

HEAVY TRAFFIC

Matte Sensitech ± 9 mm
Grip Sensitech ± 9 mm
Outdoor Sensitech ± 20 mm

R10 B Matte Sensitech ± 9 mm
R11 C Grip Sensitech ± 9 mm
R11 C Outdoor Sensitech ± 20 mm

V2 Slight Variation
Moon

V3 Moderate Variation
Ivory, Gold, Silver, Copper, Titanium

MATTE SURFACE

Floor — Wall

Sensitech
± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AA8C Trust Moon
AC11 Trust Ivory
AC13 Trust Gold
AC14 Trust Silver
AC15 Trust Copper
AC16 Trust Titanium

Sensitech
± 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
D234 Trust Moon
D156 Trust Ivory
D157 Trust Gold
D158 Trust Silver
D159 Trust Copper
D16Ø Trust Titanium

GRIP SURFACE

Sensitech
± 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
D235 Trust Moon Grip
D161 Trust Ivory Grip
D162 Trust Gold Grip
D163 Trust Silver Grip
D164 Trust Copper Grip
D165 Trust Titanium Grip

OUTDOOR ± 20 mm

Outdoor

Sensitech
± 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AY4E Trust Gold 20 mm
AY4D Trust Silver 20 mm
AY4F Trust Titanium 20 mm
AY4G Trust Ivory 20 mm

Sensitech
± 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
ABLI Trust Gold 20 mm
ABLJ Trust Silver 20 mm
ABLK Trust Titanium 20 mm
AY4B Trust Ivory 20 mm

TRIM TILES
P. 300

	Battiscopa	Gradino *	Scalino *	Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *
	7,5x30 cm 3"x11⁷/₈"	30x30 cm 11⁷/₈"x11⁷/₈"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,5x30 cm 3"x11⁷/₈"		max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"	15x60 H. 4 cm 5⁷/₈"x23⁵/₈" H. 1⁵/₈"
	Matte	Matte	Matte	Matte	Matte		Matte	Grip
					DX	SX		
Moon	AAHW	AAHX	AAHY	AAHZ	AAHØ	AAH1	•	AORD
Ivory	AD94	AD89	ACYU	ACYZ	AEAL	AEAM	•	AORA
Gold	AD95	AD9Ø	ACYV	ACYØ	AEAN	AEAO	•	AWRB
Silver	AD96	AD91	ACYW	ACY1	AEAP	AEAQ	•	AD3M
Copper	AD97	AD92	ACYX	ACY2	AEAR	AEAT	•	AORB
Titanium	AD98	AD93	ACYY	ACY3	AEAU	AEAV	•	AORC

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P.402

MATTE / GRIP














OUTDOOR 20 mm









INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Trust

Porcelain Tiles

DECOR RANGE



ABDW Trust Moon
Mosaico
30x30 - 11³/₄"x11³/₄"



ACLA Trust Ivory
Mosaico
30x30 - 11³/₄"x11³/₄"



ACLC Trust Gold
Mosaico
30x30 - 11³/₄"x11³/₄"




ACLD Trust Silver
Mosaico
30x30 - 11³/₄"x11³/₄"



ACLE Trust Copper
Mosaico
30x30 - 11³/₄"x11³/₄"



ACLF Trust Titanium
Mosaico
30x30 - 11³/₄"x11³/₄"



A 5,6x14,7 cm - 2¹/₄"x5³/₄"
B 4,5x14,7 cm - 1³/₄"x5³/₄"
C 2,8x14,7 cm - 1¹/₈"x5³/₄"



ABDX Trust Moon Brick
30x60 - 11³/₄"x23⁵/₈"



ACNA Trust Ivory Brick
30x60 - 11³/₄"x23⁵/₈"



ACNB Trust Gold Brick
30x60 - 11³/₄"x23⁵/₈"




ACNC Trust Silver Brick
30x60 - 11³/₄"x23⁵/₈"




ACND Trust Copper Brick
30x60 - 11³/₄"x23⁵/₈"



ACNE Trust Titanium Brick
30x60 - 11³/₄"x23⁵/₈"



A 2,1x24,8 cm - ³/₄"x9³/₄"
B 2,1x34,5 cm - ³/₄" 13⁵/₈"
C 3,3x34,5 cm - 1³/₄"x13⁵/₈"
D 3,3x24,8 cm - 1³/₄"x9³/₄"
E 2,5x60 cm - 1"x23⁵/₈"




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Axi

WEBSITE
COLLECTION

Floor | Wall | Decors





Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE — Floor | Wall

± 9,5 mm
22,5x90 cm - 8⅞"x35⅜"
AS3C Axi Golden Oak
AS3A Axi Brown Chestnut

HEAVY TRAFFIC Matte ✣ 9.5 mm | **R10 B** Matte ✣ 9.5 mm | V3 Moderate Variation Golden Oak, Brown Chestnut

Porcelain Tiles

DECOR RANGE



AMWH Axi
Golden Oak Tatami
22,5x90 - 8⅞"x35⅜"



AMWK Axi
Brown Chestnut Tatami
22,5x90 - 8⅞"x35⅜"



7,2x89,5 cm
2⅞"x35¼"



AMWB Axi Golden Oak
Brick 3D (1)
20x44 - 7⅞"x17⅜"



AMWE Axi Brown Chestnut
Brick 3D (1)
20x44 - 7⅞"x17⅜"




5x29 cm - 2"x11⅜"
5x15 cm - 2"x5⅞"



AMVØ Axi Golden Oak
Mosaico 3D (1)
35x35 - 13¾"x13¾"



AMV8 Axi Brown Chestnut
Mosaico 3D (1)
35x35 - 13¾"x13¾"




6,9x6,9 cm - 2¾"x2¾"



AMWN Axi
Golden Oak Treccia
28x53 - 11"x20⅞"



AMWQ Axi
Brown Chestnut Treccia
28x53 - 11"x20⅞"



3,3x14 cm
1¼"x5½"

TRIM TILES
P. 300

	Battiscopa	Scalino *	Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x90 cm 2⅞"x35⅜"	22,5x90 cm 8⅞"x35⅜"	22,5x22,5 cm 8⅞"x8⅞"		7,2x30 cm 2⅞"x11¾"		max 315x50 H.4 cm 124"x19⅝" H.1⅝"
	Matte	Matte	Matte		Matte		Matte
			DX	SX	DX	SX	
Golden Oak	ANLJ	ANLP	ANLW	ANL5	ANMB	ANMJ	•
Brown Chestnut	ANLM	ANLT	ANLZ	ANL9	ANME	ANMH	•

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

(1) **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины; укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Entice

COLLECTION CATALOG


VIDEO

Floor Wall Outdoor











Porcelain Tiles RECTIFIED MONOCALIBER

NATURAL


Sizes	Thickness	Surface finish
18,5x150 cm - 7¹/₄"x59"	9 mm	Matte Sensitech **R10 B**
20x120 cm - 7⁷/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

20x120 cm - 7⁷/₈"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
30x120 cm - 11³/₄"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**









ELEGANT

Sizes	Thickness	Surface finish
18,5x150 cm - 7¹/₄"x59"	9 mm	Matte **R9 A**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Entice

Porcelain Tiles


HEAVY TRAFFIC
Matte ✣ 9 mm
Matte Sensitech ✣ 9 mm

R9 A Matte ✣ 9 mm ELEGANT
R10 B Matte Sensitech ✣ 9 mm NATURAL

V2 Slight Variation

MATTE SURFACE - ELEGANT


Floor — Wall



✣ 9 mm
18,5x150 cm - 7¹/₄"x59"
A8YB Entice Pale Oak Elegant
A8YC Entice Copper Oak Elegant
A8YD Entice Browned Oak Elegant
A8YE Entice Ash Oak Elegant

MATTE SURFACE - NATURAL

Floor — Wall



Sensitech
✣ 9 mm
18,5x150 cm - 7¹/₄"x59"
A8X6 Entice Pale Oak Natural
A8X7 Entice Copper Oak Natural
A8X9 Entice Browned Oak Natural
A8YA Entice Ash Oak Natural

Sensitech
✣ 9 mm
20x120 cm - 7⁷/₈"x47¹/₄"
A841 Entice Pale Oak Natural
A84Y Entice Copper Oak Natural
A84Z Entice Browned Oak Natural
A84Ø Entice Ash Oak Natural

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Entice

Porcelain Tiles

HEAVY TRAFFIC
Grip Sensitech ∓ 9 mm
Outdoor Sensitech ∓ 20 mm

R11 C Grip Sensitech ∓ 9 mm
R11 C Outdoor Sensitech ∓ 20 mm

V2 Slight Variation

GRIP SURFACE - NATURAL


Outdoor



Sensitech
∓ 9 mm
20x120 cm - 7⁷/₈"x47¹/₄"
A842 Entice Pale Oak Natural Grip
A843 Entice Copper Oak Natural Grip
A844 Entice Browned Oak Natural Grip
A845 Entice Ash Oak Natural Grip

OUTDOOR ∓ 20 mm - NATURAL

Outdoor



Sensitech
∓ 20 mm
30x120 cm - 11⁸/₁₆"x47¹/₄"
A9DD Entice Pale Oak Natural 20 mm
A9DE Entice Copper Oak Natural 20 mm
A9DF Entice Browned Oak Natural 20 mm
A9DG Entice Ash Oak Natural 20 mm

TRIM TILES
P. 300

	Battiscopa		Scalino *		Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *
	7,2x150 cm 2⁷/₈"x59"	6,5x120 cm 2¹/₂"x47¹/₄"	33x150 cm 13"x59"	33x120 cm 13"x7⁷/₈"	7,2x30 cm 2⁷/₈"x11⁷/₈"		max 315x50 H.4 cm 124"x19⁹/₁₆" H.1⁹/₁₆"	20x120 H. 4 cm 7⁷/₈"x59" H. 1⁹/₁₆"
	Matte	Matte	Matte		Matte		Matte	Grip
					DX	SX		
Pale Oak Natural	A85B	AHAB	AFIØ	AFI9	A85N	A85J	•	AFJD
Copper Oak Natural	A85C	AHAA	AFI1	AFJA	A85O	A85K	•	AFJE
Browned Oak Natural	A85D	AG95	AFI3	AFJB	A85P	A85L	•	AFJF
Ash Oak Natural	A85E	AG94	AFI4	AFJC	A85Q	A85M	•	AFJG
Pale Oak Elegant	A85F	-	AFI5	-	-	-	•	-
Copper Oak Elegant	A85G	-	AFI6	-	-	-	•	-
Browned Oak Elegant	A85H	-	AFI7	-	-	-	•	-
Ash Oak Elegant	A85I	-	AFI8	-	-	-	•	-

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Etic

WEBSITE
COLLECTION

Floor Wall Decors





Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE — Floor Wall


± 9,5 mm
22,5x90 cm - 8⅞"x35⅜"
AJ8D Etic Rovere

HEAVY-TRAFFIC Matte ± 9,5 mm | **R9 A** Matte ± 9,5 mm | V3 Moderate Variation Rovere

DECOR RANGE



AM8D Etic Rovere
Tatami
22,5x90 - 8⅞"x35⅜"



2,3x90 cm - ⅞"x35⅜"

TRIM TILES
P. 300

	Battiscopa	Scalino *	Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *
							
	7,2x90 cm 2⅞"x35⅜"	22,5x90 cm 8⅞"x35⅜"	22,5x22,5 cm 8⅞"x8⅞"		7,2x30 cm 2⅞"x11¹³/₁₆"		max 315x50 H.4 cm 124"x19⅝" H.1⅝"
	Matte	Matte	Matte		Matte		Matte
			DX	SX	DX	SX	
Rovere	AM76	AM97	ANAF	ANCW	ANCH	ANCO	•

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


Etic Pro


WEBSITE
COLLECTION

Floor | Wall | Decors | Outdoor









Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE — Floor | Wall

9 mm
25x150 cm - 9⅞"x59"
AV4I Etic Rovere Venice

9 mm
22,5x90 cm - 8⅞"x35⅜"
AV4M Etic Rovere Venice

OUTDOOR 20 mm — Outdoor

Sensitech
20 mm
30x120 cm - 11¾"x47¼"
AV42 Etic Rovere Venice 20mm

HEAVY TRAFFIC
Matte 9 mm
Outdoor Sensitech 20 mm

R9 A Matte 9 mm
R11 C Outdoor Sensitech 20 mm

V3 Moderate Variation

Sensitech P.402

DECOR RANGE



2,3x90 cm
⅞"x35⅜"

AWVZ Etic Rovere Venice
Tatami
22,5x90 - 8⅞"x35⅜"




AWYI Etic Rovere Venice
Industrial 3D (1)
44x28,5 - 17⅜"x11¼"



2,4x22 cm
1"x8⅝"




AWV3 Etic Rovere Venice
Herringbone
36,2x41,2 - 14¼"x16⅛"




4,9x29 cm
1⅞"x11⅜"




AWV7 Etic Rovere Venice
Chevron A+B
35x34,5 - 13¾"x13⅝"



A 17 cm - 6¾"
B 39,8 cm - 15⅝"
C 14,7 cm - 5¾"



AWYE Etic Rovere Venice
Chevron Tatami A+B
74x22,2 - 291/8"x85/8"



A 3,2 cm - 1¼"
B 73,8 cm - 29"
C 2,3 cm - ⅞"

TRIM TILES
P. 300

	Battiscopa	Scalino *	Scalino *	Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x90 cm 2⅞"x35⅜" Matte	22,5x90 cm 8⅞"x35⅜" Matte	33x150 cm 13"x59" Matte	22,5x22,5 cm 8⅞"x8⅞" Matte		7,2x30 cm 2⅞"x11¾" Matte		max 315x50 H.4 cm 124"x19¾" H.1⅝" Matte
				DX	SX	DX	SX	
Rovere Venice	AV68	AV7Z	AZFC	AV78	AV73	AV8G	AV8C	•

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавляются на заказ

(1) **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины, укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Exence

WEBSITE
COLLECTION

Floor | Wall | Decors | Outdoor









Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
18,5x150 cm - 7¹/₄"x59"	9 mm	Matte Sensitech **R10 B**
20x120 cm - 7⁷/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

18,5x150 cm - 7¹/₄"x59"	9 mm	Grip Sensitech **R11 C**
30x120 cm - 11⁵/₈"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Exence

Porcelain Tiles

HEAVY TRAFFIC — Matte Sensitech ∓ 9 mm, Grip Sensitech ∓ 9 mm

R10 B Matte Sensitech ∓ 9 mm
R11 C Grip Sensitech ∓ 9 mm

V2 Slight Variation

MATTE SURFACE

Floor — Wall



Sensitech
∓ 9 mm
18,5x150 cm - 7 1/4"x59"
AOUH Exence Vanilla
AL87 Exence Almond
AL88 Exence Amber

Sensitech
∓ 9 mm
20x120 cm - 7 7/8"x47 1/4"
AO47 Exence Vanilla
AO48 Exence Almond
AO49 Exence Amber

GRIP SURFACE

Outdoor



Sensitech
∓ 9 mm
18,5x150 cm - 7 1/4"x59"
AOUK Exence Vanilla Grip
AOUI Exence Almond Grip
AOUJ Exence Amber Grip

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Exence

Porcelain Tiles

Outdoor Sensitech ∓ 20 mm

R11 C Outdoor Sensitech ∓ 20 mm

V2 Slight Variation

OUTDOOR ∓ 20 mm

Outdoor









Sensitech

∓ 20 mm

30x120 cm - 11³/₄"x47¹/₄"

A2RY Exence Almond 20 mm

A2RZ Exence Amber 20 mm

TRIM TILES
P. 300

	Battiscopa		Scalino *	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *
	7,2x150 cm 2⁷/₈"x59"	6,5x120 cm 2¹/₂"x47¹/₄"	33x150 cm 13"x59"	7,2x30 cm 2⁷/₈"x11³/₄"		max 315x50 H.4 cm 124"x19⁹/₁₆" H.1⁵/₈"	18,5x150 H. 4 cm 7⁵/₈"x59" H. 1⁵/₈"
	Matte	Matte	Matte	Matte		Matte	Grip
				DX	SX		
Vanilla	AOUX	AHAF	AOUY	AOU1	AOU2	•	AOZI
Almond	AMA2	AHAC	AMA6	AMBE	AMBG	•	AOZJ
Amber	AMA5	AHAD	AMA7	AMBF	AMBH	•	AOZK

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - *Изготовляются на заказ*

DECOR RANGE



AOUU Exence
Vanilla Square
56,1x56,1 - 22"x22"



AOUV Exence
Almond Square
56,1x56,1 - 22"x22"



AOUW Exence
Amber Square
56,1x56,1 - 22"x22"



AOUR Exence
Vanilla Tatami
18,5x75 - 7¹/₄"x29¹/₂"



AOUS Exence
Almond Tatami
18,5x75 - 7¹/₄"x29¹/₂"



AOUT Exence
Amber Tatami
18,5x75 - 7¹/₄"x29¹/₂"



AOUG Exence
Vanilla Chevron
32,5x45 - 12³/₄"x17⁵/₈"



AMBJ Exence
Almond Chevron
32,5x45 - 12³/₄"x17⁵/₈"



AMBL Exence
Amber Chevron
32,5x45 - 12³/₄"x17⁵/₈"

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS


Heartwood

COLLECTION
CATALOG

Floor Wall Decors









Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
18,5x150 cm - 7 1/4"x59"	9 mm	Matte Sensitech **R10 B**
20x120 cm - 7 7/8"x47 1/4"	9 mm	Matte Sensitech **R10 B**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Heartwood

Porcelain Tiles

HEAVY TRAFFIC — Matte Sensitech ✠ 9 mm | **R10 B** Matte Sensitech ✠ 9 mm | V3 Moderate Variation

MATTE SURFACE

Floor — Wall



Sensitech
✠ 9 mm
18,5x150 cm - 7¹/₄"x59"
AL68 Heartwood Malt
AL84 Heartwood Brandy
AL69 Heartwood Moka

Sensitech
✠ 9 mm
20x120 cm - 7⁷/₈"x47¹/₄"
AL7E Heartwood Malt
AL85 Heartwood Brandy
AL7F Heartwood Moka

Sensitech P.402

DECOR RANGE



AOYG Heartwood Malt
Mansion Weave
34,6x40 - 13⁵/₈"x15³/₄"



AOYH Heartwood Brandy
Mansion Weave
34,6x40 - 13⁵/₈"x15³/₄"



AOYJ Heartwood Moka
Mansion Weave
34,6x40 - 13⁵/₈"x15³/₄"



AO3K Heartwood Malt
Marble Chevron
29,4x28,7 - 11⁵/₈"x11³/₈"
Malt + Marvel Black Atlantis



AO3L Heartwood Brandy
Marble Chevron
29,4x28,7 - 11⁵/₈"x11³/₈"
Brandy + Marvel Black Atlantis



AOYI Heartwood Moka
Marble Chevron
29,4x28,7 - 11⁵/₈"x11³/₈"
Moka + Marvel Black Atlantis



AOYD Heartwood Malt Tatami
18,5x75 - 7¹/₄"x29¹/₂"



AOYE Heartwood Brandy Tatami
18,5x75 - 7¹/₄"x29¹/₂"



AOYF Heartwood Moka Tatami
18,5x75 - 7¹/₄"x29¹/₂"

TRIM TILES
P. 300


	Battiscopa		Scalino *	Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x150 cm 2⁷/₈"x59"	6,5x120 cm 2¹/₂"x47¹/₄"	33x150 cm 13"x59"	7,2x30 cm 2⁷/₈"x11³/₄"		max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"
	Matte	Matte	Matte	Matte		Matte
				DX	SX	
Malt	AMAH	AHAI	AMAK	AMAW	AMAZ	•
Brandy	AMAI	AHAH	AMAL	AMAX	AMAØ	•
Moka	AMAJ	AHAJ	AMAM	AMAY	AMA1	•

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Trim tiles

TRIM TILES ∓ 9 mm - ∓ 9,5 mm




OUTDOOR TRIM TILES ∓ 9 mm




OUTDOOR TRIM TILES ∓ 20 mm


Lineare




Smussato




Costa Design




Round [1]




Round 60 [1]




Curve




Gradino round 60 [1]




Bordo Piscina [1]




Top




Elemento L [1]



Alzata




Griglia [1]




[1] **Right/left angular elements are available** - Sono disponibili gli elementi angolari dx/sx

TRIM TILES TECHNICAL DRAWS


Gradino




Scalino




Elemento L Strutturato/Grip




Battiscopa sagomato



Scalino angolare




Davanzale / Soglia




t = thickness

STEPS


Round + Alzata



Lineare + Alzata




Elemento L + Alzata




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Trim tiles, 20 mm























	Lineare	Round						Round Angolare Dx/Sx												Round 60	Round 60 Angolare	Gradino Round	Gradino Round Angolare Dx/Sx		Elemento L							Elemento L Angolare							Alzata							Top		Costa Design	Bordo Piscina	Bordo Piscina Angolare Dx/Sx		Griglia		Griglia Angolare Dx/Sx				Curve	Smussato
	30x60 cm 11"x23"/4"	30x60 cm 11"x23"/4"	33x120 cm 13"x47"/8"	30x120 cm 11"x23"/4"	60x90 cm 23"/8"x35"/8"	45x90 cm 17"3/4"x35"/8"	40x80 cm 15"3/4"x31"/2"	30x60 cm 11"x23"/4"		33x120 cm 13"x47"/8"		30x120 cm 11"x23"/4"		60x90 cm 23"/8"x35"/8"		45x90 cm 17"3/4"x35"/8"		40x80 cm 15"3/4"x31"/2"		60x60 cm 23"/8"x23"/8"	30x60 cm 11"x23"/4"	30x60 cm 11"x23"/4"	30x120 cm 11"x23"/4"		20x60 cm 7"7/8"x23"/8"	30x120 cm 11"x23"/4"	33x120 cm 13"x47"/8"	33x90 cm 13"x35"/8"	33x80 cm 13"x31"/2"	20x20 cm 7"7/8"x7"7/8"	33x33 cm 13"x13"	20x120 cm 7"7/8"x47"/8"	30x120 cm 11"x23"/4"	20x90 cm 7"7/8"x35"/8"	30x60 cm 11"x23"/4"	30x120 cm 11"x23"/4"	33x120 cm 13"x47"/8"	30x60 cm 11"x23"/4"	30x120 cm 11"x23"/4"	33x120 cm 13"x47"/8"	30x60 cm 11"x23"/4"	30x120 cm 11"x23"/4"	15x60 cm 5"7/8"x23"/8"	20x60 cm 7"7/8"x23"/8"	15x60 cm 5"7/8"x23"/8"	20x60 cm 7"7/8"x23"/8"	60x60 cm 23"/8"x23"/8"	30x60 cm 11"x23"/4"
								DX	SX	DX	SX	DX	SX	DX	SX	DX	SX	DX	SX				DX	SX																					DX	SX	DX	SX	DX	SX		
BOOST	•	•	•	•		•		•	•	•	•					•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BOOST BALANCE		•	•					•	•	•	•											•	•	•			•				•	•											•	•	•	•	•	•		•
BOOST NATURAL	•	•	•					•	•	•	•									•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BOOST MINERAL		•	•		•			•	•	•	•			•	•							•	•	•			•	•	•				•	•									•	•	•	•	•	•		•
BOOST MIX	•	•	•					•	•	•	•									•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BOOST PRO	•	•	•			•		•	•	•	•					•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BOOST STONE	•	•	•					•	•	•	•									•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BRAVE		•	•					•	•	•	•									•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
ENTICE				•								•	•												•									•																
ETIC PRO				•								•	•												•									•																
EXENCE				•								•	•												•									•																
LIMS	•	•	•					•	•	•	•									•	•	•	•		•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
MARVEL MERAVIGLIA			•							•	•														•									•																
MARVEL TRAVERTINE			•							•	•														•									•																
MARVEL X			•							•	•														•									•																
NORDE	•	•	•			•		•	•	•	•			•	•			•	•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PRISM			•				•			•	•							•	•						•		•							•																
TRUST		•	•					•	•	•	•									•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE


FACADES

TECHNICAL SPECIFICATIONS

Large Sizes

atlas concorde

Floor Wall Furniture Facades




- MARBLE LOOK
- CONCRETE LOOK
- STONE LOOK
- COLOR & DECOR LOOK

- NOTES

atlasPLAN

Floor Wall Slabs for furniture



- MARBLE LOOK
- CONCRETE LOOK
- WOOD LOOK
- STONE LOOK
- SOLID LOOK

Slabs for countertops and furniture



- SLABS FOR COUNTERTOPS & FURNITURE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



MARVEL X
CALACATTA APUANO

Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm Polished I Silk
AFU7 Calacatta Apuano Polished
AFVJ Calacatta Apuano Silk

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm Polished
AFU2 Calacatta Apuano

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished | Silk
AFUS Calacatta Apuano Polished
AFUX Calacatta Apuano

atlasPLAN

162x324 cm - 63³/₄"x127¹/₂" P.366
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

MARVEL X
CALACATTA APUANO
ENDLESS [2][3]

atlasPLAN

160x320 cm - 63"x126" ± 6 mm Polished
AJRR Calacatta Apuano Polished Endless
AKFN Calacatta Apuano Polished Kit Endless



MARVEL SHINE
CALACATTA DELICATO

Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm Polished I Matte
A4Q8 Calacatta Delicato Polished
A4Q4 Calacatta Delicato Matte Sensitech

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm Polished
A4RH Calacatta Delicato

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished
A4OY Calacatta Delicato

atlasPLAN

162x324 cm - 63³/₄"x127¹/₂" P.366
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL SHINE
CALACATTA PRESTIGIO

Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm Polished I Matte
A4Q9 Calacatta Prestigio Polished
A4Q5 Calacatta Prestigio Matte Sensitech

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm Polished
A4RI Calacatta Prestigio

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished I Silk
A4OZ Calacatta Prestigio Polished
A4O6 Calacatta Prestigio Silk

160x160 cm - 63"x63" ± 6 mm Polished
A4RP Calacatta Prestigio

atlasPLAN

162x324 cm - 63³/₄"x127¹/₂" P.366
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

MARVEL SHINE
CALACATTA PRESTIGIO
BOOKMATCH A[3][5] BOOKMATCH B[3][5]



120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished
A4O2 Calacatta Prestigio 120x278 Polished Bookmatch A
A4O3 Calacatta Prestigio 120x278 Polished Bookmatch B

ENDLESS [2][3]



120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished I Silk
A6EO Calacatta Prestigio 120x278 Polished Kit Endless
A6ER Calacatta Prestigio 120x278 Silk Kit Endless

atlasPLAN

160x320 cm - 63"x126" ± 6 mm Polished
A4RR Calacatta Prestigio Polished Endless
AKFL Calacatta Prestigio Polished Kit Endless



MARVEL STONE
CARRARA PURE

Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm Polished I Matte
AZTU Carrara Pure Polished
A2Ø7 Carrara Pure Matte Sensitech

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm Polished
AZTW Carrara Pure

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished I Matte
A2RW Carrara Pure Polished
A2RV Carrara Pure Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic - G1, G2, G3, etc - is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

[5] Codes A and B are sold separately.

(translations: page 365)

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



MARVEL STONE
BIANCO DOLOMITE

Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished I Matte
AZTT Bianco Dolomite Polished		
A2Ø4 Bianco Dolomite Matte Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
AZTV Bianco Dolomite		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished I Matte
AØBP Bianco Dolomite Polished		
A2RS Bianco Dolomite Matte		
160x160 cm - 63"x63"	± 6 mm	Polished
AO53 Bianco Dolomite Polished		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AO5X Bianco Dolomite Polished		
162x324 cm - 63³/₄"x127¹/₂" P.366		
159x324 cm - 62⁵/₈"x127¹/₂"		
SINGLE SLAB NON-RECTIFIED		
FOR COUNTERTOPS & FURNITURE		



MARVEL X
CALACATTA SUBLIME

Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished I Silk
A8YT Calacatta Sublime Polished		
AFVK Calacatta Sublime Silk		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
AFU3 Calacatta Sublime		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished I Silk
AFUT Calacatta Sublime Polished		
AFUY Calacatta Sublime Silk		

MARVEL X
CALACATTA SUBLIME
KIT ENDLESS [2][3]



120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished I Silk
AFWN Calacatta Sublime Polished Kit Endless		
AFWO Calacatta Sublime Silk Kit Endless		



MARVEL
CALACATTA EXTRA

Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished I Matte
AY2R Calacatta Extra Polished		
A2ØY Calacatta Extra Matte Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
AY2N Calacatta Extra		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished I Matte
AØBM Calacatta Extra Polished		
AØBT Calacatta Extra Matte		
160x160 cm - 63"x63"	± 6 mm	Polished I Matte
AO51 Calacatta Extra RT Polished		
AO54 Calacatta Extra RT Matte		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished I Silk
AJKS Calacatta Extra Polished		
AJKY Calacatta Extra Silk		
162x324 cm - 63³/₄"x127¹/₂" P.366		
159x324 cm - 62⁵/₈"x127¹/₂"		
SINGLE SLAB NON-RECTIFIED		
FOR COUNTERTOPS & FURNITURE		

MARVEL
CALACATTA EXTRA
BOOKMATCH A[3][5] BOOKMATCH B[3][5]



120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
AOTJ Calacatta Extra Polished Bookmatch A		
AOTK Calacatta Extra Polished Bookmatch B		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished I Silk
AJKT Calacatta Extra Bookmatch Polished		
AJKZ Calacatta Extra Bookmatch Silk		

ENDLESS [2][3]



120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
A6DU Calacatta Extra Kit Endless Polished		
AOUB Calacatta Extra Endless Polished *		

* Calacatta Extra Endless is composed of four graphics with vein continuity, but are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(SEE PAGE 365)

atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished I Matte
AO5Y Calacatta Extra Matte Endless		
AKFM Calacatta Extra Matte Kit Endless		
AO5U Calacatta Extra Polished Endless		
AKFK Calacatta Extra Polished Kit Endless		



MARVEL DREAM
BIANCO FANTASTICO

Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished I Matte
AL7N Bianco Fantastico Polished		
A2Ø3 Bianco Fantastico Matte Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
AO3P Bianco Fantastico		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished I Matte
AOSE Bianco Fantastico Polished		
A2RR Bianco Fantastico Matte		

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



MARVEL SHINE
STATUARIO SUPREMO

Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm Polished | Matte
A4RA Statuario Supremo Polished
A4Q6 Statuario Supremo Matte Sensitech

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm Polished
A4RJ Statuario Supremo

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished | Silk
A4OØ Statuario Supremo Polished
A4O7 Statuario Supremo Silk


160x160 cm - 63"x63" ± 6 mm Polished
A4RQ Statuario Supremo

atlasPLAN

162x324 cm - 63³/₄"x127¹/₂" P.366
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

MARVEL SHINE
STATUARIO SUPREMO

BOOKMATCH A[3][5] BOOKMATCH B[3][5]



Sizes | **Thickness** | **Surface finish**

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished
A4O4 Statuario Supremo Polished Bookmatch A
A4O5 Statuario Supremo Polished Bookmatch B

KIT ENDLESS [2][3]



Sizes | **Thickness** | **Surface finish**

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished | Silk
A6EP Statuario Supremo Polished Kit Endless
A6ES Statuario Supremo Silk Kit Endless

atlasPLAN

160x320 cm - 63"x126" ± 6 mm Polished
A4RS Statuario Supremo Polished Endless
AKFO Statuario Supremo Polished Kit Endless



MARVEL MERAVIGLIA
CALACATTA MERAVIGLIA

Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm Polished | Velvet
AJIC Calacatta Meraviglia Polished
AJII Calacatta Meraviglia Velvet

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm Polished
AJH7 Calacatta Meraviglia Polished

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished
AJH2 Calacatta Meraviglia Polished

atlasPLAN

160x320 cm - 63"x126" ± 6 mm Polished
AJJ9 Calacatta Meraviglia Polished

162x324 cm - 63³/₄"x127¹/₂" P.366
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

MARVEL MERAVIGLIA
CALACATTA MERAVIGLIA

BOOKMATCH[3][5]

Sizes | **Thickness** | **Surface finish**

atlasPLAN

160x320 cm - 63"x126" ± 6 mm Polished
AJKA Calacatta Meraviglia Bookmatch Polished

KIT ENDLESS [2][3]

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished
AKF8 Calacatta Meraviglia Polished Kit Endless

atlasPLAN

160x320 cm - 63"x126" ± 6 mm Polished | Matte
AJSZ Calacatta Meraviglia Matte Endless
AKFJ Calacatta Meraviglia Matte Kit Endless
AJG9 Calacatta Meraviglia Polished Endless
AKFI Calacatta Meraviglia Polished Kit Endless



MARVEL X
CALACATTA PERLA

Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm Polished | Silk
AFU8 Calacatta Perla Polished
AFVL Calacatta Perla Silk

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm Polished
AFU4 Calacatta Perla

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished | Silk
AFUU Calacatta Perla Polished
AFUZ Calacatta Perla Silk

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic - G1, G2, G3, etc - is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

[5] Codes A and B are sold separately.

(translations: page 365)

Sensitech P.402 Velvetech P.403

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look




MARVEL SHINE CALACATTA IMPERIALE

BOOKMATCH[3][5]



Sizes	Thickness	Surface finish
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Silk
AJK1 Calacatta Imperiale Bookmatch Silk		

KIT ENDLESS [2][3]



Sizes	Thickness	Surface finish
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	± 6 mm	Polished
A6EQ Calacatta Imperiale Polished Kit Endless		

Sizes	Thickness	Surface finish
120x120 cm - 47$^{1}/_{4}$"x47$^{1}/_{4}$"	± 9 mm	Polished I Matte
A4RB Calacatta Imperiale Polished		
A4Q7 Calacatta Imperiale Matte Sensitech		
120x240 cm - 47$^{1}/_{4}$"x94$^{1}/_{2}$"	± 9 mm	Polished
A4RK Calacatta Imperiale		
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	± 6 mm	Polished
A4O1 Calacatta Imperiale		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Silk
AJKØ Calacatta Imperiale Silk		
162x324 cm - 63$^{3}/_{4}$"x127$^{1}/_{2}$"	P.366	
159x324 cm - 62$^{5}/_{8}$"x127$^{1}/_{2}$"		
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		



MARVEL MERAVIGLIA CALACATTA BERNINI

BOOKMATCH[3][5]



Sizes	Thickness	Surface finish
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AJRU Calacatta Bernini Bookmatch Polished		

KIT ENDLESS [2][3]



Sizes	Thickness	Surface finish
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	± 6 mm	Polished
AKF9 Calacatta Bernini Polished Kit Endless		

Sizes	Thickness	Surface finish
120x120 cm - 47$^{1}/_{4}$"x47$^{1}/_{4}$"	± 9 mm	Polished I Velvet
AJID Calacatta Bernini Polished		
AJJ Calacatta Bernini Velvet		
120x240 cm - 47$^{1}/_{4}$"x94$^{1}/_{2}$"	± 9 mm	Polished
AJH8 Calacatta Bernini Polished		
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	± 6 mm	Polished
AJH3 Calacatta Bernini Polished		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AJRT Calacatta Bernini Polished		
162x324 cm - 63$^{3}/_{4}$"x127$^{1}/_{2}$"	P.366	
159x324 cm - 62$^{5}/_{8}$"x127$^{1}/_{2}$"		
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		



Sizes	Thickness	Surface finish
120x120 cm - 47$^{1}/_{4}$"x47$^{1}/_{4}$"	± 9 mm	Polished I Matte
AY2U Cremo Delicato Polished		
AØØ6 Cremo Delicato Matte Sensitech		
120x240 cm - 47$^{1}/_{4}$"x94$^{1}/_{2}$"	± 9 mm	Polished
AY2Q Cremo Delicato		
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	± 6 mm	Polished I Matte
AØBO Cremo Delicato Polished		
A2RU Cremo Delicato Matte		
160x160 cm - 63"x63"	± 6 mm	Polished
AO52 Cremo Delicato RT		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AO5W Cremo Delicato Polished		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic - G1, G2, G3, etc - is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

[5] Codes A and B are sold separately.

Sensitech P.402 Velvetech P.403

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



MARVEL ONYX WHITE

BOOKMATCH[3][5]

Sizes	Thickness	Surface finish
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AJKB Onyx White Bookmatch Polished		

Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished
AJBK Onyx White Polished		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
AJBG Onyx White Polished		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
AJAH Onyx White Polished		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AJHA Onyx White Polished		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished
AJBM Pearl Polished		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
AJBI Pearl Polished		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
AJAJ Pearl Polished		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished
AFXN Crystal White		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
AFXW Crystal White		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AJKU Crystal White Polished		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
159x324 cm - 62⁵/₈"x127¹/₂"		
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		

MARVEL GALA CRYSTAL WHITE

BOOKMATCH[3][5]

Sizes	Thickness	Surface finish
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AJKV Crystal White Bookmatch Polished		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished
AY2T Statuario Select		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
AY2P Statuario Select		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
AØBN Statuario Select		

[1] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic - G1, G2, G3, etc - is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



Sizes	Thickness	Surface finish
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AFT7 White Vein Cut Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AFS1 White Vein Cut		



Sizes	Thickness	Surface finish
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AFT8 Sand Vein Cut Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AFS2 Sand Vein Cut		

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered
AJKQ Travertino Sand Hammered		

162x324 cm - 63³/₄"x127¹/₂" P.366
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



Sizes	Thickness	Surface finish
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AFT9 Pearl Vein Cut Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AFS3 Pearl Vein Cut		

atlasPLAN

162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED		
FOR COUNTERTOPS & FURNITURE		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished
AJBL Alabaster Polished		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
AJBH Alabaster Polished		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
AJAI Alabaster Polished		



Sizes	Thickness	Surface finish
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AKE6 Calacatta Gold Polished		

162x324 cm - 63³/₄"x127¹/₂" P.366
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

CALACATTA GOLD BOOKMATCH[3][5]



Sizes	Thickness	Surface finish
160x320 cm - 63"x126"	± 6 mm	Polished
AKE7 Calacatta Gold Bookmatch Polished		

CROSS CUT



120x120 cm - 47¹/₄"x47¹/₄" Matte Sensitech, See page 210

CROSS CUT



120x120 cm - 47¹/₄"x47¹/₄" Matte Sensitech, See page 210

CROSS CUT



120x120 cm - 47¹/₄"x47¹/₄" Matte Sensitech, See page 210

(translations: page 365)

Sensitech P.402

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



MARVEL GALA DESERT SOUL

BOOKMATCH[3][5]



Sizes	Thickness	Surface finish
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AJKH Desert Soul Bookmatch Polished		

Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished
AFXM Desert Soul		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
AFXV Desert Soul		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AJKG Desert Soul Polished		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		




MARVEL GALA EXOTIC GREEN

BOOKMATCH[3][5]



Sizes	Thickness	Surface finish
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AJRQ Exotic Green Bookmatch Polished		

Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished
ABKA Exotic Green		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
AFXU Exotic Green		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished
AJRP Exotic Green Polished		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished
ABKB Amazzonite		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
AFXX Amazzonite		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



Sizes | **Thickness** | **Surface finish**

atlasPLAN

160x320 cm - 63"x126" | ± 6 mm | Polished
AJRN Exotic Wave Polished

162x324 cm - 63³/₄"x127¹/₂" | P.366
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

EXOTIC WAVE
BOOKMATCH[3][5]



Sizes | **Thickness** | **Surface finish**

atlasPLAN

160x320 cm - 63"x126" | ± 6 mm | Polished
AJRO Exotic Wave Bookmatch Polished



Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" | ± 9 mm | Polished I Silk
AFU9 Grey Cloud Polished
AFVM Grey Cloud Silk

120x240 cm - 47¹/₄"x94¹/₂" | ± 9 mm | Polished
AFU5 Grey Cloud

120x278 cm - 47¹/₄"x109¹/₂" | ± 6 mm | Polished I Silk
AFUV Grey Cloud Polished
AFUØ Grey Cloud Silk



Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" | ± 9 mm | Polished I Velvet
AJIE Silver Majestic Polished
AJIK Silver Majestic Velvet

120x240 cm - 47¹/₄"x94¹/₂" | ± 9 mm | Polished
AJH9 Silver Majestic Polished

120x278 cm - 47¹/₄"x109¹/₂" | ± 6 mm | Polished
AJH4 Silver Majestic Polished

MARVEL MERAVIGLIA
SILVER MAJESTIC
KIT ENDLESS [2][3]



120x278 cm - 47¹/₄"x109¹/₂" | ± 6 mm | Polished
AKQU Silver Majestic Polished Kit Endless



Sizes | **Thickness** | **Surface finish**

atlasPLAN

160x320 cm - 63"x126" | ± 6 mm | Silk
ABGZ Light Grey Stone Silk

atlasPLAN

162x324 cm - 63³/₄"x127¹/₂" | P.366
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Velvetech P.403

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm Polished I Velvet
AJIF Grigio Elegante Polished
AJIL Grigio Elegante Velvet

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm Polished
AJIA Grigio Elegante Polished

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished
AJH5 Grigio Elegante Polished

MARVEL MERAVIGLIA GRIGIO ELEGANTE

KIT ENDLESS [2][3]



120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished
AKQV Grigio Elegante Polished Kit Endless



Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm Polished I Matte
A21O Grey Fleury Polished
A2Ø5 Grey Fleury Matte Sensitech

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished I Matte
A2RX Grey Fleury Polished
A2RT Grey Fleury Matte



Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm Polished I Silk
AFVA Fior di Bosco Polished
AFVN Fior di Bosco Silk

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm Polished
AFU6 Fior di Bosco

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished I Silk
AFUW Fior di Bosco Polished
AFU1 Fior di Bosco Silk

atlasPLAN

160x320 cm - 63"x126" ± 6 mm Polished
AJRV Fior di Bosco Polished

162x324 cm - 63³/₄"x127¹/₂" P.366
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

MARVEL X FIOR DI BOSCO

BOOKMATCH[3][5]



Sizes | **Thickness** | **Surface finish**

atlasPLAN

160x320 cm - 63"x126" ± 6 mm Polished
AJRW Fior di Bosco Bookmatch Polished



Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm Polished I Matte
AY2S Grey Stone Polished
AEQY Grey Stone Matte Sensitech

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm Polished
AY2O Grey Stone

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm Polished I Matte
AOQD Grey Stone Polished
A2RP Grey Stone Matte

atlasPLAN

160x320 cm - 63"x126" ± 6 mm Silk
AJKX Grey Stone Silk

162x324 cm - 63³/₄"x127¹/₂" P.366
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Sensitech P.402 Velvetech P.403

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



Sizes | **Thickness** | **Surface finish**

atlasPLAN

160x320 cm - 63"x126" | ± 6 mm | Silk
AKGB Precious Brown Silk

162x324 cm - 63³/₄"x127¹/₂" P.366
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

PRECIOUS BROWN
BOOKMATCH[3][5]



Sizes | **Thickness** | **Surface finish**

atlasPLAN

160x320 cm - 63"x126" | ± 6 mm | Silk
AKGC Precious Brown Bookmatch Silk



Sizes | **Thickness** | **Surface finish**

120x278 cm - 47¹/₄"x109¹/₂" | ± 6 mm | Polished
AOSF Grigio Intenso



Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" | ± 9 mm | Polished I Matte
AL7P Black Atlantis Polished
A2ØZ Black Atlantis Matte Sensitech

120x240 cm - 47¹/₄"x94¹/₂" | ± 9 mm | Polished
AO3R Black Atlantis

120x278 cm - 47¹/₄"x109¹/₂" | ± 6 mm | Polished I Matte
AOSG Black Atlantis Polished
A2RQ Black Atlantis Matte

atlasPLAN

162x324 cm - 63³/₄"x127¹/₂" P.366
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



Sizes | **Thickness** | **Surface finish**

120x120 cm - 47¹/₄"x47¹/₄" | ± 9 mm | Polished I Velvet
AJIG Black Origin Polished
AJIM Black Origin Velvet

120x240 cm - 47¹/₄"x94¹/₂" | ± 9 mm | Polished
AJIB Black Origin Polished

120x278 cm - 47¹/₄"x109¹/₂" | ± 6 mm | Polished
AJH6 Black Origin Polished

MARVEL MERAVIGLIA
BLACK ORIGIN
KIT ENDLESS [2][3]



120x278 cm - 47¹/₄"x109¹/₂" | ± 6 mm | Polished
AKQW Black Origin Polished Kit Endless

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Sensitech P.402 Velvetech P.403

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



Sizes	Thickness	Surface finish
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Polished | Silk
AJKW Nero Marquina Polished		
AJK2 Nero Marquina Silk		
162x324 cm - 63 3/4"x127 1/2" P.366		
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		



Sizes	Thickness	Surface finish
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Polished
AJBN Noir Polished		
120x240 cm - 47 1/4"x94 1/2"	± 9 mm	Polished
AJBJ Noir Polished		
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished
AJAK Noir Polished		



Sizes	Thickness	Surface finish
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Polished
AFXO Calacatta Black Polished		
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished
AFXY Calacatta Black Polished		



Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished
AL2I Ultramarine 120x278*		

* Ultramarine 120x278 cm: Glazed Porcelain tiles



Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished
AJAL Sky Polished		



Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished
AJAM Quartz Polished		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.


(translations: page 365)

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Concrete Look



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte | Velvet | Grip
AJMS Pure Matte Sensitech		
AJM2 Pure Velvet		
AJNC Pure Grip Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AJMI Pure		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 6 mm	Matte
	± 9 mm	Matte | Grip
AØCQ Ivory 6 mm		
AØAF Ivory 9 mm Matte Sensitech		
AØAO Ivory 9 mm Grip Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AØCF Ivory Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AØCK Ivory		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte | Velvet | Grip
AJMU Ivory Matte Sensitech		
AJM4 Ivory Velvet		
AJNE Ivory Grip Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AJMK Ivory		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte | Grip
A65N Kaolin Matte Sensitech		
A653 Kaolin Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A7Q7 Kaolin 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A67B Kaolin		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Silk | Matte | Grip
A4ON Cord Silk		
A4OH Cord Matte Sensitech		
A5OJ Cord Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A5ON Cord 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A4UQ Cord		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte | Velvet | Grip
AJMV Cream Matte Sensitech		
AJM5 Cream Velvet		
AJNF Cream Grip Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AJML Cream		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Sensitech P.402

Velvetech P.403

Large Sizes[1]

Porcelain Tiles

Concrete Look



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 6 mm	Matte
	± 9 mm	Matte | Grip
AØCR Cream 6 mm		
AØAH Cream 9 mm Matte Sensitech		
AØAQ Cream Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A3DD Cream 20 mm Outdoor Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AØCG Cream Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AØCM Cream		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte | Grip
A6WT Ash Matte Sensitech		
A654 Ash Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A7Q8 Ash 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A67C Ash		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte | Velvet | Grip
AJMW Ash Matte Sensitech		
AJM6 Ash Velvet		
AJNG Ash Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
AJPF Ash 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AJMM Ash		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Matte
AJG4 Ash		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 6 mm	Matte
	± 9 mm	Matte | Grip
AØCS Clay 6 mm		
AØAJ Clay 9 mm Matte Sensitech		
AØBV Clay Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A3DE Clay 20 mm Outdoor Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AØCJ Clay Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AØCN Clay		
160x160 cm - 63"x63"	± 6 mm	Matte
AØQG Clay		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Hammered
AØQE Clay		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte | Grip
A6WU Ecru Matte Sensitech		
A655 Ecru Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A7Q9 Ecru 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A67D Ecru		
atlasPLAN		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A65R Coral Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A67H Coral		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Sensitech P.402 Velvetech P.403

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Concrete Look



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	∓ 9 mm	Silk | Matte | Grip
A4OM Suede Silk A4OG Suede Matte Sensitech A5OI Suede Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	∓ 20 mm	Outdoor
A5OM Suede 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	∓ 6 mm	Matte
A4UP Suede		




Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	∓ 6 mm	Matte
	∓ 9 mm	Matte | Grip
AØCT Taupe 6 mm AØAL Taupe 9 mm Matte Sensitech AØBW Taupe Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	∓ 20 mm	Outdoor
A3DF Taupe 20 mm Outdoor Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	∓ 9 mm	Matte
AØCH Taupe Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	∓ 6 mm	Matte
AØCO Taupe		
160x160 cm - 63"x63"	∓ 6 mm	Matte
AØQH Taupe		
atlasPLAN		
160x320 cm - 63"x126"	∓ 6 mm	Hammered
AØQF Taupe Hammered		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	∓ 9 mm	Matte | Grip
A65O Umber Matte Sensitech A656 Umber Grip Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	∓ 6 mm	Matte
A67E Umber		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	∓ 6 mm	Matte
	∓ 9 mm	Matte | Grip
AØCU Tobacco 6 mm AØAN Tobacco 9 mm Matte Sensitech AØBX Tobacco Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	∓ 20 mm	Outdoor
A3DH Tobacco 20 mm Outdoor Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	∓ 9 mm	Matte
AØCI Tobacco Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	∓ 6 mm	Matte
AØCP Tobacco		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	∓ 9 mm	Matte | Velvet | Grip
AJMX Moon Matte Sensitech AJM7 Moon Velvet AJNH Moon Grip Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	∓ 6 mm	Matte
AJMN Moon		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	∓ 9 mm	Silk | Matte
A4OO Cotton Silk A4OI Cotton Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	∓ 6 mm	Matte
A4UR Cotton		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Sensitech P.402

Velvetech P.403

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Concrete Look



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte | Velvet | Grip
AJMT White Matte Sensitech AJM3 White Velvet AJND White Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20mm	Outdoor
AJPE White 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AJMJ White		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 6 mm	Matte
	± 9 mm	Matte | Grip
A2TK White 6 mm AMGI White 9 mm Matte Sensitech AMGN White 9 mm Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
AMG3 White 20 mm Outdoor Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AMGD White Matte Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 20 mm	Outdoor
A2RØ White 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AØBD White		
160x160 cm - 63"x63"	± 6 mm	Matte
AØDE White RT		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Hammered
AO5Z White Hammered		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte | Velvet | Grip
AJMY Pearl Matte Sensitech AJM8 Pearl Velvet AJNI Pearl Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
AJMH Pearl 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AJMO Pearl 120x278		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Silk | Matte | Grip
A4OP Cloud Silk A4OJ Cloud Matte Sensitech A5OK Cloud Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A5OO Cloud 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A4US Cloud		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 6 mm	Matte
	± 9 mm	Matte | Grip
A2TM Pearl 6 mm AMGJ Pearl 9 mm Matte Sensitech AMGO Pearl 9 mm Grip Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AMGE Pearl Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AØBE Pearl		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 6 mm	Matte
	± 9 mm	Matte | Grip
A2TN Grey 6 mm AMGK Grey 9 mm Matte Sensitech AMGP Grey 9 mm Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
AMG5 Boost Grey 20 mm Outdoor Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AMGF Grey Matte Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 20 mm	Outdoor
A2R9 Grey 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AØBF Grey		
160x160 cm - 63"x63"	± 6 mm	Matte
A68K Grey RT		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Hammered
A68I Grey Hammered		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Sensitech P.402 Velvetech P.403

Large Sizes[1]

Porcelain Tiles

Concrete Look



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" AJMZ Grey Matte Sensitech AJM9 Grey Velvet AJNJ Grey Grip Sensitech	± 9 mm	Matte | Velvet | Grip
120x120 cm - 47¹/₄"x47¹/₄" AJPG Grey 20 mm Outdoor Sensitech	± 20 mm	Outdoor
120x278 cm - 47¹/₄"x109¹/₂" AJMP Grey	± 6 mm	Matte



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" A4OQ Fog Silk A4OK Fog Matte Sensitech A5OL Fog Grip Sensitech	± 9 mm	Silk | Matte | Grip
120x120 cm - 47¹/₄"x47¹/₄" A5OP Fog 20 mm Outdoor Sensitech	± 20 mm	Outdoor
120x278 cm - 47¹/₄"x109¹/₂" A4UT Fog	± 6 mm	Matte



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" AJMØ Smoke Matte Sensitech AJNA Smoke Velvet AJNK Grey Smoke Sensitech	± 9 mm	Matte | Velvet | Grip
120x278 cm - 47¹/₄"x109¹/₂" AJMQ Smoke	± 6 mm	Matte



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" A2TO Smoke 6 mm AMGL Smoke 9 mm Matte Sensitech AMGQ Smoke Grip Sensitech	± 6 mm ± 9 mm	Matte Matte | Grip
120x120 cm - 47¹/₄"x47¹/₄" AMG6 Smoke 20 mm Outdoor Sensitech	± 20 mm	Outdoor
120x240 cm - 47¹/₄"x94¹/₂" AMGG Smoke Matte Sensitech	± 9 mm	Matte
120x278 cm - 47¹/₄"x109¹/₂" AØBG Smoke	± 6 mm	Matte
160x160 cm - 63"x63" AØDF Smoke RT	± 6 mm	Matte

atlasPLAN

160x320 cm - 63"x126" AO5Ø Smoke Hammered	± 6 mm	Hammered
162x324 cm - 63³/₄"x127¹/₂" SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE	P.366	



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" A65P Coal Matte Sensitech A657 Coal Grip Sensitech	± 9 mm	Matte | Grip
120x278 cm - 47¹/₄"x109¹/₂" A67F Coal	± 6 mm	Matte



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" AJM1 Tarmac Matte Sensitech AJNB Tarmac Velvet AJNL Tarmac Grip Sensitech	± 9 mm	Matte | Velvet | Grip
120x278 cm - 47¹/₄"x109¹/₂" AJMR Tarmac	± 6 mm	Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Sensitech P.402 Velvetech P.403

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Concrete Look



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 6 mm	Matte
	± 9 mm	Matte | Grip
A2TP Tarmac 6 mm AMGM Tarmac 9 mm Matte Sensitech AMGR Tarmac 9 mm Grip Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
AMG7 Tarmac 20 mm Outdoor Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AMGH Tarmac Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AOQB Tarmac		
160x160 cm - 63"x63"	± 6 mm	Matte
A68L Tarmac RT		
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Hammered
A68J Tarmac Hammered		
162x324 cm - 63³/₄"x127¹/₂" P.366 SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Silk | Matte
A4OR Graphite Silk A4OL Graphite Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A4UU Graphite		

Wood Look



Sizes	Thickness	Surface finish
atlasPLAN		
160x320 cm - 63"x126"	± 6 mm	Matte
AKFD Noce Canaletto Matte		
162x324 cm - 63³/₄"x127¹/₂" P.366 SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		

Stone Look



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
AHT6 White Matte Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
AH35 White 20 mm Outdoor Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AHW1 White Elegant Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AHWW White Elegant		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A8XD Ivory Matte Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A84U Ivory 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A8Y7 Ivory		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A3DI Ivory Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A3EI Ivory		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Stone Look



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A6QT Ivory Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A6R8 Ivory Matte		

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered
AJRX Ivory Hammered		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A6QS White Matte Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A67M White 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A6R7 White		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A6QU Cream Matte Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A67N Cream 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A6R9 Cream		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A3DK Grey Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A3EK Grey		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A3DJ Beige Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A3EJ Beige		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A3DL Desert Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A3EL Desert		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Stone Look



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" A6QV Clay Matte Sensitech	± 9 mm	Matte
120x120 cm - 47¹/₄"x47¹/₄" A67O Clay 20 mm Outdoor Sensitech	± 20 mm	Outdoor
120x278 cm - 47¹/₄"x109¹/₂" A6SA Clay	± 6 mm	Matte



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" A6QW Taupe Matte Sensitech	± 9 mm	Matte
120x278 cm - 47¹/₄"x109¹/₂" A6SB Taupe	± 6 mm	Matte



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" A6QZ Tobacco Matte Sensitech	± 9 mm	Matte
120x278 cm - 47¹/₄"x109¹/₂" A6SF Tobacco	± 6 mm	Matte



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" A8XE Pearl Matte Sensitech	± 9 mm	Matte
120x120 cm - 47¹/₄"x47¹/₄" A84V Pearl 20 mm Outdoor Sensitech	± 20 mm	Outdoor
120x278 cm - 47¹/₄"x109¹/₂" A8Y8 Pearl	± 6 mm	Matte



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" A6QX Pearl Matte Sensitech	± 9 mm	Matte
120x278 cm - 47¹/₄"x109¹/₂" A6SC Pearl	± 6 mm	Matte



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" AHT7 Pearl Matte Sensitech	± 9 mm	Matte
120x240 cm - 47¹/₄"x94¹/₂" AHW2 Pearl Elegant Matte Sensitech	± 9 mm	Matte
120x278 cm - 47¹/₄"x109¹/₂" AHWX Pearl Elegant	± 6 mm	Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Stone Look



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
AHT8 Grey Matte Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
AH36 Grey 20 mm Outdoor Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AHW3 Grey Elegant Matte Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 20 mm	Outdoor
AH34 Grey Elegant 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AHWY Grey Elegant		

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered
AKGA Grey Hammered		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		



Sizes	Thickness	Surface finish

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered
AJKP Kone Mix Hammerd		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		




Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A6QY Grey Matte Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A67P Grey 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A6SD Grey		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
AHT9 Smoke Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
AH37 Smoke 20 mm Outdoor Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte
AHW4 Smoke Elegant Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
AHWZ Smoke Elegant		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A6L8 Smoke Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A7II Smoke 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A6SE Smoke		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte
A8XF Smoke Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor
A84W Smoke 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte
A8Y9 Smoke		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 365)

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Stone Look



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Matte
AHUA Tarmac Matte Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	20 mm	Outdoor
AH38 Tarmac 20 mm Outdoor Sensitech		
120x240 cm - 47¹/₄"x94¹/₂"	9 mm	Matte
AHW5 Tarmac Elegant Matte Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte
AHWØ Tarmac Elegant		



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Matte
A6QØ Tarmac Matte Sensitech		
120x120 cm - 47¹/₄"x47¹/₄"	20 mm	Outdoor
A67Q Tarmac 20 mm Outdoor Sensitech		
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte
A6SG Tarmac		



Sizes	Thickness	Surface finish
atlasPLAN		
160x320 cm - 63"x126"	6 mm	Hammered
AJKO Basaltina Volcano Hammered		
162x324 cm - 63³/₄"x127¹/₂"	P.366	
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		

Glazed Porcelain Tiles

Color & Decor



Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte
A4VH Bloom [4]		



Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte
A4VI Caramel [4]		



Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte
A4VJ Grape [4]		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
[4] The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.
The decoration can only be laid on the wall

(translations: page 365)

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Glazed Porcelain Tiles



Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Matte
A4VK Dusk [4]		



Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Matte
A4VL Midnight [4]		



Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Matte
A4VM Moss [4]		

Glazed Porcelain Tiles



Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Matte
A4VN Emerald [4]		

Porcelain Tiles



Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Matte
AKNI Salix		



Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Matte
AKNE Mauve		

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
[4] The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.
The decoration can only be laid on the wall

(translations: page 365)

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles



Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂" AKNK Jade	± 6 mm	Matte



Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂" AKNL Teal	± 6 mm	Matte



Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄" A65Q Cobalt Matte Sensitech	± 9 mm	Matte
120x278 cm - 47¹/₄"x109¹/₂" A67G Cobalt	± 6 mm	Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
[4] The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.
The decoration can only be laid on the wall

(translations: page 365)

Glazed Porcelain Tiles



Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂" A4VP Brush XL [1][4]	± 6 mm	Matte

PATTERNS





Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂" A4VO Gradient XL [1][4]	± 6 mm	Matte

PATTERNS





Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂" A3HE Leaves A [4][5] A3M2 Leaves B [4][5]	± 6 mm	Matte

PATTERNS



A B

Sensitech P.402

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Color & Decor



Sizes	Thickness	Surface finish
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	6 mm	Matte
AØLW Grove [1]		



Sizes	Thickness	Surface finish
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	6 mm	Matte
AØLX Paint [1]		

Solid Look

Sizes	Thickness	Surface finish
atlasPLAN		
160x320 cm - 63"x126"	6 mm	Matte
AJKR Absolute White Matte		
162x324 cm - 63$^{3}/_{4}$"x127$^{1}/_{2}$"	P.366	
159x324 cm - 62$^{5}/_{8}$"x127$^{1}/_{2}$"		
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE		

PATTERNS




PATTERNS



[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
[4] The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.
[5] Codes A and B are sold separately.
The decoration can only be laid on the wall

(translations: page 365)



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

MARBLE LOOK



Marvel Calacatta Apuano | Marvel Calacatta Delicato | Marvel Calacatta Prestigio | Marvel Carrara Pure | Marvel Bianco Dolomite | Marvel Calacatta Sublime | Marvel Calacatta Extra | Marvel Bianco Fantastico | Marvel Statuario Supremo | Marvel Calacatta Meraviglia | Marvel Calacatta Perla | Marvel Calacatta Imperiale | Marvel Calacatta Bernini | Marvel Cremo Delicato | Marvel Onyx White | Marvel Onyx Pearl | Marvel Crystal White | Marvel Statuario Select | Marvel Travertine White Vein | Marvel Travertine White Cross | Marvel Travertine Sand Vein | Marvel Travertine Sand Cross | Marvel Travertine Pearl Vein | Marvel Travertine Pearl Cross | Cream Prestige

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm	Polished		Polished		Polished		Polished Matte Silk		Polished	Polished Matte		Silk	Polished	Polished	Polished		Polished				Hammered				
160x160 cm 63"x63"	6 mm			Polished		Polished		Polished Matte		Polished					Polished											
120x278 cm 47 1/4"x109 1/2"	6 mm	Polished Silk	Polished	Polished Silk	Polished Matte	Polished Matte	Polished Silk	Polished Matte	Polished Matte	Polished Silk	Polished	Polished Silk	Polished	Polished	Polished Matte	Polished	Polished	Polished	Polished	Matte		Matte		Matte		
120x240 cm 47 1/4"x94 1/2"	9 mm	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished		Polished	Matte Sensitech		Matte Sensitech		Matte Sensitech		
120x120 cm 47 1/4"x47 1/4"	9 mm	Polished Silk	Polished Matte Sensitech	Polished Matte Sensitech	Polished Matte Sensitech	Polished Matte Sensitech	Polished Silk	Polished Matte Sensitech	Polished Matte Sensitech	Polished Matte Sensitech	Polished Velvet	Polished Silk	Polished Matte Sensitech	Polished Velvet	Polished Matte Sensitech	Polished	Polished	Polished	Polished		Matte Sensitech		Matte Sensitech		Matte Sensitech	

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	12 mm	Polished Silk	Silk	Silk		Polished		Polished Silk		Polished Satin Silk	Polished Silk		Polished Silk	Polished Silk		Polished Silk		Polished Silk				Hammered		Hammered		Silk
Non-rectified / non rettificato	20 mm																							
159x324 cm 62 5/8"x127 1/2"	20 mm					Polished		Polished Matte		Polished Matte			Polished Matte	Polished Matte				Polished							
Non-rectified / non rettificato																								

Sensitech P.402 **Velvetech** P.403

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

MARBLE LOOK



Marvel Onyx Alabaster | Calacatta Antique | Calacatta Gold | Marvel Desert Soul | Marvel Exotic Green | Marvel Amazzonite | Exotic Wave | Marvel Grey Cloud | White Cloud | Marvel Silver Majestic | Light Grey Stone | Marvel Grigio Elegante | Marvel Grey Fleury | Marvel Fior di Bosco | Marvel Grey Stone | Precious Brown | Marvel Grigio Intenso | Marvel Black Atlantis | Marvel Black Origin | Marvel Nero Marquina | Marvel Onyx Noir | Marvel Calacatta Black | Marvel Ultramarine | Marvel Onyx Sky | Marvel Onyx Quartz

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm			Polished	Polished	Polished		Polished				Silk			Polished	Silk	Silk				Silk Polished					
160x160 cm 63"x63"	6 mm																									
120x278 cm 47 1/4"x109 1/2"	6 mm	Polished			Polished	Polished	Polished		Polished Silk		Polished		Polished	Polished Matte	Polished Silk	Polished Matte		Polished	Polished Matte	Polished		Polished	Polished	Polished	Polished	Polished
120x240 cm 47 1/4"x94 1/2"	9 mm	Polished							Polished		Polished		Polished		Polished	Polished			Polished	Polished		Polished				
120x120 cm 47 1/4"x47 1/4"	9 mm	Polished			Polished	Polished	Polished		Polished Silk		Polished Velvet		Polished Velvet	Polished Matte Sensitech	Polished Silk	Polished Matte Sensitech			Polished Matte Sensitech	Polished Velvet		Polished	Polished			

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2" Non-rectified / non rettificato	12 mm		Polished	Polished Silk	Polished Silk	Polished		Polished		Silk		Silk			Polished Silk	Silk	Silk		Polished Silk		Polished Satin Silk				
	20 mm				Polished											Matte					Matte				
159x324 cm 62 5/8"x127 1/2" Non-rectified / non rettificato	20 mm			Polished																					

Sensitech P.402 **Velvetech** P.403

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

CONCRETE & RESIN LOOK



Boost Balance Pure	Boost Pro Ivory	Boost Balance Ivory	Boost Natural Kaolin	Prism Cord	Boost Balance Cream	Boost Pro Cream	Boost Natural Ash	Boost Balance Ash	Boost Pro Clay	Boost Natural Ecru	Boost Natural Coral	Prism Suede	Boost Pro Taupe	Boost Natural Umber	Boost Pro Tobacco

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm									Matte	Hammered				Hammered		
160x160 cm 63"x63"	6 mm										Matte				Matte		
120x278 cm 47 1/4"x109 1/2"	6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
120x240 cm 47 1/4"x94 1/2"	9 mm		Matte Sensitech					Matte Sensitech			Matte Sensitech				Matte Sensitech		Matte Sensitech
120x120 cm 47 1/4"x47 1/4"	6 mm		Matte					Matte			Matte				Matte		Matte
	9 mm	Matte Sensitech Velvet	Matte Sensitech	Matte Sensitech Velvet	Matte Sensitech	Matte Sensitech Silk	Matte Sensitech Velvet	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech Silk	Matte Sensitech	Matte Sensitech	Matte Sensitech

Outdoor

120x120 cm 47 1/4"x47 1/4"	9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
120x240 cm 47 1/4"x94 1/2"	20 mm																
120x120 cm 47 1/4"x47 1/4"	20 mm				Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	12 mm									Matte		Hammered					
Non-rectified / non rettificato	20 mm																

Sensitech P.402 Velvetech P.403

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK


SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

CONCRETE & RESIN LOOK



Boost Balance Moon | Prism Cotton | Boost Balance White | Boost White | Boost Balance Pearl | Prism Cloud | Boost Pearl | Boost Grey | Boost Balance Grey | Prism Fog | Boost Balance Smoke | Boost Smoke | Boost Natural Coal | Boost Balance Tarmac | Boost Tarmac | Prism Graphite

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm				Hammered				Hammered				Hammered				Hammered		
160x160 cm 63"x63"	6 mm				Matte				Matte				Matte				Matte		
120x278 cm 47 1/4"x109 1/2"	6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
120x240 cm 47 1/4"x94 1/2"	9 mm				Matte Sensitech			Matte Sensitech	Matte Sensitech				Matte Sensitech				Matte Sensitech		
120x120 cm 47 1/4"x47 1/4"	6 mm				Matte			Matte	Matte				Matte				Matte		
	9 mm	Matte Sensitech Velvet	Matte Sensitech Silk	Matte Sensitech Velvet	Matte Sensitech	Matte Sensitech Velvet	Matte Sensitech Silk	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet	Matte Sensitech Silk	Matte Sensitech Velvet	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet	Matte Sensitech	Matte Sensitech	Matte Sensitech Silk	

Outdoor

120x120 cm 47 1/4"x47 1/4"	9 mm	Grip Sensitech		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	
120x240 cm 47 1/4"x94 1/2"	20 mm				Outdoor Sensitech				Outdoor Sensitech										
120x120 cm 47 1/4"x47 1/4"	20 mm			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech				Outdoor Sensitech		

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	12 mm				Hammered				Hammered				Hammered				Hammered		
Non-rectified / non rettificato	20 mm																		

Sensitech P.402 Velvetech P.403

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

STONE LOOK



Boost Mineral White | Boost Mix Ivory | Lims Ivory | Boost Stone Ivory | Boost Stone White | Boost Stone Cream | Lims Grey | Lims Beige | Lims Desert | Boost Stone Clay | Boost Stone Taupe | Boost Stone Tobacco | Boost Mix Pearl | Boost Stone Pearl | Boost Mineral Pearl | Boost Mineral Grey | Kone Mix | Boost Stone Grey | Boost Mineral Smoke | Boost Stone Smoke | Boost Mix Smoke | Boost Mineral Tarmac | Boost Stone Tarmac | MS. Balsatina Volcano | Soapstone Dark

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm				Hammered												Hammered	Hammered							Hammered	
120x278 cm 47 1/4"x109 1/2"	6 mm	Matte *	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte *	Matte *		Matte	Matte *	Matte	Matte	Matte *	Matte		
120x240 cm 47 1/4"x94 1/2"	9 mm	Matte * Sensitech														Matte Sensitech *	Matte Sensitech *			Matte Sensitech *			Matte Sensitech *			
120x120 cm 47 1/4"x47 1/4"	9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		

Outdoor

120x120 cm 47 1/4"x47 1/4"	20 mm	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech				Outdoor Sensitech			Outdoor Sensitech			Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		
120x240 cm 47 1/4"x94 1/2"	20 mm																Outdoor Sensitech *									

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	12 mm				Hammered												Hammered	Hammered						Hammered	Hammered
Non-rectified / non rettificato	20 mm																							Hammered	Hammered

Sensitech P.402

*Elegant surface

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

WOOD LOOK



Noce Canaletto

SOLID LOOK




Absolute White | Absolute Black | Black Lava

METAL LOOK



Blaze Iron

COLOR LOOK



Prism Bloom | Prism Caramel | Prism Grape | Prism Dusk | Prism Midnight | Prism Moss | Prism Emerald | Boost Color Salix | Boost Color Mauve | Boost Color Jade | Boost Color Teal | Boost Natural Cobalt

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm	Matte			Matte							

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	12 mm	Matte			Polished Matte	Matte	Leathered			Matte
Non-rectified / non rettificato	20 mm						Leathered			
159x324 cm 62 5/8"x127 1/2" Non-rectified / non rettificato	20 mm				Matte					

Sensitech P.402

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm												
120x278 cm 47 1/4"x109 1/2"	6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
120x120 cm 47 1/4"x47 1/4"	9 mm												Matte Sensitech

(1) **The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** - All'interno delle casse, le varie grafiche del prodotto sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - À l'intérieur delle caisses, les différents graphismes du produit sont distribués en mode aléatoire, sans possibilité de choix entre les motifs disponibles. - Die Kisten enthalten die verschiedenen Grafiken des Artikels nach dem Zufallsprinzip, ohne dass Sie zwischen den einzelnen Motiven wählen können. - En el interior de las cajas, los distintos gráficos de los productos se distribuyen de forma aleatoria, sin que se pueda elegir el patrón disponible. - Рисунки распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

(2) **The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on. -** Il Kit Endless contiene tutte le grafiche del prodotto con continuità di vena; garantisce in un'unica cassa tutte le facce numerate che creano la composizione. Il numero della grafica, indicato come G1, G2, G3, ecc. viene stampato sulla costa del lato 278 e indicato con un adesivo posto sulla lastra. Per ricostruire la superficie con continuità di vena è sufficiente posare le lastre in progressione numerica: G1, G2, G3, ecc. - Le Kit Endless contient tous les graphismes du produit avec la continuité des veinures; il garantit, dans une seule caisse, toutes les faces numérotées qui créent la composition. Le numéro du graphisme, indiqué comme G1, G2, G3, etc. est imprimé sur le bord du côté 278 et indiqué avec un adhésif apposé sur la dalle. Pour reconstruire la surface avec les veinures en continuité, il suffit de poser les dalles en progression numérique: G1, G2, G3, etc. - Kit Endless umfasst alle Grafiken des Produkts mit durchlaufender Äderung und damit alle nummerierten Oberflächen, aus denen sich die Komposition zusammensetzt, garantiert in einer einzigen Kiste. Die Nummer der Grafik, d.h. G1, G2, G3 etc., ist auf der Kante der 278 cm langen Seite aufgedruckt und auch mit einem Klebeetikett auf der Platte angegeben. Um das Gesamtbild mit durchlaufender Äderung zusammenzusetzen, werden die Platten einfach in numerischer Reihenfolge verlegt: G1, G2, G3 usw. - El Kit Endless contiene todas las caras del producto con continuidad de vetas, garantiza contar en una sola caja con todas las caras numeradas que forman la composición. El número del gráfico, indicado como G1, G2, G3, etc., está impreso en el borde del lado 278 y se indica mediante un adhesivo en la losa. Para reconstruir la superficie con continuidad de vetas, basta con colocar las losas en progresión numérica: G1, G2, G3, etc. - Kit Endless – это комплект, который содержит все плиты, необходимые для составления композиции с непрерывным рисунком прожилок. Все плиты пронумерованы и находятся в одном ящике. Номер плиты, обозначенный как G1, G2, G3 и т.д., напечатан на торце грани 278 и указан также на наклейке в углу плиты. Чтобы при облицовке создать рисунок с непрерывающимися прожилками, необходимо просто уложить плиты в последовательности: G1, G2, G3 и т.д.

(3) **Minor misalignments in the continuity of the veins between different graphics is normal for this type of product. -** Eventuali piccoli disallineamenti nella continuità delle venature tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité des veinures entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Eventuelle kleine Versätze im Verlauf der Äderungen zwischen unterschiedlichen Grafiken sind charakteristisch für dieses Produkt. - Cualquier pequeño desalineado en la continuidad de las vetas entre diferentes gráficos es una característica intrínseca de este tipo de productos. - Возможные небольшие смещения рисунка прожилок на стыке плит являются характеристикой данного вида изделий.

* **The product is composed of graphics with vein continuity, but are distributed randomly in the boxes, without the possibility of choosing between the available patterns. -** Il prodotto è composto da grafiche con continuità di vena, ma all'interno delle casse queste sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - Le produit consiste en des graphismes avec une continuité de la veine, mais dans les boîtes, ceux-ci sont distribués de manière aléatoire, sans choix de motifs. Die verschiedenen Grafiken des Produkts sind durchlaufend geädert, jedoch nach dem Zufallsprinzip in den Kisten enthalten. Daher ist es nicht möglich, zwischen den einzelnen Mustern zu wählen. - El producto consiste en gráficos con continuidad de vetas, pero dentro de las cajas está distribuido de forma aleatoria y no se pueden elegir los patrones.- Это изделие состоит из рисунков с непрерывными прожилками, но они распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

(4) **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives**. - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - екомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

(5) **Codes A and B are sold separately.** - I codici A e B sono venduti singolarmente. - Les codes A et B sont vendus individuellement - Die Codes A und B sind einzeln erhältlich. - Los códigos A y B se venden individualmente. - Коды A и B продаются по отдельности.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

atlasPLAN

Slabs for Countertops & Furniture



162x324 6-12-20 mm
SINGLE SLAB NON-RECTIFIED



159x324 20 mm
SINGLE SLAB NON-RECTIFIED

- MARBLE LOOK
- WOOD LOOK
- CONCRETE LOOK
- STONE LOOK
- SOLID LOOK
- METAL LOOK

- NOTES

atlasconcorde.com >
ATLAS PLAN

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
WOOD LOOK
CONCRETE LOOK
STONE LOOK
SOLID LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

162x324 cm - 63 3/4"x127 1/2" Non-Rectified ✠ 12-20 mm
159x324 cm - 62 5/8"x127 1/2" Non-Rectified ✠ 20 mm

atlasPLAN

Marble Look

CALACATTA APUANO Bookmatch
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
AGRP Calacatta Apuano Polished
AGRQ Calacatta Apuano Bookmatch Polished
AGRJ Calacatta Apuano Silk
AGRL Calacatta Apuano Bookmatch Silk


CALACATTA DELICATO
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
A4T3 Calacatta Delicato Silk



CALACATTA PRESTIGIO Bookmatch
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
A4TØ Calacatta Prestigio Silk
A4T1 Calacatta Prestigio Bookmatch Silk


BIANCO DOLOMITE
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
AAVG Bianco Dolomite Polished

159x324 cm - 62 5/8"x127 1/2"
✠ **20 mm**
AILN Bianco Dolomite Polished



CALACATTA EXTRA Bookmatch
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
AAVD Calacatta Extra Polished
AA2X Calacatta Extra Bookmatch Polished
AA2T Calacatta Extra Silk
AMJV Calacatta Extra Bookmatch Silk

159x324 cm - 62 5/8"x127 1/2"
✠ **20 mm**
AIRN Calacatta Extra Polished
AIRP Calacatta Extra Bookmatch Polished
AIRQ Calacatta Extra Matte
AIRR Calacatta Extra Bookmatch Matte
AIRM Calacatta Extra Polished (1)
AILQ Calacatta Extra Matte (1)
(1) NATURA-VEIN™ TECH



STATUARIO SUPREMO Bookmatch
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
A4TX Statuario Supremo Silk
A4TY Statuario Supremo Bookmatch Silk
A4I3 Statuario Supremo Satin
A4I5 Statuario Supremo Bookmatch Satin
AF6A Statuario Supremo Polished
AF6B Statuario Supremo Bookmatch Polished

159x324 cm - 62 5/8"x127 1/2"
✠ **20 mm**
AILO Statuario Supremo Polished (1)
AIRT Statuario Supremo Matte (1)
(1) NATURA-VEIN™ TECH

CALACATTA MERAVIGLIA Bookmatch
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
AJHB Calacatta Meraviglia Silk
AJHC Calacatta Meraviglia Bookmatch Silk
AJHH Calacatta Meraviglia Polished
AJHI Calacatta Meraviglia Bookmatch Polished

× With fiberglass mesh

Marble Look



CALACATTA IMPERIALE Bookmatch
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
AØXI Calacatta Imperiale Polished
AØXT Calacatta Imperiale Bookmatch Polished
AØXV Calacatta Imperiale Silk
AØXX Calacatta Imperiale Bookmatch Silk

159x324 cm - 62 5/8"x127 1/2"
✠ **20 mm**
AIRS Calacatta Imperiale Polished (1)
AILP Calacatta Imperiale Matte (1)
(1) NATURA-VEIN™ TECH



CALACATTA BERNINI Bookmatch
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
AF5E Calacatta Bernini Polished
AF5K Calacatta Bernini Bookmatch Polished
AF5B Calacatta Bernini Silk
AF5C Calacatta Bernini Bookmatch Silk

159x324 cm - 62 5/8"x127 1/2"
✠ **20 mm**
AIRL Calacatta Bernini Matte (1)
AIRK Calacatta Bernini Polished (1)
(1) NATURA-VEIN™ TECH

ONYX WHITE Bookmatch
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
AJHD Onyx White Silk
AJHE Onyx White Bookmatch Silk
AJHJ Onyx White Polished
AJHK Onyx White Bookmatch Polished

CRYSTAL WHITE Bookmatch
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
A9C2 Crystal White Polished
AF2W Crystal White Bookmatch Polished
A9C4 Crystal White Silk
AF2X Crystal White Bookmatch Silk

159x324 cm - 62 5/8"x127 1/2"
✠ **20 mm**
AIRJ Crystal White Polished
AIRH Crystal White Bookmatch Polished



TRAVERTINO SAND
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
A647 T. Sand Hammered



TRAVERTINO PEARL
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
AF4Z T. Pearl Hammered



CREAM PRESTIGE
162x324 cm - 63 3/4"x127 1/2"
✠ **12 mm ST** ×
AAV6 Cream Prestige Silk

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
WOOD LOOK
CONCRETE LOOK
STONE LOOK
SOLID LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

162x324 cm - 63³/₄"x127¹/₂" Non-Rectified ⧗ 12-20 mm
159x324 cm - 62⁵/₈"x127¹/₂" Non-Rectified ⧗ 20 mm

Marble Look



CALACATTA ANTIQUE Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
AØXZ Calacatta Antique Polished
A8T7 Calacatta Antique Bookmatch Polished



CALACATTA GOLD Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
AKE8 Calacatta Gold Silk
AKE9 Calacatta Gold Bookmatch Silk
AKFA Calacatta Gold Polished
AKFB Calacatta Gold Bookmatch Polished
159x324 cm - 62⁵/₈"x127¹/₂"
⧗ **20 mm**
AKFC Calacatta Gold Polished (1)

(1) NATURA-VEIN™ TECH



DESERT SOUL Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
A9CW Desert Soul Polished
A9CX Desert Soul Bookmatch Polished
A9CZ Desert Soul Silk
A9CØ Desert Soul Bookmatch Silk
⧗ **20 mm**
A9C7 Desert Soul Polished
A9C8 Desert Soul Bookmatch Polished



EXOTIC GREEN Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
A9CN Exotic Green Polished
A9CO Exotic Green Bookmatch Polished



EXOTIC WAVE Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
A9CT Exotic Wave Polished
A9CU Exotic Wave Bookmatch Polished



FIOR DI BOSCO Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
AIBE Fior Di Bosco Silk
AIBF Fior Di Bosco Bookmatch Silk
AIRZ Fior Di Bosco Polished
AIR3 Fior Di Bosco Bookmatch Polished

Marble Look



WHITE CLOUD
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
A4UO White Cloud Silk



LIGHT GREY STONE
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
AMJ9 Light Grey Stone Silk




GREY STONE
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
AAWA Grey Stone Silk
⧗ **20 mm**
AHH2 Grey Stone Matte



PRECIOUS BROWN Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
AJHF Precious Brown Silk
AJHG Precious Brown Bookmatch Silk



BLACK ATLANTIS Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
A9CK Black Atlantis Polished
A9CL Black Atlantis Bookmatch Polished
A8XV Black Atlantis Silk
A8XW Black Atlantis Bookmatch Silk



NERO MARQUINA Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
ANWA Nero Marquina Polished
A6T5 Nero Marquina Bookmatch Polished
ANVK Nero Marquina Silk
A6T4 Nero Marquina Bookmatch Silk
A3M5 Nero Marquina Satin
A6T6 Nero Marquina Bookmatch Satin
⧗ **20 mm**
AHH5 Nero Marquina Matte

Wood Look



NOCE CANALETTO
162x324 cm - 63³/₄"x127¹/₂"
⧗ **12 mm ST** ×
AKFE Noce Canaletto Matte

× With fiberglass mesh

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
WOOD LOOK
CONCRETE LOOK
STONE LOOK
SOLID LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

162x324 cm - 63 3/4"x127 1/2" Non-Rectified 12-20 mm
159x324 cm - 62 5/8"x127 1/2" Non-Rectified 20 mm

Concrete Look



BOOST BALANCE ASH
162x324 cm - 63 3/4"x127 1/2"
12 mm ST ×
AJKC Boost Balance Ash Matte



BOOST NATURAL ECRU
162x324 cm - 63 3/4"x127 1/2"
12 mm ST ×
A649 Boost Natural Ecru Hammered

BOOST WHITE
162x324 cm - 63 3/4"x127 1/2"
12 mm ST ×
ANVX Boost White Hammered



BOOST GREY
162x324 cm - 63 3/4"x127 1/2"
12 mm ST ×
A65C Boost Grey Hammered



BOOST SMOKE
162x324 cm - 63 3/4"x127 1/2"
12 mm ST ×
ANVØ Boost Smoke Hammered



BOOST TARMAC
162x324 cm - 63 3/4"x127 1/2"
12 mm ST ×
A65D Boost Tarmac Hammered

Stone Look

BOOST STONE IVORY
162x324 cm - 63 3/4"x127 1/2"
12 mm ST ×
A648 Boost Stone Ivory Hammered



BOOST MINERAL GREY
162x324 cm - 63 3/4"x127 1/2"
12 mm ST ×
AHV6 B. M. Grey Hammered



KONE MIX
162x324 cm - 63 3/4"x127 1/2"
12 mm ST ×
AMSX Kone Mix Hammered



BALSATINA VOLCANO
162x324 cm - 63 3/4"x127 1/2"
12 mm ST ×
ANVI Basaltina Volcano Hammered
20 mm
A2XS Basaltina Volcano Hammered (2)
(2) NATURA-BODY TECH



SOAPSTONE DARK
162x324 cm - 63 3/4"x127 1/2"
12 mm ST ×
A4UN Soapstone Dark Hammered
20 mm
A5I3 Soapstone Dark Hammered (2)
(2) NATURA-BODY TECH

× With fiberglass mesh

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
WOOD LOOK
CONCRETE LOOK
STONE LOOK
SOLID LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

Solid Look

ABSOLUTE WHITE
162x324 cm - 63³/₄"x127"/₂"
╪ 12 mm ST ×
AG1N Absolute White Matte
A4T4 Absolute White Polished

159x324 cm - 62⁵/₈"x127"/₂"
╪ 20 mm
AIRU Absolute White Matte



ABSOLUTE BLACK
162x324 cm - 63³/₄"x127"/₂"
╪ 12 mm ST ×
AG1G Absolute Black Matte

Metal Look



BLACK LAVA
162x324 cm - 63³/₄"x127"/₂"
╪ 12 mm ST ×
AF5A Black Lava Leathered
╪ 20 mm
AF5M Black Lava Leathered



BLAZE IRON
162x324 cm - 63³/₄"x127"/₂"
╪ 12 mm ST ×
A3ND Blaze Iron Matte



NATURA-VEIN™ TECH

Natura-Vein™ Tech is the technology from the Concorde Group that makes it possible to recreate the typical veining of a natural material such as marble in porcelain stoneware slabs at an industrial level.
This exclusive technology can also be applied to Atlas Plan slabs with a thickness of 20 mm.

Natura-Vein™ Tech è la tecnologia del Gruppo Concorde che permette di riprodurre nello spessore delle lastre in gres porcellanato la venatura tipica di un materiale naturale come il marmo. Una tecnologia esclusiva che può essere applicata alle lastre Atlas Plan con spessore di 20 mm.



NATURA-BODY™ TECH

Natura-Body™ Tech is the is the technology from the Concorde Group that allows the aesthetics of natural stone to be reproduced across both the surface and body of the slab.
This exclusive technology can also be applied to Atlas Plan slabs with a thickness of 20 mm and 12 mm.

Natura-Body™ Tech è la tecnologia del Gruppo Concorde che permette di riprodurre l'estetica della pietra naturale sia in superficie che nel corpo della lastra. Una tecnologia esclusiva che può essere applicata alle lastre Atlas Plan con spessore di 20 mm e 12 mm.

× With fiberglass mesh

Notes

atlasPLAN

CAUTION

Atlas Plan is in no way liable for "improper" use of the material, which is why it recommends to:

- Prevent shocks at the most exposed points such as corners and edges, both with and without ledge;
- Avoid the use of metal or abrasive straws;
- Refrain from using knives with ceramic blades as the hardness of the two materials is very similar;
- Provide protection systems, such as wooden and/or plastic cutting boards, when cutting foodstuffs on surfaces having a dark colour and/or a Polished or Satin finish;
- Precautiously protect the surface from direct contact with hot objects (e.g. frying pans, pots, coffee pots,etc. ...) using trivets.

Note: for the repair of shallow surface scratches in the various finishes, please refer to your Atlas Plan contact person directly.
Atlas Plan slabs must be cut in accordance with the instructions in the technical manual; any breakage due to a cut made other than specified will not be the responsibility of Atlas Plan.
The Technical Manual illustrates how to properly clean any type of stain that can be detected on an Atlas Plan surface; use the indicated products in case extraordinary cleaning is required.
It is understood that Atlas Plan cannot be held liable for events, damage or defects due to careless cleaning and maintenance.

EXCLUSIONS FROM THE 25-YEAR LIMITED WARRANTY FOR SLABS USED TO MANUFACTURE THE PRODUCT PURCHASED (KITCHEN TOPS AND BACKSPLASHES; WASHBASINS AND VANITY TOPS; TABLES) FOR DOMESTIC OR RESIDENTIAL USE
1. Damage caused by abuse or misuse of the products purchased, including but not limited to damage caused by improper use or accidents, following exposure of the product to abnormal physical conditions (such as strong impacts), aggressive chemicals, staining substances (such as ink and markers), corrosion, structural movements or natural disasters. Remember that contact with hydrofluoric acid results in immediate and irreversible damage.
2. Any type of damage directly or indirectly caused by actions, operations or works carried out by third parties. By way of non-limiting example: problems caused by incorrect processing of the product, improper installation or handling methods of the original product, cracks on the surface of the product purchased after its installation, etc...
3. Products that have been moved from their original place of installation.
4. The reactions and appearance of joints or seams, adhesives, sealants and all other accessories.
5. Damage caused by appliances installed, used or subject to improper maintenance.
6. Imperfections caused by natural wear and tear due to everyday use, such as stains, scratches, water marks and burns.
7. When choosing a colour or finish, consider that the samples only give a approximate indication of the design, pattern, aspect, colour and finish. There is no guarantee that the samples are an exact reproduction of the Atlas Plan slab. They may differ slightly from the actual installed product.
8. Opinions based on the customer's personal preferences, leading them to change their mind about the colour or general appearance, or other aesthetic opinions following manufacture or installation of the product.
9. Use of 162x324 cm slabs for commercial applications including, but not limited to, installation in shops, offices and other commercial establishments.
10. Purchased products in which the factory-applied surface finish has been altered in some way.
11. Defects already visible at the time of processing or installation of products made from 162x324 cm Atlas Plan slabs.
12. Transport, processing, assembly and/or disassembly costs for the repair or re-installation of the product purchased.
13. Additional repairs or modifications required for the new installation (plumbing, electricity, renovation work, etc.).
14. Repairs carried out without prior verification by Atlas Plan.
15. Stains caused by direct contact with aggressive chemical solutions or scratches caused by the use of rough or steel wire sponges to clean the product purchased, or resulting from any other improper use of abrasive products in violation of the Precautions for Use and the cleaning and maintenance instructions indicated in the Atlas Plan Technical Manual (available at www.atlasplan.com/en/).
16. Anything not expressly mentioned in this guarantee.
The 25-year Limited Warranty will not be transferable and will be applied only to the slabs used in the manufacture of the product purchased, for domestic or residential use, such as kitchen tops and backsplashes, washbasins, wall units and tables. This warranty will not be valid if the full payment of the product purchased has not been made.
The processing workshop and the installer are responsible for testing Atlas Plan slabs prior to the production and installation of the products made from the slabs.
No other express or implicit warranty included merchantability or suitability for a particular purpose is issued. Except as set out herein, Atlas Plan disclaims all contractual and non-contractual liability for any direct, incidental or consequential loss or damage resulting from the use or inability to use the product purchased made from Atlas Plan slabs.
No one except Atlas Plan shall have the right or authorisation to make any promises, representations or warranties of any kind in relation to their products.

ATTENZIONE

Atlas Plan non si ritiene in alcun modo responsabile per utilizzo "improprio" del materiale, ragione per la quale raccomanda di:

- Prevenire dagli urti nei punti più esposti tipo angoli e bordi, sia con che senza veletta;
- Evitare l'utilizzo di pagliette metalliche o abrasive;
- Non utilizzare dei coltelli con lama in ceramica in quanto la durezza dei due materiali è molto simile;
- Predisporre sistemi di protezione, tipo taglieri in legno e/o plastica, quando si tagliano alimenti su piani caratterizzati da un colore scuro e/o da una finitura Polished o Satin;
- Proteggere precauzionalmente la superficie dal contatto diretto con oggetti caldi (tipo padelle, pentole, caffettiere, ...) predisponendo l'utilizzo di sottopentole.

Nota: per la riparazione di graffi superficiali non profondi nelle varie finiture, rivolgersi direttamente al funzionario Atlas Plan.
Le lastre Atlas Plan vanno tagliate seguendo le istruzioni del manuale tecnico, qualunque rottura dovuta a un taglio eseguito in modo non indicato non sarà ritenuta di responsabilità di Atlas Plan.
Il Manuale tecnico illustra come pulire correttamente qualunque tipo di macchia che si può rilevare su una superficie Atlas Plan, utilizzare i prodotti indicati in caso sia necessario un intervento di pulizia straordinaria.
Resta inteso che Atlas Plan non potrà essere ritenuta responsabile per eventi, danni o difetti dovuti a negligente pulizia e manutenzione.

ESCLUSIONI DELLA GARANZIA LIMITATA DI 25 ANNI PER LE LASTRE UTILIZZATE PER LA FABBRICAZIONE DEL PRODOTTO ACQUISTATO (TOP CUCINA E BACKSPLASH; LAVABI E VANITIES; TAVOLI) PER USO DOMESTICO O RESIDENZIALE
1. Danni causati da abuso o uso improprio dei prodotti acquistati, inclusi ma non limitati a danni causati da uso improprio o incidenti, a seguito dell'esposizione del prodotto a condizioni fisiche anomale (come forti urti), sostanze chimiche aggressive, sostanze macchianti (come inchiostro e pennarelli), corrosione, movimenti strutturali o disastri naturali. Si ricorda che il contatto con l'acido fluoridrico provoca danni immediati e irreversibili.
2. Qualsiasi tipo di danno causato direttamente o indirettamente da azioni, operazioni o lavori eseguiti da terzi. A titolo esemplificativo e non esaustivo: problemi causati da errata lavorazione del prodotto, metodi di installazione o manipolazione impropri del prodotto originale, crepe sulla superficie del prodotto acquistato dopo la sua installazione, ecc.
3. Prodotti che sono stati spostati dal luogo di installazione originale.
4. Le reazioni e l'aspetto di giunti o cuciture, adesivi, sigillanti e tutti gli altri accessori.
5. Danni causati da apparecchi installati, utilizzati o soggetti a cattiva manutenzione.
6. Imperfezioni causate dall'usura naturale dovuta all'uso quotidiano, come macchie, graffi, segni d'acqua e ustioni.
7. Nella scelta di un colore o di una finitura, va tenuto presente che i campioni forniscono solo un'indicazione generale del design, del motivo, dell'estetica, del colore e della finitura. Non vi è alcuna garanzia che i campioni siano una replica esatta della lastra Atlas Plan. Potrebbero differire leggermente dal prodotto effettivamente installato.
8. Opinioni basate sulle preferenze personali del cliente, che lo portano a cambiare idea sul colore o sull'aspetto generale, o altre opinioni estetiche successive alla fabbricazione o all'installazione del prodotto.
9. Utilizzo di lastre 162x324 cm per applicazioni commerciali inclusa, a titolo esemplificativo ma non esaustivo, installazione in negozi, uffici e altri esercizi commerciali.
10. Prodotti acquistati in cui la finitura superficiale applicata in fabbrica è stata in qualche modo alterata.
11. Difetti già visibili al momento della lavorazione o posa in opera di prodotti realizzati con lastre 162x324 cm. Piano Atlante.
12. Costi di trasporto, lavorazione, montaggio e/o smontaggio per la riparazione o reinstallazione del prodotto acquistato.
13. Ulteriori riparazioni o modifiche necessarie per la nuova installazione (idraulica, elettrica, lavori di ristrutturazione, ecc.).
14. Riparazioni eseguite senza previa verifica da parte di Atlas Plan.
15. Macchie causate dal contatto diretto con soluzioni chimiche aggressive o graffi causati dall'uso di spugne ruvide o di filo d'acciaio per pulire il prodotto acquistato, o derivanti da qualsiasi altro uso improprio di prodotti abrasivi in violazione delle Precauzioni d'uso e della pulizia e istruzioni di manutenzione indicate nel Manuale Tecnico Atlas Plan (disponibile su www.atlasplan.com).
16. Quanto non espressamente menzionato nella presente garanzia.
La Garanzia Limitata di 25 anni non sarà trasferibile e si applicherà solo alle lastre utilizzate nella fabbricazione del prodotto acquistato, per uso domestico o residenziale, come piani cucina e alzatine, lavabi, mobili e tavoli. Tale garanzia non sarà valida se non sarà stato effettuato il pagamento integrale del prodotto acquistato.
Il laboratorio di lavorazione e l'installatore sono responsabili del collaudo delle lastre Atlas Plan prima della realizzazione e posa in opera dei manufatti realizzati con le lastre.
Non viene rilasciata alcuna altra garanzia esplicita o implicita, inclusa la commerciabilità o l'idoneità per uno scopo particolare. Ad eccezione di quanto stabilito nel presente documento, Atlas Plan declina ogni responsabilità contrattuale ed extracontrattuale per qualsiasi perdita o danno diretto, incidentale o consequenziale derivante dall'uso o dall'impossibilità di utilizzare il prodotto acquistato realizzato con lastre Atlas Plan.
Nessuno, ad eccezione di Atlas Plan, avrà il diritto o l'autorizzazione a fare promesse, dichiarazioni o garanzie di qualsiasi tipo in relazione ai propri prodotti.

FR-DE-ES-RU

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
WOOD LOOK
CONCRETE LOOK
STONE LOOK
SOLID LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

atlas concorde habitat

Furniture

BATHROOM FURNITURE
CUSTOM ELEMENTS
DESIGN COLLECTION

TABLES
DINING TABLES
COFFEE TABLES
HOSPITALITY TABLES
SIDE TABLES

NOTES

atlasconcorde.com >
ATLAS CONCORDE HABITAT

Bathroom Furniture

Custom Elements



◇ **Choose your product** / Scegli il tuo prodotto

CE EN 14688

Sinks / Lavabi
Single, Twin, Sit-On Basin, Free-standing / Singolo, Doppio, Catino da appoggio, Free-Standing

Top / Top
For Single Or Double basin (basin not included) / Per catino singolo o doppio (catino non incluso)

Shelf / Mensola

◇ **Customize your product** / Personalizza il tuo prodotto


lenght / lunghezza
basin dimension and position / dimensione e posizione della vasca
with or without faucet hole / con o senza foro miscelatore


◇ **Choose Look, Color and Finish**




Single Sink
Lavabo Singolo


Enveloped Bottom Basin
Vasca 4 Falde










Flat Basin
Vasca Piatta









Sloped Basin
Vasca Inclinata







	HEIGHT ALTEZZA			BASIN DIMENSION TAGLIA DELLA VASCA			
Single Wall-mounted Sink Lavabo da parete singolo	**12 mm**	**30 mm**	**150 mm**	**S**	**M**	**L**	**XL**
Enveloped Bottom Basin Vasca 4 Falde	•	•	•	•	•	•	•
Flat Basin Vasca Piatta	•	•	•		•		
Sloped Basin Vasca Inclinata	•	•	•		•		

DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 50 cm (19 $^{5}/_{8}$") / Profondità 50 cm (19 $^{5}/_{8}$")
Height 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$") / Altezza 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included only for sink with a height of 15 cm (5 $^{7}/_{8}$")
Staffe: incluse solo su lavabo con altezza 15 cm (5 $^{7}/_{8}$")
Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Enveloped bottom basin Dimensions / Dimensioni vasca a 4 Falde
S 45x34x10 cm (17 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
L 75x34x10 cm (29 $^{1}/_{2}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
XL 95x34x10 cm (37 $^{3}/_{8}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
Flat basin and Sloped basin Dimensions / Dimensione vasca Piatta e vasca Inclinata
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 $^{3}/_{8}$") / Diametro del foro rubinetto: Ø 35 mm (1 $^{3}/_{8}$")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 $^{1}/_{4}$" (drain not included) / Diametro piletta: 1 $^{1}/_{4}$" (piletta non inclusa)

STARTING SLABS / Fondi di partenza
Thickness 6 mm ($^{1}/_{4}$") or 9 mm ($^{3}/_{8}$") or 12 mm (4 $^{3}/_{4}$")
Spessore 6 mm ($^{1}/_{4}$") o 9 mm ($^{3}/_{8}$") o 12 mm (4 $^{3}/_{4}$")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
BATHROOM FURNITURE TABLES
FACADES
TECHNICAL SPECIFICATIONS

Bathroom Furniture


Custom Elements

Twin Sink
Lavabo Doppio


Enveloped Bottom Basin
Vasca 4 Falde



Flat Basin
Vasca Piatta



Sloped Basin
Vasca Inclinata



	HEIGHT ALTEZZA			BASIN DIMENSION TAGLIA DELLA VASCA			
Twin Wall-mounted Sink Lavabo da parete doppio	12 mm	30 mm	150 mm	S	M	L	XL
Enveloped Bottom Basin Vasca 4 Falde	•	•	•	•	•	•	•
Flat Basin Vasca Piatta	•	•	•		•		
Sloped Basin Vasca Inclinata	•	•	•		•		

DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 50 cm (19 $^{5}/_{8}$") / Profondità 50 cm (19 $^{5}/_{8}$")
Height 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$") / Altezza 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included only for sink with a height of 15 cm (5 $^{7}/_{8}$")
Staffe: incluse solo su lavabo con altezza 15 cm (5 $^{7}/_{8}$")
Bottom tiling is not provided / Non è previsto il rivestimento inferiore


BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Enveloped bottom basin dimensions / Dimensioni vasca a 4 Falde
S 45x34x10 cm (17 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
L 75x34x10 cm (29 $^{1}/_{2}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
XL 95x34x10 cm (37 $^{3}/_{8}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
Flat basin and Sloped basin dimensions / Dimensione vasca Inclinata e vasca Piatta
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 $^{3}/_{8}$") / Diametro del foro rubinetto: Ø 35 mm (1 $^{3}/_{8}$")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 $^{1}/_{4}$" (drain not included) / Diametro piletta: 1 $^{1}/_{4}$" (piletta non inclusa)


STARTING SLABS / Fondi di partenza
Thickness 6 mm ($^{1}/_{4}$") or 9 mm ($^{3}/_{8}$") or 12 mm (4 $^{3}/_{4}$")
Spessore 6 mm ($^{1}/_{4}$") o 9 mm ($^{3}/_{8}$") o 12 mm (4 $^{3}/_{4}$")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

Sit-on basin
Catino da appoggio


Enveloped Bottom Basin
Vasca 4 Falde



Flat Basin
Vasca Piatta



Sloped Basin
Vasca Inclinata



	HEIGHT ALTEZZA			BASIN DIMENSION TAGLIA DELLA VASCA				DEPTH PROFONDITÀ	
Sit-on basin Catino da appoggio	12 mm	30 mm	150 mm	S	M	L	XL	45 cm	50 cm
Enveloped Bottom Basin Vasca 4 Falde	•	•	•	•	•	•	•	•	•
Flat Basin Vasca Piatta	•	•	•		•			•	•
Sloped Basin Vasca Inclinata	•	•	•		•			•	•

DIMENSIONS / Dimensioni
Enveloped bottom sink available lenghts / Lunghezze disponibili per lavabo a 4 Falde
Length 55 cm (21 $^{3}/_{4}$") / Lunghezza 55 cm (21 $^{3}/_{4}$")
Length 65 cm (25 $^{5}/_{8}$") / Lunghezza 65 cm (25 $^{5}/_{8}$")
Length 85 cm (33 $^{1}/_{2}$") / Lunghezza 85 cm (33 $^{1}/_{2}$")
Length 105 cm (41 $^{3}/_{8}$") / Lunghezza 105 cm (41 $^{3}/_{8}$")
Flat basin sink and Sloped basin sink available lenght / Lunghezza disponibile per lavabo con vasca Inclinata e vasca Piatta
Length 65 cm (25 $^{5}/_{8}$") / Lunghezza 65 cm (25 $^{5}/_{8}$")

Depth 45 cm (17 $^{3}/_{4}$") without Faucet hole / Profondità 45 cm (17 $^{3}/_{4}$") senza foro miscelatore
Depth 50 cm (19 $^{5}/_{8}$") with Faucet hole / Profondità 50 cm (19 $^{5}/_{8}$") con foro miscelatore
Height 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$") / Altezza 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
No Brackets / No staffe
Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Enveloped bottom basin dimensions / Dimensioni vasca a 4 Falde
S 45x34x10 cm (17 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
L 75x34x10 cm (29 $^{1}/_{2}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
XL 95x34x10 cm (37 $^{3}/_{8}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
Flat basin and Sloped basin dimensions / Dimensione vasca Piatta e vasca Inclinata
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 $^{3}/_{8}$") / Diametro del foro rubinetto: Ø 35 mm (1 $^{3}/_{8}$")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 $^{1}/_{4}$" (drain not included) / Diametro piletta: 1 $^{1}/_{4}$" (piletta non inclusa)

STARTING SLABS / Fondi di partenza
Thickness 6 mm ($^{1}/_{4}$") or 9 mm ($^{3}/_{8}$") or 12 mm (4 $^{3}/_{4}$")
Spessore 6 mm ($^{1}/_{4}$") o 9 mm ($^{3}/_{8}$") o 12 mm (4 $^{3}/_{4}$")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
BATHROOM FURNITURE
TABLES
FACADES
TECHNICAL SPECIFICATIONS

Bathroom Furniture

Custom Elements


Free-Standing

Enveloped Bottom Basin
Vasca 4 Falde




H 45 mm H 50 mm

Flat Basin
Vasca Piatta



H 45 mm H 50 mm

Sloped Basin
Vasca Inclinata



H 45 mm H 50 mm

	HEIGHT ALTEZZA	BASIN DIMENSION TAGLIA DELLA VASCA			DEPTH PROFONDITÀ	
Free-Standing Free-Standing	**850 mm**	**M**	**L**	**XL**	**45 cm**	**50 cm**
Enveloped Bottom Basin Vasca 4 Falde	•	•	•	•	•	•
Flat Basin Vasca Piatta	•	•			•	•
Sloped Basin Vasca Inclinata	•	•			•	•

DIMENSIONS / Dimensioni
Enveloped bottom sink available lenghts / Lunghezze disponibili per lavabo a 4 Falde
Length 65 cm (25 5/8") / Lunghezza 65 cm (25 5/8")
Length 85 cm (33 1/2") / Lunghezza 85 cm (33 1/2")
Length 105 cm (41 3/8") / Lunghezza 105 cm (41 3/8")
Flat basin sink and Sloped basin sink available lenght
Lunghezza disponibile per lavabo con vasca Inclinata e vasca Piatta
Length 65 cm (25 5/8") / Lunghezza 65 cm (25 5/8")

Depth 45 cm (17 3/4") without Faucet hole / Profondità 45 cm (17 3/4") senza foro miscelatore
Depth 50 cm (19 5/8") with Faucet hole / Profondità 50 cm (19 5/8") con foro miscelatore
Height 85 cm (33 1/2") / Altezza 85 cm (33 1/2")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
No Brackets / No staffe
Bottom tiling is not provided / Non è previsto il rivestimento inferiore
Enclosed sink back accessible through a hatch with a magnetic door
Retro lavabo chiuso ed accessibile tramite botola con sportello magnetico


BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Enveloped bottom basin dimensions / Dimensioni vasca a 4 Falde
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")
L 75x34x10 cm (29 1/2" x 13 3/8" x 3 7/8")
XL 95x34x10 cm (37 3/8" x 13 3/8" x 3 7/8")
Flat basin and Sloped basin dimensions / Dimensione vasca Piatta e vasca Inclinata
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 1/4" (drain not included) / Diametro piletta: 1 1/4" (piletta non inclusa)


STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

Top


For Single Basin (Non Included)
Per Catino Singolo (Non Incluso)



H 12 mm




H 30 mm




H 150 mm


For Double Basin (Not Included)
Per Catino Doppio (Non Incluso)



H 12 mm



H 30 mm



H 150 mm

DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 50 cm (19 5/8") / Profondità 50 cm (19 5/8")
Height 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8") / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included only for sink with a height of 15 cm (5 7/8")
Staffe: incluse solo su lavabo con altezza 15 cm (5 7/8")
Bottom tiling is not provided / Non è previsto il rivestimento inferiore


BASIN HOLE / Foro catino
Customisable sit-on basin hole dimension and position / Dimensioni e posizioni del foro catino personalizzabili

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4") / Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

	HEIGHT ALTEZZA		
Top Top	**12 mm**	**30 mm**	**150 mm**
Single Hole Foro Singolo	•	•	•
Double Hole Foro Doppio	•	•	•

Shelf
Mensola



H 50 mm

DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 35 cm (19 5/8") / Profondità 35 cm (19 5/8")
Height 5 cm (2") / Altezza 5 cm (2")

STRUCTURE / Struttura
Reinforcement: continuous panel
Rinforzo: pannello continuo
Brackets: included / Staffe: incluse
Bottom tiling is not provided
Non è previsto il rivestimento inferiore

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

	HEIGHT ALTEZZA
	50 mm
Shelf Mensola	•

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
BATHROOM FURNITURE
TABLES
FACADES
TECHNICAL SPECIFICATIONS


Bathroom Furniture

DIALOGO in collaboration with **Mario Ferrarini**

Design Collection

Designer Sink
Lavabo d'Autore


WITHOUT FAUCET HOLE
Senza foro rubinetteria
130x40x17,5 cm | 51 1/8"x15 3/4"x6 7/8"



Top / Piano h 12,5 cm | 4 7/8"
Edge / Bordo h 17,5 cm | 6 7/8"
Black (RAL 9005) integrated towel holder
Portasciugamano nero (RAL 9005) integrato al lavabo

Sit-on basin
Catino da appoggio

WITHOUT FAUCET HOLE
Senza foro rubinetteria
67x40x12,5 cm | 26 3/8"x15 3/4"x4 7/8"



Enclosed back / Chiuso sul retro
No brakets / No staffe

INFORMATIONS FOR ALL DIALOGO SINKS
INFORMAZIONI PER TUTTI I LAVABI DIALOGO

BASIN TECHNICAL DETAILS / Caratteristiche tecniche vasca
Length 67 cm (26 3/8") / Lunghezza 67 cm (26 3/8")
Length 80 cm (31 5/8") / Lunghezza 80 cm (31 5/8")
Length 100 cm (39 3/8") / Lunghezza 100 cm (39 3/8")
Length 120 cm (47 1/4") / Lunghezza 120 cm (47 1/4")
Length 150 cm (59 1/2") / Lunghezza 150 cm (59 1/2")

Depth 40 cm (59 1/2") without Faucet hole / Profondità 40 cm (59 1/2") senza foro miscelatore
Depth 50 cm (15 3/4") with Faucet hole / Profondità 50 cm (15 3/4") con foro miscelatore

Height 12,5 cm (4 7/8") / Altezza 12,5 cm (4 7/8")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included / Staffe: incluse
Bottom tiling is not provided / Non è previsto il rivestimento inferiore


BASIN / Vasca
Stainless steel, with porcelain tiling / In acciaio inox rivestita in gres porcellanato
Size 55x34 cm (21 5/8"x13 3/8") / Dimensione 55x34 cm (21 5/8"x13 3/8")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Ø 35 mm (1 3/8") / Ø 35 mm (1 3/8")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 1/4" (drain not included) / Diametro piletta: 1 1/4" (piletta non inclusa)


STARTING SLABS / Fondi di partenza
Thickness 12 mm (4 3/4") / Spessore 12 mm (4 3/4")

Single wall-mounted Sink
Lavabo da parete singolo


WITHOUT FAUCET HOLE
Senza foro rubinetteria
100x40x12,5 cm | 39 3/8"x15 3/4"x4 7/8"




120x40x12,5 cm | 47 1/4"x15 3/4"x4 7/8"




WITH FAUCET HOLE
Con foro rubinetteria
67x50x12,5 cm | 26 3/8"x19 5/8"x4 7/8"




80x50x12,5 cm | 31 1/2"x19 5/8"x4 7/8"



100x50x12,5 cm | 39 3/8"x19 5/8"x4 7/8"




120x50x12,5 cm | 47 1/4"x19 5/8"x4 7/8"




Twin wall-mounted Sink
Lavabo da parete doppio

WITHOUT FAUCET HOLE
Senza foro rubinetteria
150x40x12,5 cm | 59"x15 3/4"x4 7/8"




WITH FAUCET HOLE
Con foro rubinetteria
150x50x12,5 cm | 59"x19 5/8"x4 7/8"



Free-Standing


WITHOUT FAUCET HOLE
Senza foro rubinetteria
67x40x85 cm | 26 3/8"x15 3/4"x33 1/2"



Enclosed and accessible back / Retro chiuso ed accessibile
No brakets / No staffe

Designer Drawer Unit
Cassettiera d'Autore


120x40x32 cm | 47 1/4"x15 3/4"x12 5/8"




reddot winner 2022

Single wall-mounted Drawer Unit
Cassettiera singola sospesa


67x50x32 cm | 26 3/8"x19 5/8"x12 5/8"
80x50x32 cm | 31 1/2"x19 5/8"x12 5/8"



100x40x32 cm | 39 3/8"x15 3/4"x12 5/8"
120x40x32 cm | 47 1/4"x15 3/4"x12 5/8"
D 40 mm




100x50x32 cm | 39 3/8"x19 5/8"x12 5/8"
120x50x32 cm | 47 1/4"x19 5/8"x12 5/8"
D 50 mm




Twin wall-mounted Drawer Unit
Cassettiera doppia sospesa

150x40x32 cm | 59"x15 3/4"x12 5/8"
D 40 mm



150x50x32 cm | 59"x19 5/8"x12 5/8"
D 50 mm



INFORMATIONS FOR ALL DIALOGO UNITS
INFORMAZIONI PER TUTTE LE CASSETTIERE DIALOGO

DIMENSIONS / Dimensioni
Length 67 cm (26 3/8") / Lunghezza 67 cm (26 3/8")
Length 80 cm (31 5/8") / Lunghezza 80 cm (31 5/8")
Length 100 cm (39 3/8") / Lunghezza 100 cm (39 3/8")
Length 120 cm (47 1/4") / Lunghezza 120 cm (47 1/4")
Length 150 cm (59 1/2") / Lunghezza 150 cm (59 1/2")

Depth 40 cm (59 1/2") / Profondità 40 cm (59 1/2")
Depth 50 cm (15 3/4") / Profondità 50 cm (15 3/4")

Height 32 cm (12 5/8") / Altezza 32 cm (12 5/8")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Top covering in boxed porcelain tiles: height 3 cm (1 1/8")
Rivestimento superiore in gres porcellanato: altezza 3 cm (1 1/8")
Matt lacquered MDF casing, 3,2 cm (1 1/4") thick
Scocca in MDF spessore 3,2 cm (1 1/4") laccata opaca
Black open compartment (RAL 9005) / Vano a giorno nero (RAL 9005)
Front thickness: 3,2 cm (1 1/4") / Spessore frontale: 3,2 cm (1 1/4")
Interior clearance: 22 cm (8 5/8") / Luce interna: 22 cm (8 5/8")
Push opening system / Sistema d'apertura push
Rails with soft closing / Guide con chiusura ammortizzata
Drawer bottom in laminated panel and matching hardware
Fondo del cassetto in pannello nobilitato e ferramenta abbinata

STARTING SLABS / Fondi di partenza
Thickness 12 mm (4 3/4") / Spessore 12 mm (4 3/4")

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
BATHROOM FURNITURE TABLES
FACADES
TECHNICAL SPECIFICATIONS

Colors and finishes

Design Collection

Bicolor



Sink Color: 01
Colore lavabo: 01
Drawer Unit Color: 01
Colore cassettiera: 01


Sink Color: 02
Colore lavabo: 02
Drawer Unit Color: 02
Colore cassettiera: 02

Sink Color: 03
Colore lavabo: 03
Drawer Unit Color: 03
Colore cassettiera: 03


Sink Color: 04
Colore lavabo: 04
Drawer Unit Color: 04
Colore cassettiera: 04

Sink Color: 10
Colore lavabo: 10
Drawer Unit Color: 10
Colore cassettiera: 10

SINK COLORS



DRAWER UNIT COLORS



* Matte laquered MDF casing.

Monocolor



Sink Color: 05
Colore lavabo: 05
Drawer Unit Color: 05
Colore cassettiera: 05

Sink Color: 06
Colore lavabo: 06
Drawer Unit Color: 06
Colore cassettiera: 06

Sink Color: 07
Colore lavabo: 07
Drawer Unit Color: 07
Colore cassettiera: 07

Sink Color: 08
Colore lavabo: 08
Drawer Unit Color: 08
Colore cassettiera: 08

Sink Color: 09
Colore lavabo: 09
Drawer Unit Color: 09
Colore cassettiera: 09

SINK COLORS



DRAWER UNIT COLORS




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
BATHROOM FURNITURE
TABLES
FACADES
TECHNICAL SPECIFICATIONS

Tables


Brooklyn 75
Dining Tables



BASES available in textured black and textured anthracite




TOPS 12 mm




Brooklyn 25
CoffeeTables



BASES available in textured black and textured anthracite




TOPS 12 mm




Manhattan
Hospitality Tables



BASES available in textured black and customed




TOPS 12 mm




Contatto
Side Table



BASES available in textured black and chromed




TOPS 12 mm




Incontro 75
Dining Tables



BASES available in textured black and textured anthracite




TOPS 12 mm




Incontro 25
CoffeeTables



BASES available in textured black and textured anthracite




TOPS 12 mm




Cosmopolitan
Hospitality Tables



BASES available in textured black and customed



TOPS 12 mm



TABLES BROCHURE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
BATHROOM FURNITURE
TABLES
FACADES
TECHNICAL SPECIFICATIONS

Top

Porcelain tile colors and finishes







































Sinks cleaning and maintenance

SANITIZING
Porcelain tiles surfaces are extremely easy to sanitize, owing to the physical and mechanical features of this material. Indeed, since they are produced at extremely high temperatures, they prove entirely poreless, which prevents mold, mildew and bacteria from spreading. This means sanitizing products or products with a specific concentration of chemicals capable of eradicating germs and bacteria from surfaces can easily be used, for optimum efficiency and without worrying about damaging the material itself.

ROUTINE CLEANING
For routine cleaning, simply use a damp sponge or a microfiber cloth with hot water and ordinary neutral detergent* then wipe dry with a soft cloth. To remove dirt built up in the corners, we recommend you rub with a nonabrasive soft bristle brush.
Avoid using:
1. Products with waxing, restoring, polishing, brightening properties;
2. Products containing hydrofluoric acid and its derivatives;
3. Metal wire pads (iron and steel pads) or excessively abrasive pads.

CAUTION: Porcelain tiles do not require the application of waxes or detergents with polishing additives, even when the surface is glossy/lapped.

*such as Clean Universal made by Faber Chimica or Fila Clean&Shine for the Italian market - Fila Cleanall for the US market - Fila Brio for all other markets.

EXTRAORDINARY CLEANING
In the event of tough stains, which cannot be removed during routine cleaning operations, we suggest the use of alkaline detergents* for coffee, fruit juice, wine, ink stains and the like, acidic detergents**
in the event of limescale residue (or rust), use specific detergents to remove silicone sealant residue***

*such as Clean Degreaser - Deep Degreaser made by Faber Chimica or Fila Powerclean for the Italian market - Fila Hobby for other markets.
**such as Clean Limescale - Tile Cleaner made by Faber Chimica or Fila Deepclean for the Italian market - Fila Via Bagno for other markets.
***such as Epoxy Cleaner made by Faber Chimica or Fila Zerosil.

STEEL SURFACES
Stainless steel is an extremely strong material and is not subject to the corrosive action of oxidation. However, specific products should be used for cleaning it.
In addition, to avoid damaging the surface, do not use:
1. sponges or scourers that could cause irreversible scratches and abrasions;
2. aggressive chemicals;
3. cleaning products based on ammonia, bleach or chlorine.

LACQUERED SURFACES
Daily cleaning and maintenance of the lacquered surfaces of the drawer unit.
To maintain lacquered surfaces for as long as possible and in the best possible condition, proceed as follows:
1. Treat the stain promptly, allowing it to remain in contact with the surface for as little time as possible.
2. Only use a moistened microfibre cloth, white if possible. Do not use sponges or rags that could scratch the surface.
3. Use a NON-abrasive, neutral liquid soap solution. Marseille soap is particularly suitable. Simply dilute a few flakes in a bowl with lukewarm water, lightly dampen the cloth and wipe the surface.
4. After wiping, it is best to rinse and dry quickly, taking care to use a dry cloth different from the one used for cleaning. Air drying is not recommended because halos or traces of water may remain.
5. Do not use organic solvents such as acetone and alcohol, do not use detergents containing strong acids, kitchen detergents and substances containing ammonia, trichloroethylene and bleach.

IGIENIZZAZIONE
Le superfici in gres porcellanato sono estremamente facili da igienizzare, grazie alle caratteristiche fisico-meccaniche di questo materiale. Infatti, essendo prodotta ad altissime temperature, risulta totalmente priva di pori, fatto che impedisce a muffe e batteri di proliferare. È possibile utilizzare pertanto senza problemi prodotti igienizzanti ossia con una determinata concentrazione di sostanze in grado di eliminare germi e batteri dalle superfici, con la massima efficacia e senza temere di rovinare il materiale stesso.

PULIZIA ORDINARIA
Per la pulizia quotidiana è sufficiente utilizzare una spugna inumidita o un panno in microfibra con acqua calda e un comune detergente neutro* asciugando con un panno morbido. Per la rimozione di sporco accumulatosi negli angoli si suggerisce di strofinare con uno spazzolino con setole morbide non abrasive.
Evitare l'utilizzo di:
1. Prodotti con caratteristiche ceranti, ravvivanti, lucidanti, brillantanti;
2. Prodotti che contengono acido fluoridrico e suoi derivati;
3. Pagliette di metallo (spugnette di ferro e acciaio) o eccessivamente abrasive.

ATTENZIONE: Il gres porcellanato non richiede l'applicazione di cere o di detergenti con additivi lucidanti anche quando ha una superficie lucida/lappata.

*tipo Clean Universal della Faber Chimica oppure Fila Clean&Shine per mercato IT - Fila Cleanall per mercato USA - Fila Brio per tutti gli altri mercati.

PULIZIA STRAORDINARIA
Nel caso di macchie ostinate, non rimovibili con la pulizia ordinaria, si suggerisce di utilizzare detergenti a base alcalina* per caffè, succhi di frutta, vino, inchiostro, ed etc..
detergenti a base acida** nel caso di residui di calcare (o ruggine) utilizzare detergenti specifici per la rimozione di residui di sigillanti siliconici***

*tipo Clean Degreaser - Deep Degreaser della Faber Chimica oppure Fila Powerclean per mercato IT - Fila Hobby per gli altri mercati.
**tipo Clean Limescale - Tile Cleaner della Faber Chimica oppure Fila Deepclean per il mercato IT - Fila Via Bagno per gli altri mercati.
***tipo Epoxy Cleaner della Faber Chimica oppure Fila Zerosil.

SUPERFICI IN ACCIAIO
L'acciaio inox è un materiale estremamente resistente e non è soggetto all'azione corrosiva dell'ossidazione.
Tuttavia per la pulizia è opportuno adoperare prodotti specifici.
Inoltre per evitare il danneggiamento della superficie non utilizzare:
1. spugne o pagliette metalliche che potrebbero generare graffi ed abrasioni irreversibili;
2. sostanze chimiche aggressive;
3. prodotti per la pulizia a base di ammoniaca, candeggina o cloro.

SUPERFICI LACCATE
Pulizia e manutenzione quotidiana delle superfici laccate della cassettiera.
Per conservare le superfici laccate per il maggior tempo e nella migliore condizione possibile, è necessario rispettare e seguire i seguenti punti:
1. Agire tempestivamente sulla macchia, lasciando che questa rimanga il minor tempo possibile a contatto con la superficie;
2. Utilizzare esclusivamente un panno in microfibra inumidito, possibilmente bianco. Non utilizzare spugne o stracci che potrebbero graffiare la superficie;
3. Utilizzare una soluzione di sapone liquido neutro NON abrasivo.

Particolarmente indicato è il Sapone di Marsiglia, sarà sufficiente diluire alcune scaglie in una bacinella d'acqua tiepida, bagnare leggermente il panno e passarlo sulla superficie;
4. Dopo aver passato il panno, è bene procedere con le operazioni di risciacquo e asciugatura in maniera rapida, avendo cura di usare un panno asciutto diverso da quello utilizzato per la pulizia. L'asciugatura all'aria è sconsigliata perché potrebbero rimanere aloni o tracce di acqua;
5. Non usare solventi organici come acetone ed alcool, non usare detergenti contenenti acidi forti, detergenti per cucina e sostanze contenenti ammoniaca, trielina e candeggina.

Notes

CAUTION
Avoid accidental shocks that could result in chipping or irreversible damage. In the event of breakage, check that the structural parts are not damaged and, if necessary, discard the item.
Avoid any improper use of the items and their components. Some removable parts could be used as blunt objects.
Be careful: sharp edges and possible razor-sharp surfaces.

ATTENZIONE
Evitare urti accidentali che potrebbero provocare sbeccature o lesioni non ripristinabili. In presenza di rotture verificare che le parti strutturali non siano compromesse e nel caso mettere fuori utilizzo l'oggetto.
Evitare qualsiasi uso improprio degli articoli e dei loro componenti. Alcune parti removibili potrebbero essere utilizzate come oggetti contundenti.
Prestare attenzione: spigoli acuminati e possibile presenza di superfici taglienti.

FR-DE-ES-RU

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
BATHROOM FURNITURE TABLES
FACADES
TECHNICAL SPECIFICATIONS

Facades

- BONDED FACADES
- VENTILATED FACADES

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
BONDED FACADES
VENTILATED FACADES
TECHNICAL SPECIFICATIONS




Bonded facades

On plaster



Suitable thicknesses
∓ 6 mm
∓ 9 mm
∓ 12 mm

1. Stoneware cladding
2. Safety hook
3. Highly deformable adhesive
4. Masonry



BONDED FACADES ON PLASTER

Porcelain panels are bonded directly to the outer plaster layer of the wall face using the double spreading method with the proper adhesive depending on the nature of the substrate, environmental conditions, and panel size. It is advisable to place metal hooks as an additional safety restraint, which will remain hidden behind the slab.
These hooks are then mechanically attached to the wall.

FACCIATE INCOLLATE SU INTONACO


I pannelli in gres vengono incollati direttamente allo strato di intonaco esterno del paramento murario, adottando il metodo della doppia spalmatura con idoneo adesivo in funzione alla natura del sottofondo, delle condizioni ambientali e del formato del pannello. È consigliabile disporre ganci metallici, come ulteriore ritegno di sicurezza, che rimarranno nascosti dietro la lastra preventivamente lavorata.
Tali ganci sono poi fissati meccanicamente alla parete.

On thermal coat



Suitable thicknesses
∓ 6 mm [1]

1. Stoneware cladding
2. Highly deformable adhesive
3. Structural plaster
4. Fiber glass mesh
5. Structural render
6. Insulating panel
7. Adhesive
8. Masonry



BONDED FACADES ON THERMAL COAT

External vertical cladding system made by bonding the ceramic slabs to the insulating layer using the double spreading method with the proper adhesive depending on the nature of the substrate, environmental conditions, and panel size. Light colors with a solar reflectance index (SR) greater than 20% are recommended.

FACCIATE INCOLLATE SU CAPPOTTO TERMICO

Sistema di rivestimento verticale esterno realizzato incollando le lastre ceramiche allo strato di isolante, adottando il metodo della doppia spalmatura con idoneo adesivo in funzione alla natura del sottofondo, delle condizioni ambientali e del formato del pannello.
Sono da privilegiare colori chiari con indice di riflettanza solare (SR) maggiore del 20%.

[1] **However, we do not exclude the possibility of using thicker, larger slabs on insulating layers after further evaluation at the design stage or on-site surveys in the case of work on existing surfaces.** - Non si esclude comunque la possibilità di incollare su isolante in facciata lastre di spessore e formato maggiori previa ulteriori valutazioni in fase di progetto o rilievi in sito in caso di interventi su esistente.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
BONDED FACADES
VENTILATED FACADES
TECHNICAL SPECIFICATIONS


Ventilated facades*

With visible mechanical hooks



Suitable thicknesses
± 6 mm
± 9 mm
± 12 mm

1. Stoneware cladding
2. Clip hook
3. Insulating panel
4. Mullion
5. Brackets
6. Masonry



VENTILATED FACADES WITH VISIBLE MECHANICAL HOOKS

The attachment of the slabs is visible and done with steel clips, possibly painted in a color similar to the facing. The metal structure of the system consists of vertical mullions and brackets anchored to the wall of the building by appropriately sized dowels. The coupling system between bracket and upright ensures compliance with the designed geometric constraints while also allowing for minor adjustment during installation.

FACCIATE VENTILATE CON AGGANCI A VISTA MECCANICI


L'aggancio delle lastre è visibile e realizzato con clips di acciaio, eventualmente verniciate con un colore simile al paramento.
La struttura metallica del sistema è composta da montanti verticali e staffe, ancorate alla parete portante dell'edificio mediante tasselli opportunamente dimensionati. Il sistema di aggancio tra staffa e montante permette di rispettare i vincoli geometrici progettati garantendo piccoli aggiustamenti in fase di posa.

With invisible mechanical hooks



Suitable thicknesses
± 9 mm
± 12 mm
± 20 mm

1. Stoneware cladding
2. Fasteners
3. Horizontal profile
4. Insulating panel
5. Mullion
6. Brackets
7. Masonry



VENTILATED FACADES WITH INVISIBLE MECHANICAL HOOKS

The attachment is concealed on the back of the slab by means of special steel inserts that fit into previously-made holes.
The metal structure of the system consists of vertical mullions, horizontal beams, and brackets anchored to the wall of the building by appropriately sized dowels. The coupling system between bracket and upright ensures compliance with the designed geometric constraints while also allowing for minor adjustments during installation.

FACCIATE VENTILATE CON AGGANCI A SCOMPARSA MECCANICI


L'aggancio è occulto sul retro della lastra mediante speciali inserti di acciaio che si inseriscono in fori sottosquadro, precedentemente realizzati meccanicamente. La struttura metallica del sistema è composta da montanti verticali, correnti orizzontali e staffe, ancorate alla parete portante dell'edificio mediante tasselli opportunamente dimensionati. Il sistema di aggancio tra staffa e montante permette di rispettare i vincoli geometrici progettati garantendo piccoli aggiustamenti in fase di posa.

With invisible chemical-mechanical hooks



Suitable thicknesses
± 6 mm
± 9 mm
± 12 mm

1. Stoneware cladding
2. Horizontal profile
3. Insulating panel
4. Mullion
5. Brackets
6. Masonry



VENTILATED FACADES WITH INVISIBLE CHEMICAL-MECHANICAL HOOKS

For slabs less than 9 mm thick, the attachment system is not only mechanical but also chemical. Depending on the case, the bonding can be continuous and applied to a backing layer or directly to the metal profiles of the structure. The hybrid nature of the attachment thus provides greater safety than single-attachment techniques.

FACCIATE VENTILATE CON AGGANCI A SCOMPARSA CHIMICO-MECCANICI


Per lastre di spessore inferiore a 9 mm, il sistema di aggancio non sarà esclusivamente meccanico ma anche chimico. A seconda dei casi l'incollaggio può essere continuo e applicato ad uno strato di supporto oppure direttamente ai profili metallici della struttura. La natura ibrida dell'aggancio garantisce così maggior sicurezza rispetto ad agganci con tecnica di fissaggio singola.

With invisible hooks for slabs with incisions (kerf)



Suitable thicknesses
± 20 mm

1. Stoneware cladding
2. Clip hook
3. Insulating panel
4. Mullion
5. Brackets
6. Masonry



VENTILATED FACADES WITH INVISIBLE HOOKS FOR SLABS WITH INCISIONS (KERF)

For 20-mm-thick slabs, the concealed attachment system consists of clips inserted into an incision on the edge of the slabs, previously cut into the thickness along the parallel horizontal sides with respect to the orientation of the installation. The structure can be the same as the systems with visible fasteners.

FACCIATE VENTILATE CON AGGANCI A SCOMPARSA PER LASTRE INTAGLIATE (KERF)

Per lastre di spessore 20 mm il sistema di aggancio occulto è costituito da clips inserite in una incisione sulla costa delle lastre, preventivamente incise nello spessore lungo i lati paralleli orizzontali rispetto all'orientamento dell'installazione.
La struttura può essere la stessa dei sistemi con aggancio a vista.

TBW0300824
THOMAS BELL-WRIGHT

Refer to www.tbwcert.com for validity and full documentation
Consultare www.tbwcert.com per la validità e la documentazione completa

FR-DE-ES-RU

* **Technological exterior cladding systems consisting of a series of layers anchored to the building walls by a metal structure. A layer of thermal and acoustic insulation is usually applied directly on the wall, and then porcelain tile cladding is added externally. A hollow space is created between the two layers to ensure the breathability of the facade through continuous ventilation.** - Sistemi tecnologici di rivestimento esterno costituiti da una serie di strati ancorati alle pareti dell'edificio mediante una struttura metallica. A contatto con la parete in genere è applicato uno strato di isolante termico ed acustico e più esternamente il rivestimento in gres porcellanato. Tra i due strati si crea un'intercapedine vuota che garantisce traspirazione della facciata mediante ventilazione continua.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
BONDED FACADES
VENTILATED FACADES
TECHNICAL SPECIFICATIONS

Technical Specifications

- ENVIRONMENTAL SUSTAINABILITY
- CERTIFICATIONS
- SENSITECH TECHNOLOGY
- VELVETECH TECHNOLOGY
- TECHNICAL SPECIFICATION
- DESTINATIONS OF USE
- COLOR-SHADING
- LAYING SUGGESTIONS, CLEANING AND MAINTENANCE
- PACKING
- GENERAL SALES CONDITIONS

Environmental sustainability

Environment and health / Ambiente e salute

Advanced purification systems, which contribute to the containment of atmospheric emissions

RTO system to reduce harmful emissions and odours

Reduction of CO_2 emissions due to automated vertical warehouse

100% recyclable packaging materials

0% lead, cadmium, and other dangerous substances in products

All Atlas Concorde products, during their use, do not release VOCs (Volatile Organic Compounds)

Energy optimisation / Ottimizzazione energetica

100% LED light

Heat recovery from furnaces and cooling water

Efficient methane gas cogeneration plant

Recovery of residual heat energy by tube heat exchangers

Waste management / Gestione degli scarti

100% of cooked and raw waste recovered internally

90% recovered waste

100% water recovered for internal use

Ceramics of Italy

MADE IN ITALY

For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Certifications

Company certifications / Certificazioni aziendali

DNV ISO 9001 · DNV ISO 14001 · DNV ISO 45001

Product certifications / Certificazioni di prodotto

ISO 17889-1 · ISO 14021 · GREENGUARD GOLD

Product declarations / Dichiarazioni di prodotto

EPD · PEF · FDES inies · Declare.

Certification for buildings / Rating dell'edificio

WELL v2

Atlas Concorde porcelain tiles and single-fired products can contribute towards earning points needed for LEED® certification.

Certifications for export to international markets*

CE · CCC · SQM SAUDI ARABIA · SGS INDONESIA

QB UPEC (1) (2) (3)

QB UPEC PORCELAIN TILES

AIX
AXI
BOOST
BOOST NATURAL
BOOST MIX
BOOST PRO
BOOST STONE
BRAVE
ETIC
ETIC PRO
EXENCE
HEARTWOOD
KONE
LIMS
MARVEL
MARVEL DREAM
MARVEL GEMS
MARVEL PRO
MARVEL SHINE
MARVEL STONE
PRISM
TRUST
VENTI BOOST

QB UPEC F+ OUTDOOR ≠ 20 MM

BOOST
BOOST NATURAL
BOOST PRO
BOOST STONE
BRAVE
NORDE
TRUST

CLASSIFICATION UPEC/UPEC F+ EN COURS DE CERTIFICATION

BOOST BALANCE
BOOST MINERAL
MARVEL MERAVIGLIA
MARVEL TRAVERTINE
MARVEL X

atlasconcorde.com

cstb.fr


* **Valid certification for porcelain tile and single-fired products.** - Certificazione valida per prodotti in gres porcellanato e monocottura.

* **Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures, thanks to our active cooperation with accredited certification bodies in each country.** - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

(1) Classificazione UPEC aggiornata al – Classement UPEC mis à jour au: 2024
(2) Si consiglia la consultazione della pagina – On vous conseille de vous connecter à: https://database.cstb.fr/holderdetails?Uid=ETB-2094&AppRef=QB32
(3) Per ulteriori informazioni scrivere a – Pour tous renseignements complémentaires merci d'ecrire à: france@atlasconcorde.it

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Sensitech



Traditional anti-slip surface

The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.

Velvetech





Velvetech is the new technology with an Italian patent inspired by the effect of sanding on the surface. Velvetech has silk-like reflections and a velvety soft hand. The naturalness of the surface is emphasised by areas of different opacity that contribute to the depth of the surface.

Velvetech è la nuova tecnologia con brevetto depositato in Italia ispirata all'effetto della levigatura sulla superfice. Velvetech si presenta con riflessi che ricordano la seta e una mano vellutata e morbida. La naturalezza della superficie è evidenziata da zone di diversa opacità che contribuiscono a dare profondità alla superficie.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Porcelain Tiles Technical Specification

Complies with	EN 14411 (ISO 13006)	Appendix	G	Group	Bla
Conforme alla norma	EN 14411 (ISO 13006)	Appendice	G	Gruppo	Bla
Conforme à la norme	EN 14411 (ISO 13006)	Appendice	G	Groupe	Bla
Entsprechend	EN 14411 (ISO 13006)	Anhang	G	Gruppe	Bla
Conforme a la norma	EN 14411 (ISO 13006)	Apéndice	G	Grupo	Bla
Соответствует норме	EN 14411 (ISO 13006)	Приложение	G	Группа	Bla

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

(1) **Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).**
Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

(2). **Anti-slip performance is guaranteed at the time of delivery of the product.**
Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.

(3). **However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects .The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations."**

(4). **For further details, please refer to outdoor design general catalogue.** Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.

(5). **Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.**

Technical feature symbols

Regularity characteristics Caratteristiche di regolarità Caractéristiques de régularité Regelmäßigkeit Características de regularidad Свойства правильности	ISO 10545-2		**Length and width** / Lunghezza e larghezza / Longuer et largeur / Länge und Breite / Longitud y anchura / Размеры сторон	(*)
			Thickness / Spessore / Epaisseur / Stärke / Grosor / Толщина	(**)
			Straightness of sides / Rettilineità degli spigoli Rectitude des aretes / Kantengeradheit / Rectilineidad de las aristas / Кривизна сторон	(***)
			Rectangularity / Ortogonalità / Orthogonalite / Rechtwinkligkeit / Ortogonalidad / Косоугольность **(Measurement only on short edges when L/l ≥ 3)** (Misurazione da condurre solo su lati corti quando L/l ≥ 3) (Ne mesurez que les côtés courts lorsque L/l ≥ 3) (Messung nur an den kurzen Seiten, wenn L/l ≥ 3) (Medir solo en los lados cortos cuando L/l ≥ 3) (Измерение проводится только на короткой грани, когда L/l ≥ 3)	(****)
			Surface flatness / Planarità Planimetrie / Ebenflächigkeit / Planaridad / Кривизна лицевой поверхности	c.c. e.c. ws.
Structural characteristics Caratteristiche strutturali Caractéristiques structurales Strukturelle Eigenschaften Características estructurales Конструктивные свойства	ISO 10545-3		**Water absorption (in % by mass)** / Massa d'acqua assorbita (come % della massa) Masse d'eau absorbée (en % de la masse) / Aufgenommene Wassermasse (in % der Masse) / Peso de agua absorbida (como % de la masa) / Водопоглощение (% от массы)	
	ASTM C373-18			
Bulk mechanical characteristics Caratt. meccaniche massive Caractéristiques mécaniques massiques Mechanische Eigenschaften des Scherben Características mecánicas Механические свойства массы	ISO 10545-4		**Breaking strength** / Sforzo di rottura Force de rupture / Bruchlast / Esfuerzo de ruptura / Усилие на излом	
			Modulus of rupture / Resistenza alla flessione Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Устойчивость к изгибу	
	EN 1339 Annex F		**Bending strength and breaking load** / Resistenza a flessione e al carico di rottura Résistance à la flexion et à la charge de rupture / Biege- und Bruchfestigkeit Extraordinaria resistencia a la flexión y a la carga de rotura / Предел прочности при изгибе и разрушающая нагрузка	(4)(5)
	ISO 10545-5		**Impact resistance, as coefficient of restitution** / Resistenza all'impatto, espresso come coefficiente di restituzione Résistance au choc, par mesurage du coefficient de restitution / Schlagzähigkeit, ausgedrückt als Restitutionskoeffizient Resistencia al impacto, expresada como coeficiente de restitución / Ударопрочность, выраженная коэффициентом восстановления	
Surface mechanical characteristics Caratt. meccaniche superficiali Caractéristiques mécaniques superficielles Mechanische Eigenschaften der Oberfläche Características mecánicas superficiales Поверхностные механические свойства	ISO 10545-6		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato) Résistance à l'abrasion profonde des carreaux non émaillés (volume du matériau retiré) Widerstand gegen Tiefenverschleiß von unglasierten Fliesen (Materialabtrag bzw. Volumenverlust) Resistencia a la abrasión profunda de las baldosas no esmaltadas (volumen material extraído) Стойкость к глубокому истиранию неглазурованных плиток (объем удаленного материала)	
Thermal and hygrometric characteristics Caratt. termo-igrometriche C. thermiques et hygrométriques Thermo-hygrometrische Eigenschaften Características termohigrométricas Тепловые и гигрометрические свойства	ISO 10545-8		**Coefficient of thermal linear expansion** / Coefficiente di dilatazione termica lineare Coefficient de dilatation thermique linéique / Lineare thermische Dehnung Coeficiente de dilatación térmica lineal / Коэффициент линейного расширения	
	ISO 10545-9		**Thermal shock resistance** / Resistenza agli sbalzi termici Résistance aux écarts de température / Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura / Устойчивость к перепаду температур	
	ISO 10545-10		**Moisture expansion (in mm/m)** / Dilatazione all'umidità (in mm/m) Dilatation à l'humidité (en mm/m) / Feuchtigkeitsausdehnung (in mm/m) Dilatación por la humedad (en mm/m) / Расширение под воздействием влаги (в мм/м)	
	ISO 10545-12		**Frost resistance** / Resistenza al gelo Résistance aux gel / Frostbeständigkeit / Resistencia a las heladas / Морозоустойчивость	
Physical properties Proprietà fisiche Proprietes physiques Physikalische Eigenschaften Propiedades físicas Физические характеристики	EN 12004-2		**Bond strength/adhesion for improved cementitious adhesives** / Adesione a trazione con adesivi cementizi migliorati Adhérence par traction avec des ciments-colle améliorés / Scherfestigkeit mit verbesserten zementhaltigen Klebern Adherencia a tracción con adhesivos cementosos mejorados Прочность на растяжение при приклеивании улучшенными цементными клеями	
	-		**Reaction to fire** / Reazione al fuoco Réaction au feu / Brandverhalten / Reacción al fuego / Огнестойкость	
Chemical characteristics Caratteristiche chimiche Caractéristiques chimiques Chemische Eigenschaften Características químicas Химические свойства	ISO 10545-13		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscine Beständigkeit gegen Haushaltschemikalien und Badewasserzusätze Resistencia a los productos químicos de uso doméstico / Стойкость к химикатам, используемым в быту и для бассейнов	
			Resistance to low concentrations of acids and alkalis / Resistenza a basse concentrazioni di ACIDI e ALCALI Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen Resistencia a los ácidos y bases de baja concentración / Сопротивление кислотам и щелочам низкой концентрации	
			Resistance to high concentrations of acids and alkalis / Resistenza ad alte concentrazioni di ACIDI e ALCALI Résistance aux acides et aux alcalis à haute concentration / Beständigkeit gegen hochkonzentrierte Säuren und Laugen Resistencia a los ácidos y bases de alta concentración / Сопротивление кислотам и щелочам низкой концентрации	
	ISO 10545-14		**Resistance to staining, for unglazed tiles** / Resistenza alle macchie per piastrelle non smaltate Résistance aux taches pour carreaux non émaillés / Widerstand gegen Fleckenbildung für unglasierte Fliesen / Resistencia a las manchas para azulejos no esmaltados / Устойчивость к загрязнению, для неглазурованных плиток	
Safety characteristics Caratteristiche di sicurezza Caractéristiques de sécurité Sicherheitsmerkmale Características de seguridad Характеристики безопасности	DIN EN 16165 ANNEX B (EX DIN 51130)		**Shod Ramp Test** / Metodo della rampa "calzato"/ Test de la rampe « chaussé » / Rampenmethode mit Schuhen Método de la rampa "calzado" / Метод наклонной плоскости (в обуви)	
	DIN EN 16165 ANNEX A (EX DIN 51097)		**Barefoot Ramp Test** Metodo della rampa a piedi nudi / Test de la rampe à pieds nus / Rampenmethode barfuß Método de la rampa a pies descalzos / Метод наклонной плоскости (босыми ногами)	(1)(2)
	BS EN 16165 ANNEX C (EX BS 7976)		**Pendulum Friction Test** / Metodo del Pendolo Méthode du Pendule / Pendelmethode / Método del péndulo / Метод маятника	(1)(2)
	AS 4586			
	UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)		**Coefficient of friction (COF)** / Coefficiente di attrito Coefficient de frottement / Reibungskoeffizient / Coeficiente de roce / Коэффициент трения	(1)(2)
	B.C.R.A. Rep. CEC/81			
	ANSI A 326,3		**Dynamic coefficient of friction (DCOF)** Coefficiente di attrito dinamico Coefficient de frottement dynamique / Dynamischer Reibungskoeffizient / Coeficiente de roce dinámico Динамический коэффициент трения	(1)(2)(3)

Technical features - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			AXI	BOOST				
				7 cm ≤ N < 15 cm	N ≥ 15 cm							
				(mm)	(%)	(mm)	Matte ✣ 9 mm	Matte Sensitech ✣ 9 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 6 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilinietà degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect. e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect. w. ± 0,8 Non-rect. w. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect. e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect. w. ± 0,5 Non-rect. w. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect. e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect. w. ± 2,0 Non-rect. w. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)			S ≥ 2000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-	-	≥ T11 120x120 60x60 / ≥ U11 90x90 / ≥U4 60x120
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$			A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R10	R10	R9	R10	R11	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			B	B	A	B	C	C
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			Class P3	Class P3	(●●)	Class P3	Class P4	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			Class C2	Class C2	(●●●)	Class C2	Class C3	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

BOOST BALANCE							BOOST COLOR	BOOST MINERAL					BOOST MIX			
Matte ✣ 6 mm	Matte Sensitech ✣ 6 mm	Matte Sensitech ✣ 9 mm	Velvet ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 6 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte Sensitech ✣ 9 mm	Matte ✣ 6 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
-	-	-	-	-	≥ T11 120x120 80x80 / ≥ U4 60x120	-	-	-	-	-	≥ T11 120x120 60x60 / ≥ U4 60x120 60x90	-	-	-	≥ T11 120x120 60x60 / ≥ U4 60x120
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)
A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$	A1 – $A1_{fl}$
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
R9	R10	R10	N.C.	R11	R11	R9	R10	R9	R10	R11	R11	R10	R9	R11	R11
A	B	B	0	C	C	A	B	A	B	C	C	B	A	C	C
(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
(●●)	Class P3	Class P3	-	Class P4	Class P4	(●●)	Class P3	(●●)	Class P3	Class P4	Class P4	Class P3	(●●)	Class P4	Class P4
(●●●)	Class C2	Class C2	-	Class C3	Class C3	(●●●)	Class C2	(●●●)	Class C2	Class C3	Class C3	Class C2	(●●●)	Class C3	Class C3
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			BOOST NATURAL			
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte Sensitech ✣ 9 mm (1)	Matte ✣ 6 mm (1)	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm
				(mm)	(%)	(mm)				
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilinietà degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
				e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.				
				w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.				
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**$E_v \leq 0,5\%$ Individual max 0,6%** $E_v \leq 0,5\%$ Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)			S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	≥ T11 120x120 60x60
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm^3			≤ 150 mm^3 (2)	≤ 150 mm^3 (2)	≤ 150 mm^3	≤ 150 mm^3
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{FL}$** Classe A1 oppure $A1_{FL}$			A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R10	R9	R11	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			B	A	C	C
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			Class P3	(●●)	Class P4	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			Class C2	(●●●)	Class C3	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

BOOST PRO					BOOST STONE					BRAVE			ENTICE			
Matte Sensitech ✣ 9 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 6 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte Sensitech ✣ 9 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 6 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte (Natural) Sensitech ✣ 9 mm	Matte (Elegant) ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti			**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1%	≤ 0,1%	≤ 0,1%	≤ 0,1%
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5%	≤ 0,5%	≤ 0,5%	≤ 0,5%
S ≥ 1500 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/ mm²	R ≥ 40 N/ mm²	R ≥ 40 N/ mm²	R ≥ 45 N/mm²
-	-	-	-	≥ T11 120x120 60x60 ≥ U11 90x90 ≥ U4 60x120	-	-	-	-	≥ T11 120x120 60x60 ≥ U4 60x120	-	-	≥ T11 60x60 ≥ U4 120x120 60x120	-	-	-	≥ U3 30x120
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3	≤ 150 mm^3
≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)	≥ 1,0 N/mm^2 (Class C2 - EN 12004)
A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
R10	R9	R10	R11	R11	R10	R9	R10	R11	R11	R10	R12	R11	R10	R9	R11	R11
B	A	B	C	C	B	A	B	C	C	B	C	C	B	A	C	C
≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
Class P3	(●●)	Class P3	Class P4	Class P4	Class P3	(●●)	Class P3	Class P4	Class P4	Class P3	Class P4	Class P4	Class P3	(●●)	Class P4	Class P4
Class C2	(●●●)	Class C2	Class C3	Class C3	Class C2	(●●●)	Class C2	Class C3	Class C3	Class C2	Class C3	Class C3	Class C2	(●●●)	Class C3	Class C3
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	on demand su richiesta	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

[1] Boost Natural Cobalt "Glazed Porcelain Tiles"
[2] PEI 3 (ISO 10545-7) Boost Natural Cobalt

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			ETIC	ETIC PRO	
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ✣ 9 mm	Matte ✣ 9 mm	Outdoor Sensitech ✣ 20 mm
				(mm)	(%)	(mm)			
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti
				e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.			
				w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.			
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)			S ≥ 2000 N	S ≥ 1500 N	S ≥ 10000 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	≥ U3 30x120
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R9	R9	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			A	A	C
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			(●)	(●)	≥ 36 Dry ≥ 36 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			(●●)	(●●)	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			(●●●)	(●●●)	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55

EXENCE			HEARTWOOD	KLIF		KONE		LIMS				MARVEL			
Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte Sensitech ✣ 9 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Matte Sensitech ✣ 9 mm	Matte ✣ 6mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20mm	Matte Sensitech ✣ 9 mm	Matte ✣ 6 mm	Polished ✣ 9 mm	Polished ✣ 6 mm
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti		**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²
-	-	≥ U3 30x120	-	-	-	-	-	-	-	-	≥ T11 60x60 ≥ U4 60x120	-	-	-	-
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	-	-
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
R10	R11	R11	R10	R10	R11	R10	R11	R10	R9	R11	R11	R10	R9	N.C.	N.C.
B	C	C	B	B	C	B	B	B	A	C	C	B	A	0	0
≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 24 Wet	≥ 36 Dry ≥ 24 Wet
Class P3	Class P4	Class P4	Class P3	Class P3	Class P4	Class P3	Class P4	Class P3	(●●)	Class P4	Class P4	Class P3	(●●)	-	-
Class C2	Class C3	Class C3	Class C2	Class C2	Class C3	Class C2	Class C3	Class C2	(●●●)	Class C3	Class C3	Class C2	(●●●)	-	-
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42

Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			MARVEL DREAM			
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte Sensitech ✣ 9 mm	Matte ✣ 6 mm	Polished ✣ 9 mm	Polished ✣ 6 mm (1)
				(mm)	(%)	(mm)				
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect. e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect. w. ± 0,8 Non-rect. w. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect. e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect. w. ± 0,5 Non-rect. w. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,6 Rect. e.c. ± 2,0 Non-rect. e.c. ± 1,6 Rect. w. ± 2,0 Non-rect. w. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** – per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** – per spessore ≥ 7,5 mm)			S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³ (2)
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	-	-
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R10	R9	N.C.	N.C.
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			B	A	0	0
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			Class P3	(●●)	-	-
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			Class C2	(●●●)	-	-
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42

MARVEL GALA		MARVEL GEMS	MARVEL MERAVIGLIA				MARVEL ONYX		MARVEL PRO				
Polished ✣ 9 mm	Polished ✣ 6 mm	Matte Sensitech ✣ 9 mm	Polished ✣ 6 mm	Polished Velvet ✣ 9 mm	Matte Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20mm	Polished ✣ 9 mm	Polished ✣ 6 mm	Matte Sensitech ✣ 9 mm	Matte ✣ 6 mm	Polished ✣ 9 mm	Polished ✣ 6 mm	Textured ✣ 9 mm
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²
-	-	-	-	-	-	≥ U4 60x120	-	-	-	-	-	-	-
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
A	A	A	A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
-	-	HA	-	-	HA	HA	-	-	HA	HA	-	-	HA
5	5	5	5	5	5	5	5	5	5	5	5	5	5
N.C.	N.C.	R10	N.C.	N.C.	R10	R11	N.C.	N.C.	R10	R9	N.C.	N.C.	R11
0	0	B	0	0	B	C	0	0	B	A	0	0	B
≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet
-	-	Class P3	-	-	Class P3	Class P4	-	-	Class P4	(●●)	-	-	Class P4
-	-	(●●●)	-	-	Class C2	Class C3	-	-	Class C3	(●●●)	-	-	Class C3
> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50

Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

(1) Marvel Dream Ultramarine "Glazed Porcelain Tiles"
(2) PEI 3 (ISO 10545-7) Marvel Dream Ultramarine

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			MARVEL SHINE				
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte Sensitech ✣ 9 mm	Silk ✣ 6 mm	Polished ✣ 9 mm	Polished ✣ 6 mm	Silk ✣ 9 mm
				(mm)	(%)	(mm)					
Regularity characteristics		Length and width Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
				e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.					
				w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.					
Structural characteristics		Water absorption (in % by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E, ≤ 0,5% Individual max 0,6% E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²
		Bending strenght and breaking load Resistenza a flessione al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-	-
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
Physical properties		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	Class A1 or $A1_{fl}$ Classe A1 oppure $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
Chemical characteristics		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	-	-	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5	5
Safety characteristics (1)(2)		Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R10	N.C.	N.C.	N.C.	N.C.
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			B	0	0	0	0
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet
			AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			Class P3	-	-	-	-
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	Declared value Valore dichiarato			Class C2	-	-	-	-
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 Μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta Μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42

MARVEL STONE				MARVEL TRAVERTINE					MARVEL X						
Matte Sensitech ✣ 9 mm	Matte ✣ 6 mm	Polished ✣ 9 mm	Polished ✣ 6 mm	Matte, Matte Sensitech ✣ 9 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 6 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte Sensitech ✣ 9 mm	Silk ✣ 6 mm	Silk ✣ 9 mm	Polished ✣ 9 mm	Polished ✣ 6 mm	Outdoor Sensitech ✣ 20 mm	
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	
S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1000 N	S ≥10000 N	
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	
-	-	-	-	-	-	-	-	≥ U4 60x120	-	-	-	-	-	≥ U4 60x120	≥ T11 120x120 60x60
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	
Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	
Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	
HA	HA	-	-	HA	HA	HA	HA	HA	HA	HA	HA	-	-	HA	
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
R10	R9	N.C.	N.C.	R10	R9	R10	R11	R11	R10	N.C.	N.C.	N.C.	N.C.	R11	
B	A	0	0	B	A	B	C	C	B	0	0	0	0	C	
≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	
Class P3	(●●)	-	-	Class P3	(●●)	Class P3	Class P4	Class P4	Class P3	-	-	-	-	Class P4	
Class C2	(●●●)	-	-	Class C2	(●●●)	Class C2	Class C3	Class C3	Class C2	-	-	-	-	Class C3	
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	
wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,55	

Technical feature - Caratteristiche tecniche - Caractèristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			NORDE			
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Roccia ✣ 9 mm	Outdoor Sensitech ✣ 20 mm
				(mm)	(%)	(mm)				
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
				c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,6 Rect.				
		Surface flatness Planarità		e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,6 Rect.	**Not applicable to 'strong' structures** Non applicabile a strutturati forti **Not applicable to 'strong' structures** Non applicabile a strutturati forti			
				w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,6 Rect.				
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** – per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** – per spessore ≥ 7,5 mm)			S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	≥ T11 60x60 / ≥ U4 60x120 60x90 / ≥ U11 80x80
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R10	R11	R12	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			B	C	C	C
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			Class P3	Class P4	Class P4	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			Class C2	Class C3	Class C3	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

PRISM					TRUST			VENTI BOOST
Matte Sensitech ✣ 9 mm	Matte ✣ 6 mm	Silk ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte (Cold e Warm)
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti			**Suitable for** Conforme
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,5 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²
-	-	-	-	≥ T11 / ≥ U11 80x80	-	-	≥ T11 60x60 / ≥ U4 60x120	-
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/ mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	HA	HA	HA	HA	HA
5	5	5	5	5	5	5	5	5
R10	R9	N.C.	R11	R11	R10	R12	R11	R10
B	A	0	C	C	B	C	C	A
≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
Class P3	(●●)	-	Class P4	Class P4	Class P3	Class P4	Class P4	Class P3
Class C2	(●●●)	-	Class C3	Class C3	Class C2	Class C3	Class C3	Class C2
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,42

GLAZED PORCELAIN TILES GRES PORCELLANATO SMALTATO				VENTI BOOST
				Matte (Classic e Blue)
Regularity characteristics		ISO 10545-2		**Suitable for** Conforme
				Suitable for Conforme
				Suitable for Conforme
				Suitable for Conforme
				Suitable for Conforme
Structural characteristics		ISO 10545-3		≤ 0,5 %
		ASTM C 373		≤ 0,5 %
Bulk mechanical characteristics		ISO 10545-4		S ≥ 1500 N
				R ≥ 40 N/mm²
		ISO 10545-5		≥ 0,55
Surface mechanical characteristics		PEI	ISO 10545-7	PEI 3
Thermal and hygrometric characteristics		ISO 10545-8		≤ 7 MK⁻¹
		ISO 10545-9		**Resistant** Resiste
		ISO 10545-10		≤ 0,01% (0,1mm/m)
		ISO 10545-11		**Resistant** Resiste
		ISO 10545-12		**Resistant** Resiste
Physical properties		EN 1348		≥ 1,0 N/mm² (Class C2 - EN 12004)
		-		A1 - $A1_{fl}$
Chemical characteristics		ISO 10545-13		A
				LA
				HA
		ISO 10545-14		5
Safety characteristics (1)(2)		DIN EN 16165 ANNEX B (EX DIN 51130)		R9
		DIN EN 16165 ANNEX A (EX DIN 51097)		A
		BS EN 16165 ANNEX C (EX BS 7976)		(●)
		AS 4586		(●●)
		UNE 41907 (EX 2017)		(●●●)
		B.C.R.A. Rep. CEC/81		> 0,40 Asciutto > 0,40 Bagnato
		ANSI A 326,3		wet DCOF ≥ 0,42

Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Wall Tiles
Technical Specification

Complies with	EN 14411 (ISO 13006)	Appendix	L	Group	BIII
Conforme alla norma	EN 14411 (ISO 13006)	Appendice	L	Gruppo	BIII
Conforme à la norme	EN 14411 (ISO 13006)	Appendice	L	Groupe	BIII
Entsprechend	EN 14411 (ISO 13006)	Anhang	L	Gruppe	BIII
Conforme a la norma	EN 14411 (ISO 13006)	Apéndice	L	Grupo	BIII
Соответствует норме	EN 14411 (ISO 13006)	Приложение	L	Группа	BIII

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

Technical feature symbols

Dimensions Dimensioni Dimensions Maße Tamaño Размер	ISO 10545-2		**Length and width** / Lunghezza e larghezza Longuer et largeur / Länge und Breite / Longitud y anchura / Размеры сторон (*) **Thickness** / Spessore Epaisseur / Stärke / Grosor / Толщина (**) **Straightness of sides** / Rettilineità degli spigoli Rectitude des aretes / Kantengeradheit / Rectilineidad de las aristas / Кривизна сторон (***) **Rectangularity** / Ortogonalità Orthogonalite / Rechtwinkligkeit / Ortogonalidad / Косоугольность (****)
			SURFACE FLATNESS / PLANARITÀ Planimetrie / Ebenflächigkeit / Planaridad / Кривизна лицевой поверхности c.c. e.c. ws.
Physical properties Proprietà fisiche Proprietes physiques Physikalische Eigenschaften Propiedades físicas Физические характеристики	ISO 10545-3		**Water absorption** / Massa d'acqua assorbita Masse d'eau absorbée / Aufgenommene Wassermasse / Peso de agua absorbida / Водопоглощение
	ISO 10545-4		**BREAKING STRENGTH** / Sforzo di rottura Force de rupture / Bruchlast / Esfuerzo de ruptura / Усилие на излом **Modulus of rupture** / Resistenza alla flessione Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Устойчивость к изгибу
	ISO 10545-8		**Coefficient of thermal linear expansion** / Coefficiente di dilatazione termica lineare Coefficient de dilatation thermique linéique / Lineare thermische Dehnung Coeficiente de dilatación térmica lineal / Коэффициент линейного расширения
	ISO 10545-9		**Thermal shock resistance** / Resistenza agli sbalzi termici Résistance aux écarts de température / Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura / Устойчивость к перепаду температур
	ISO 10545-10		**Moisture expansion (in mm/m)** / Dilatazione all'umidità (in mm/m) Dilatation à l'humidité (en mm/m) / Feuchtigkeitsausdehnung (in mm/m) Dilatación por la humedad (en mm/m) / Расширение под воздействием влаги (в мм/м)
	ISO 10545-11		**Crazing resistance** / Resistenza al cavillo Résistance aux craquelurès / Haarriss-Beständigkeit / Resistencia a grietas / Устойчивость эмали к кракелюру (старению)
	EN 1348		**Bond strength/adhesion for improved cementitious adhesives** / Adesione a trazione con adesivi cementizi migliorati Adhérence par traction avec des ciments-colle améliorés / Scherfestigkeit mit verbesserten zementhaltigen Klebern Adherencia a tracción con adhesivos cementosos mejorados Прочность на растяжение при приклеивании улучшенными цементными клеями
	-		**Reaction to fire** / Reazione al fuoco Réaction au feu / Brandverhalten / Reacción al fuego / Огнестойкость
Chemical properties Proprietà chimiche Proprietes chimiques Chemische eigenschaften Propiedades químicas Химические характеристики	ISO 10545-13		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscine Beständigkeit gegen Haushaltschemikalien und Badewasserzusätze Resistencia a los productos químicos de uso doméstico Стойкость к химикатам, используемым в быту и для бассейнов **Resistance to low concentrations of acids and alkalis** / Resistenza a basse concentrazioni di acidi e alcali Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen Resistencia a los ácidos y bases de baja concentración / Сопротивление кислотам и щелочам низкой концентрации **Resistance to high concentrations of acids and alkalis** / Resistenza ad alte concentrazioni di acidi e alcali Résistance aux acides et aux alcalis à haute concentration / Beständigkeit gegen hochkonzentrierte Säuren und Laugen Resistencia a los ácidos y bases de alta concentración / Сопротивление кислотам и щелочам низкой концентрации
	ISO 10545-14		**Resistance to STAINING** / Resistenza alle macchie Résistance aux taches / Widerstand gegen Fleckenbildung / Resistencia a las manchas / Устойчивость эмали к загрязнению
	ISO 10545-15		**Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²)** Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²) Emission de substances dangereuses: Cadmium (mg/dm²) et Plomb (mg/dm²) Emission von gefährlichen Stoffen: Cadmium (mg/dm²) und Blei (mg/dm²) Emisión de sustancias peligrosas: Cadmio (mg/dm²) y Plomo (mg/dm²) Выделение вредных веществ: кадмия (в мг/дм²) и свинца (в мг/дм²)

Technical features - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Wall tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			3D WALL CARVE	3D WALL DESIGN – SOLID	3D WALL PLASTER	APLOMB
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte	Matte Shiny	Matte	Matte
				(mm)	(%)	(mm)				
Dimensions Dimensioni Dimensions Maße Tamaño Размер		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 10 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilineità degli spigoli		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity Ortogonalità		± 0,4 (****) Rect.	± 0,3 (****) Rect.	± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
				e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.				
				w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	
Physical properties Proprietà fisiche Proprietes physiques Physikalische Eigenschaften Propiedades físicas Физические характеристики		**Water absorption (in% by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**Average >10%. When the average > 20%, this shall be indicated. Individual value > 9%** Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20%
		Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N
		Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm²			R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm2
		Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)
		Crazing resistance Resistenza al cavillo	ISO 10545-11	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 1348	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1** Classe A1			A1	A1	A1	A1
Chemical properties Proprietà chimiche Proprietes chimiques Chemische eigenschaften Propiedades químicas Химические характеристики		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA
		Resistance to staining Resistenza alle macchie	ISO 10545-14	**Minimum Class 3** Classe 3 minima			5	5	5	5
		Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²)	ISO 10545-15	**Declared value** Valore dichiarato			≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb

ARTY	BOOST	BOOST COLOR	BOOST NATURAL	BOOST PRO	BRAVE	LIMS	MARVEL	MARVEL PRO	MARVEL SHINE	MARVEL STONE	PRISM
Matte	Matte	Matte	Matte	Matte	Matte	Matte	Shiny	Shiny	Silk-Shiny	Matte-Shiny	Matte
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable or** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
3D WALL Not applicable Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable		**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable
10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %
S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N
R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²
≤ 7MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm2 (Class C2 - EN 12004)	≥ 1,0 N/mm2 (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1
A	A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA
5	5	5	5	5	5	5	5	5	5	5	5
≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm2 Cd ≤ 0,1 mg/dm2 Pb	≤ 0,01 mg/dm2 Cd ≤ 0,1 mg/dm2 Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).


e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).


Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


atlasPLAN
Technical Specification



162x324 cm - 63³/₄"x127¹/₂"
SINGLE SLAB NOT RECTIFIED



159x324 cm - 62³/₄"x127¹/₂"
SINGLE SLAB NOT RECTIFIED



160x320 cm - 63"x126"
RECTIFIED MONOCALIBER

Complies with	EN 14411 (ISO 13006)	Appendix	G	Group	Bla
Conforme alla norma	EN 14411 (ISO 13006)	Appendice	G	Gruppo	Bla
Conforme à la norme	EN 14411 (ISO 13006)	Appendice	G	Groupe	Bla
Entsprechend	EN 14411 (ISO 13006)	Anhang	G	Gruppe	Bla
Conforme a la norma	EN 14411 (ISO 13006)	Apéndice	G	Grupo	Bla
Соответствует норме	EN 14411 (ISO 13006)	Приложение	G	Группа	Bla

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

(1) **Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).**
Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

(2). **Anti-slip performance is guaranteed at the time of delivery of the product.**
Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.

(3). **However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects .The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations."**

(4). **For further details, please refer to outdoor design general catalogue.** Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.

(5). **Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.**

Technical features

				Requirements for nominal size N Requisiti per dimensione nominale N		162x324 cm - 63³/₄"x127¹/₂" 159x324 cm - 62¹/₂"x127¹/₂" Not Rectified			160x320 cm - 63"x127" Rectified		
				N ≥ 15 cm							
				(%)	(mm)	Silk	Matte Hammered Leathered	Polished Satin	Silk	Matte Hammered	Polished
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,3 (*)	± 1 (*)	N.A.			**Suitable for** Conforme		
		Thickness Spessore		± 5 (**)	± 0,5 (**)	**Suitable for** Conforme			**Suitable for** Conforme		
		Straightness of sides Rettilineità degli spigoli		± 0,3 (***)	± 0,8 (***)	N.A.			**Suitable for** Conforme		
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,3 (****)	± 1,5 (****)	N.A.			**Suitable for** Conforme		
		Surface flatness Planarità		c.c. ± 0,4 e.c. ± 0,4 w. ± 0,4	c.c. ± 1,8 e.c. ± 1,8 w. ± 1,8	**Suitable for** Conforme			**Suitable for** Conforme		
Structural characteristics		**Water absorption** Massa d'acqua assorbita	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%		≤ 0,1 %			≤ 0,1 %		
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**		≤ 0,5 %			≤ 0,5 %		
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	S ≥ 700 N **for thickness < 7,5mm** per spessore < 7,5mm	S ≥ 1300 N **for thickness ≥ 7,5mm** per spessore ≥ 7,5mm	12 mm -> S ≥ 3500N 20 mm -> S ≥ 10000N			S ≥ 1000N		
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²		R ≥ 40 N/mm²			R ≥ 40 N/mm²		
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato		≥ 0,55			≥ 0,55		
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³		**Suitable for** Conforme			**Suitable for** Conforme		
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato		≤ 7 MK⁻¹			≤ 7 MK⁻¹		
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1		**Resistant** Resiste			**Resistant** Resiste		
		Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato		≤ 0,01% (0,1mm/m)			≤ 0,01% (0,1mm/m)		
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1		**Resistant** Resiste			**Resistant** Resiste		
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 1348	**Declared value** Valore dichiarato		≥ 1,0 N/mm² (Class C2 - EN 12004)			≥ 1,0 N/mm² (Class C2 - EN 12004)		
		Reaction to fire Reazione al fuoco	-	A1 or A1fl		A1 without fiberglass - A2 with fiberglass			A1 - A1fl		
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B (B for unglazed tiles)** Classe minima B (B per piastrelle non smaltate)		A			A		
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata		LA			LA		
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata		HA	HA	-	HA	HA	-
		Resistance to staining Resistenza alle macchie	ISO 10545-14	**Declared Class** Classe dichiarata		5			5		
		Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²)	ISO 10545-15	**Declared value** Valore dichiarato		≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb			≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb		
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared Class** Classe dichiarata		-	-	-	-	R9	N.C.
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared Class** Classe dichiarata		-	-	-	-	A	-
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata		-	-	-	-	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-		-	-	-	-	wet DCOF > 0,42	dry DCOF > 0,42
		Resistance to scratching Resistenza alla graffiatura	UNI EN 15186:2012 met.B	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Tendency to retain dirt Tendenza a ritenere lo sporco	UNI 9300:2015	-		**No visible change (5)** Nessun cambiamento visibile (5)			**No visible change (5)** Nessun cambiamento visibile (5)		
		Surface resistance to cold liquids Resistenza delle superfici ai liquidi freddi	UNI EN 12720:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Surface resistance to wet heat Resistenza delle superfici al calore umido	UNI EN 12721:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Surface resistance to dry heat Resistenza delle superfici al calore secco	UNI EN 12722:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Assessment of resistance to impact Resistenza all'urto	ISO 4211-4:1988	-		**Maximum drop height according to thickness.** Altezza massima di caduta variabile in funzione dello spessore.			**Maximum drop height according to thickness.** Altezza massima di caduta variabile in funzione dello spessore.		

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Destinations of use

Recommended products by intended use

H HEAVY TRAFFIC
Matte Sensitech 9mm
Matte 9mm
Grip / Grip Sensitech 9mm
Textured / Roccia 9mm
Outdoor Sensitech 20mm
Outdoor 20 mm

M MEDIUM TRAFFIC*
Matte Sensitech 9mm
Matte 6/9mm
Silk 6/9mm
Velvet 9mm
Polished 6/9mm*
Grip / Grip Sensitech 9mm
Textured / Roccia 9mm
Outdoor Sensitech 20mm
Outdoor 20 mm

L LIGHT TRAFFIC
Matte Sensitech 6/9mm
Matte 6/9mm
Silk 6/9mm
Velvet 9mm
Polished 6/9mm*
Grip / Grip Sensitech 9mm
Textured / Roccia 9mm
Outdoor Sensitech 20mm
Outdoor 20 mm

HEAVY COMMERCIAL
Malls, airports, places of worship, schools, museums, squares, hospitals, hotels - foyers, undergrounds, train stations, etc.

COMMERCIALI PESANTI
Mall, aeroporti, luoghi di culto, scuole, musei, piazze, ospedali, hotel - hall di ingresso, metropolitane, stazioni ferroviarie, ecc...

MEDIUM COMMERCIAL*
Restaurants, offices, shops, public restrooms, public offices, hotels except for foyers, business lounges, mandatory passageways and areas subject to the transit of trolleys with hard wheels or highly concentrated loads.

COMMERCIALI MEDI*
Ristoranti, uffici, negozi, bagni pubblici, uffici pubblici, hotel - ad esclusione delle hall di ingresso, business lounge, di passaggi obbligati e zone soggetto a transito di carrelli con ruote dure ovvero elevati carichi concentrati.

RESIDENTIAL
Bedrooms, living rooms, studies, private kitchens, private bathrooms, etc.

RESIDENZIALI
Camere da letto, soggiorni, studi, cucine private, bagni privati...

INTENDED USES FOR OUTDOORS

INDUSTRIAL AND/OR COMMERCIAL AREAS FOR VEHICLES
Squares, public car parks, filling stations, paving for forklift trucks, pallet jacks, trailer trucks, buses, industrial platforms, etc.

INSTALLATION METHOD
1. LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tile with a thickness greater than or equal to 20mm with anti-slip finish [1].

AREE INDUSTRIALI E/O COMMERCIALI CARRABILI
Piazze, parcheggi pubblici, stazioni di rifornimento, pavimentazioni con transito di carrelli elevatori, transpallet, autoarticolati, autobus, piattaforme industriali, ecc...

TIPO DI POSA
1. POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato a spessore superiore o uguale a 20mm con finitura anti-scivolo [1].

RESIDENTIAL AREAS FOR VEHICLES
Outdoor courtyards, private homes, apartment complex parking lots (garages), etc. Pavements used only by cars.

INSTALLATION METHOD
LAYING WITH ADHESIVE using the "double buttering" method.
Choose porcelain tiles with anti-slip finish [1].

AREE RESIDENZIALI CARRABILI
Cortili esterni abitazioni private, parcheggi condominiali (garage interni), ecc...
Pavimentazioni a transito esclusivo di autovetture.

TIPO DI POSA
POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo [1].

AREAS FOR PEDESTRIANS ONLY
Patios, gardens and walkways, terraces, balconies, urban pedestrian areas, etc.

INSTALLATION METHOD
1. RAISED INSTALLATION AND "DRY" LAYING (on grass, sand and gravel). Choose porcelain tile with a thickness greater than or equal to 20mm with anti-slip finish [1].
2. LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tiles with anti-slip finish [1].

AREE SOLO PEDONABILI
Patii, giardini e camminamenti, terrazze, balconi, aree urbane pedonali, ecc...

TIPO DI POSA
1. POSA SOPRAELEVATA E A "SECCO" (su erba, sabbia e ghiaia). Utilizzare gres porcelanato a spessore superiore o uguale a 20mm con finitura anti-scivolo [1].
2. POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo [1].

POOL EDGES
INSTALLATION METHOD
LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tiles with anti-slip finish [1].

BORDI PISCINA
TIPO DI POSA
POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo [1].

[1] **For the properties of slip resistance required in the aforementioned uses it is always necessary to comply with the local laws, regulations and uses, referring to the technical sheets of the selected products.** - Per le proprietà di resistenza allo scivolamento richieste nelle destinazioni d'uso sopra itate occorre sempre attenersi alle normative, leggi ed usi locali facendo riferimento alle schede tecniche dei prodotti selezionati. - Pour les propriétés de résistance à la glissade exigées par les destinations d'usage susmentionnées, il faut toujours respecter les normes, lois et réglementations locales en se référant aux fiches techniques des produits sélectionnés. - Für die von den obigen Zweckbestimmungen verlangte Rutschfestigkeit sind stets die örtlich geltenden Vorschriften, Gesetze und Gebräuche zu beachten. Siehe hierzu die technischen Datenblätter der gewählten Produkte. - Para las propiedades de resistencia al deslizamiento requeridas según los usos previstos antes indicados, es taxativo atenerse a las normativas, leyes y usos locales siempre consultando las fichas técnicas de los productos seleccionados. - Характеристики сопротивления скольжению при использовании плиток для вышеописанных назначений выбирают согласно местным законам, стандартам и правилам по листу технических характеристик выбранных изделий.

* **Polished, velvet and silk finishes are recommended for low-stress residential or commercial floors where anti-slip performance is not required. The surface's shine and superior ease of cleaning are the result of in-depth studies and extensive technical research aimed at ensuring its durability over time. If the product is in direct contact with the outside, use moisture and dirt absorption devices to prevent scratches. Under no circumstances does Atlas Concorde accept responsibility for any use of the product other than as recommended above.** - Le finiture lappata, velvet e silk sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi. Atlas Concorde non si assume in nessun caso la responsabilità per un uso del prodotto diverso da quanto consigliato sopra - Les finitions rodée, velvet et soyeuse conviennent aux sols résidentiels ou commerciaux à faibles contraintes, où la performance antidérapante n'est pas requise. La brillance et la grande facilité de nettoyage de la surface sont le résultat d'études approfondies et de recherches techniques précises visant à assurer sa persistance dans le temps. Si le produit est en contact direct avec l'extérieur, prévoyez des dispositifs d'absorption de l'humidité et de la saleté pour éviter la formation de rayures. Atlas Concorde n'accepte aucune responsabilité pour toute utilisation du produit autre que celle recommandée ci-dessus. - Die Oberflächenversionen Geläppt, Velvet und Silk eignen sich für Bodenbeläge in Wohnbereichen bzw. in gering beanspruchten Gewerberäumen, wenn keine Rutschfestigkeit erforderlich ist. Der Glanz und die einfache Reinigung der Oberfläche sind das Resultat eingehender technischer Studien, mit denen die langfristige Beständigkeit sichergestellt wurde. Kommt das Produkt direkt mit der externen Umgebung in Kontakt, so sind Feuchtigkeit und Schmutz mit geeigneten Mitteln aufzunehmen, um Kratzer zu vermeiden. Atlas Concorde haftet keinesfalls für eine nicht den vorstehenden Empfehlungen entsprechende Verwendung des Produkts. - Los acabados lapeados, velvet y silk son adecuados para pavimentos residenciales y comerciales con poco tráfico, donde no se requiere un efecto antideslizante. El brillo y la gran facilidad de limpieza de la superficie son el resultado de profundos estudios e investigaciones técnicas precisas para asegurar su persistencia en el tiempo. Si el producto está en contacto directo con el exterior, proporcionar dispositivos de absorción de humedad y suciedad para evitar arañazos. Atlas Concorde no asume responsabilidad alguna por cualquier uso del producto distinto del recomendado anteriormente. - Лапатированная поверхность, Velvet и поверхность Silk рекомендованы для полов жилых и коммерческих помещений с невысокой интенсивностью эксплуатации, в которых от покрытий не требуется характеристик сопротивления скольжению. Блеск и легкая очищаемость являются результатом глубоких исследований, направленных на создание долговечного материала. Если плитка находится в непосредственном контакте с наружной средой, необходимо предусмотреть устройства поглощения влаги и грязи во избежание образования царапин. Atlas Concorde не несет ответственности за использование изделий с нарушением вышеприведенных рекомендаций.

Color-Shading

The V-Shade classification indicates the chromatic and/or surface variation among tiles of the same collection.
La classificazione VShade indica variazione cromatica e/o superficiale tra le piastrelle di una stessa collezione.
La classification VShade indique le variation chromatique et/ou superficielle entre des dalles d'une même collection.
Die Klassifizierung V-Shade gibt das Niveau des Farbverlaufs des Produktes oder die Abweichung des Farbtons und/oder Oberfläche unter den Fliesen der gleichen Kollektion an.
La clasificación V-Shade indica el variación cromática y/o superficial que existe entre las baldosas de una misma colección.
Классификация V-Shade указывает на уровень цветовой или фактурной неоднородности плиток, т.е. на отличия по цвету или по фактуре между плитками одной коллекции.

V1 **Uniform appearance**
Aspetto uniforme
Aspect uniforme
Gleichmäßiges Erscheinungsbild
Aspecto uniforme
Однородный вид

V2 **Slight variation**
Variazione minima
Variation minimale
Leichte Abweichung
Variación mínima
Минимальная Неоднородность

V3 **Moderate variation**
Variazione moderata
Variation Modérée
Mäßige Abweichung
Variación moderada
Умеренная Неоднородность

V4 **Substantial variation**
Variazione sostanziale
Variation substantielle
Grundlegende Abweichung
Variación sustancial
Значительная Неоднородность

Collection		Colour	Colour-shading
3D WALL	Wall tiles		**V1**
3D WALL CARVE	Wall tiles		**V1**
3D WALL PLASTER	Wall tiles		**V1**
AIX	Porcelain		**V3 Porcelain tiles**
APLOMB	Wall tiles		**V1**
ARTY	Wall tiles		**V1**
AXI	Porcelain tiles	Golden Oak	**V3**
		Brown Chestnut	**V3**
BOOST	Porcelain & Wall tiles		**V3 Porcelain tiles V2 Wall tiles**
BOOST BALANCE	Porcelain tiles		**V2**
BOOST COLOR			**V1**
BOOST NATURAL	Porcelain & Wall tiles		**V2**
BOOST MINERAL	Porcelain tiles		**V3**
BOOST MIX	Porcelain tiles		**V3**
BOOST PRO	Porcelain & Wall tiles		**V3 Porcelain tiles V2 Wall tiles**
BOOST STONE	Porcelain tiles		**V2**
BRAVE	Porcelain & Wall tiles		**V2**
ENTICE	Porcelain tiles		**V2**
ETIC	Porcelain tiles	Rovere	**V3**
ETIC PRO	Porcelain tiles		**V3**
EXENCE	Porcelain tiles		**V2**
HEARTWOOD	Porcelain tiles		**V3**
KLIF	Porcelain tiles		**V3**
KONE	Porcelain tiles		**V2**
LIMS	Porcelain & Wall tiles		**V3 Porcelain tiles V2 Wall tiles**

Collection		Colour	Colour-shading
MARVEL	Porcelain & Wall tiles		**V2**
MARVEL DREAM	Porcelain tiles	Ultramarine	**V3**
		Bianco Fantastico	**V2**
		Grigio Intenso	**V2**
		Black Atlantis	**V2**
MARVEL GALA	Porcelain tiles		**V3**
MARVEL GEMS	Porcelain tiles		**V2**
MARVEL MERAVIGLIA	Porcelain tiles		**V3**
MARVEL ONYX			**V3**
MARVEL PRO	Porcelain & Wall tiles	Statuario Select	**V3**
		Grey Fleury	**V3**
		Noir St. Laurent	**V2**
		Cremo Delicato	**V2**
MARVEL SHINE	Porcelain & Wall tiles	Calacatta Delicato	**V2**
		Calacatta Prestigio	**V2**
		Statuario Supremo	**V2**
		Calacatta Imperiale	**V3**
MARVEL STONE	Porcelain & Wall tiles		**V2**
MARVEL TRAVERTINE	Porcelain tiles		**V3**
MARVEL X	Porcelain tiles	Calacatta Apuano	**V2**
		Calacatta Sublime	**V3**
		Calacatta Perla	**V2**
		Grey Cloud	**V2**
		Fior di Bosco	**V3**
NORDE	Porcelain tiles		**V3**
PRISM	Porcelain & Wall tiles		**V2**
TRUST	Porcelain tiles		**V3**
VENTI BOOST	Porcelain tiles	Classic Carpet 1, 2, 3	**V2**
		Blue Carpet 1, 2, 3	**V2**
		Carpet 1, 2, 3 Warm	**V2**
		Carpet 1, 2, 3 Cold	**V2**
		Classic Mix, Blue Mix	**V4**
		Mix Warm, Mix Cold	**V4**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Laying suggestions - cleaning and maintenance

1. LAYING

Before starting the installation process, make sure the laying surface is well cured, flat and completely clean and that the material available is sufficient in quantity and has the right tone and size.

2 CHOICE OF ADHESIVE

The use of an appropriate adhesive is essential for a successful installation. For the installation of ceramic tiles, you should follow the laying instructions provided by leading adhesives manufacturers.
You should choose the most suitable adhesive on the basis of the following factors:

- laying surface
- type and size of tile
- use of tiled surface (floor/wall; indoor/outdoor)
- weather conditions at the time of laying
- waiting time before the ceramic surface can be used

USE Laying surface	TYPE OF TILE Type	SIZE (cm)	RECOMMENDED ADHESIVES - European Standards EN 12004 Normal Set	 Rapid set
INDOOR FLOORS				
Cementitious screeds Existing cement floors (cement concrete, bush-hammered) Anhydrite screeds (following application of a suitable primer) Heating floors Existing ceramic, terrazzo and natural stone floors Waterproofing in bathrooms	porcelain tiles	< 30x30 cm	Improved cementitious adhesives with long open time (Class C2E).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 30x30 cm < 60x60 cm	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 60x60 cm	Improved cementitious adhesives with long open time and deformable (Class C2E - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
INDOOR WALL TILES				
Cementitious plaster or mortar Plaster (plaster or panels, following application of a suitable primer) Painted walls Cast concrete (Following application of primer on gypsum-based joints) Plasterboard Waterproofing in bathrooms and showers Existing ceramic tiles	wall tiles	any size	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
	porcelain tiles	< 30x30 cm	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 30x30 cm < 60x60 cm	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 60x60 cm	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
OUTDOOR FLOORS				
Cementitious screeds Concrete floor Layers of waterproofing	porcelain tiles	< 30x30 cm	A Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≤ 30x30 cm < 60x60 cm	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 60x60 cm	Improved cementitious adhesives with long open time and highly deformable (Class C2E - S2).	Improved cementitious adhesives with long open time and highly deformable (Class C2FE - S2). ●
OUTDOOR WALLS				
Cementitious plaster Concrete cast in situ or prefabricated	porcelain tiles	< 30x30 cm	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 30x30 cm < 60x60 cm ●●	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 60x60 cm ●●	Improved cementitious adhesives with long open time and highly deformable (Class C2E - S2).	Improved and highly deformable cementitious adhesives (Class C2F - S2). ●

● For large size tiles laid at a height of more than three meters, certain international regulations specify that tiles should be laid using a mixed system of adhesive and mechanical fixtures chosen in relation to the weight of the tile, height of the tiling and site conditions.


●● For tiles with a side measuring more than 30 cm laid at heights of more than three meters, certain international regulations specify the use of an additional mechanical anchor that ensures the retention of the tile in case of accidental detachment, to be chosen in relation to the weight of the tile, the height of the tiling and the site conditions.

3. LAYING THE TILES

Installation should be performed by qualified personnel using the proper tools. The laying of the material should be checked before the adhesive is dry so that any corrections can be made. In any case, Atlas Concorde does not recommend installation without joints or joints smaller than 2 mm.
When laying tiles with a side longer than 60 cm and in any case for commercial indoor environments or outdoors it is essential to spread the adhesive using double buttering, applying the adhesive in a linear method parallel to the short side both on the substrate and on the back of the tile, thus ensuring perfect adhesion between the tile and substrate. To minimize the unevenness of the tiles both on the floor and on the wall it is recommended to use "easy installation systems" with spacers and levelers.
Spread the adhesive using a suitably toothed spatula.

3A. LAYING RECTANGULAR FORMATS

For straight courses of rectangular formats, the maximum offset between tiles must not exceed 1/3 of the length of the adjacent side.



4. SQUARE OR PERPENDICULAR CUTS

To perform square or perpendicular cuts, it's best to first drill circular holes near the corners of the hole and then connect them with linear cuts, which will relax the tension at the corners of the tile.

5. JOINTS AND GROUTING

Before filling the joints, it is recommended to wait until the adhesive is completely dry and to ensure that the joints are free of all traces of adhesive and/or dust. In any case, Atlas Concorde does not recommend installation without joints or joints smaller than 2 mm. For joints in a color that contrasts with the tiles, it is recommended to test the grout in a small, hidden area. You should follow the instructions provided by leading grout manufacturers.

USE	RECOMMENDED GROUTS - EUROPEAN STANDARDS EN 13888
Residential interiors	Improved cementitious mortars for joints (Class CG2)
Damp interiors (bathrooms, showers) and outdoors	Improved cementitious mortars for joints with low water absorption (CG2 WA)
Commercial premises	Improved cementitious mortars for joints with high resistance to abrasion (Class CG2 A)
Premises requiring total hygiene and resistance to chemical agents (swimming pools, kitchen work surfaces, food industry, hospitals, supermarkets, etc).	Epoxy mortars (Class RG).

5A. ELIMINATION OF EXCESS GROUT

To correctly and easily eliminate excess grout, follow the instructions given by the grout manufacturer. In general, proceed as follows:
Cementitious grouts
When the grout becomes opaque (normally after 10-20 minutes), clean with a hard cellulose sponge using movements on a diagonal to the joints. It is important to respect the drying time to avoid removing the grout from the joints.
Epoxy grouts
When the mixture is still fresh, wet the surface with plenty of water, emulsifying with a pad like Scotch-Brite®, paying attention not to empty the joints.
The residual grout liquid can be removed with a hard cellulose sponge (to be replaced when excessively soaked with resin).
It is vital to remove epoxy grout rapidly before it starts hardening as it is extremely difficult to remove subsequently. If the epoxy grout has started to harden, try adding 10% alcohol to the washing water.

6. CLEANING AND MAINTENANCE

6A. FINAL SITE CLEANING

The work site is considered finished when it is cleared of any tools/materials used for the job. To reduce the risk of damage to the tiled surface, it is necessary to protect it and avoid the presence of abrasive materials.
After a few days, eliminate residues with a commercial Scotch-Brite® pad, brush or single brush floor cleaner (for large surfaces).
For walls, use a neutral detergent in hot water.
For floors, use a mild acid wash diluted according to the type of surface (smooth or textured). It is important to protect marble or metal inserts previously with adhesive tape.
Rinse with abundant clean water to eliminate all marks or residues from the joints.
If necessary, repeat the acid wash at a higher concentration, unless there are marble or metal inserts. Do not use diluted commercially-available acids.

6B. ROUTINE MAINTENANCE

You are recommended to use ordinary neutral detergent diluted in water.
Avoid using acid or alkaline products, waxes and/or impregnants and metal pads (iron or steel sponges).
In the event of heavy dirt or particularly textured surfaces, use an alkaline detergent and rinse after washing.
For large surfaces, the use of a floor washing machine is recommended.

6C. UNSCHEDULED MAINTENANCE

In the event of dirt resistant to the ordinary cleaning, use a suitable detergent for the particular kind of dirt.

TYPE OF DIRT (resistant to ordinary maintenance)	DETERGENT/SOLVENT
Coal, lime efflorescence, chalk, metal marks, rust, graphite, emulsion paint	Acid detergents*
Coca cola, coffee, wine, beer, ice cream	Alkaline detergents
Resin, silicon or mechanical oils, candle wax, paint	Solvents
Tire marks, sole marks, suction cup marks	Alkaline detergent in an abrasive paste

* Important: Acid products may corrode marble, granite, natural stone and metal. Avoid using in the presence of decoration or inserts in these materials

The cleaning characteristics of the materials may vary significantly depending on the laying method, conditions of use, type of surface and environment. Generally speaking, the higher the non-slip characteristics of the tiles, the more difficult they are to clean.
The maintenance and cleaning operative should always test each cleaning method empirically in advance (if possible on a piece of the material not laid)
In the case of particularly heavy use (for example, mechanical workshops or environments with a heavy presence of oily residues and tire marks), incorrect laying or inappropriate cleaning, Atlas Concorde declines all responsibility for the effectiveness of cleaning and maintenance operations.
Atlas Concorde cannot, under any circumstances, be held responsible for events, damage or defects caused by incorrect laying, negligent cleaning and maintenance or the use of materials and adhesives inappropriate for the use.

FR-DE-ES-RU

Suggerimenti per la posa, pulizia e manutenzione

1. POSA IN OPERA
Prima di iniziare la posa, si raccomanda di assicurarsi che la superficie di appoggio sia sufficientemente stagionata, planare e ben pulita e che la fornitura di materiale sia adeguata e sufficiente per quantità, tono e calibro.

2. SCELTA DELL'ADESIVO
L'utilizzo di un adesivo appropriato è di fondamentale importanza per la posa. Si raccomanda di seguire le indicazioni dei migliori produttori di adesivi per la posa di piastrelle ceramiche.
In generale, l'adesivo più adeguato si individua considerando i seguenti fattori:
- tipo di supporto
- tipologia e formato delle piastrelle
- destinazione d'uso del rivestimento ceramico (pavimento/rivestimento; interno/esterno)
- condizioni climatiche all'atto della posa
- tempi a disposizione per la messa in esercizio del rivestimento ceramico


DESTINAZIONE D'USO Tipo di supporto	TIPO DI PIASTRELLE Tipologia	FORMATO (cm)	ADESIVI CONSIGLIATI - Normativa Europea EN 12004	
			Presa normale	Presa rapida
PAVIMENTI INTERNI				
Massetti cementizi Pavimento in cemento esistenti (Battuto, bocciardato)	grès porcellanato	< 30x30 cm	Adesivi cementizi migliorati e a tempo aperto allungato (classe C2E).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
Massetti in anidrite (Previa applicazione di opportuno primer)		≥ 30x30 cm < 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
Massetti riscaldanti Pavimenti in ceramica, marmette e pietre naturali esistenti Impermeabilizzazione in bagni		≥ 60x60 cm	Adesivi cementizi migliorati, a tempo aperto allungato e deformabili (classe C2E - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabile (classe C2FT - S1). ●
RIVESTIMENTI INTERNI				
Intonaco cementizio o malta Gesso (Intonaci o pannelli previa applicazionedi opportuno primer) Calcestruzzo di getto Gesso cartonato (Previa applicazione di primer sulle giunture a base gesso) Impermeabilizzazioni in bagni e docce Piastrelle ceramiche esistenti	rivestimenti	tutti formati	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
	grès porcellanato	< 30x30 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≥ 30x30 cm < 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≥ 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
PAVIMENTI ESTERNI				
Massetti cementizi Soletta in calcestruzzo Strati di impermeabilizzazione	grès porcellanato	< 30x30 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≤ 30x30 cm < 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≥ 60x60 cm	Adesivi cementizi migliorati, a tempo aperto allungato e altamente deformabili (classe C2E - S2).	Adesivi cementizi migliorati a tempo aperto allungato e altamente deformabile (classe C2FE - S2). ●
RIVESTIMENTI ESTERNI				
Intonaco cementizio Calcestruzzo gettato in opera o prefabbricato	grès porcellanato	< 30x30 cm	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≥ 30x30 cm < 60x60 cm ●●	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≥ 60x60 cm ●●	Adesivi cementizi migliorati, a tempo aperto allungato e altamente deformabili (classe C2E - S2).	Adesivi cementizi migliorati e altamente deformabili (classe C2F - S2). ●

● Nel caso di posa in condizioni di basse temperature oppure qualora sia necessario mettere in esercizio rapidamente il rivestimento ceramico è preferibile l'utilizzo di adesivi cementizi migliorati a presa rapida (Classe C2F - EN 12004).

●● Nel caso di piastrelle con un lato maggiore di 30 cm posate ad altezze superiori ai 3 metri, alcune normative internazionali prevedono l'utilizzo di un ancoraggio meccanico supplementare che assicuri la ritenzione della piastrella in caso accidentale di distacco, da scegliere in relazione al peso della piastrella, all'altezza del rivestimento ed alle condizioni del cantiere.

3. STESURA DEGLI ADESIVI E POSA DELLE PIASTRELLE:
La posa deve essere effettuata da personale qualificato con l'ausilio di attrezzi adeguati. È opportuno verificare la posa del materiale prima che il collante sia secco in modo da poter provvedere ad eventuali correzioni.
Atlas Concorde sconsiglia in ogni caso la posa a giunto unito o posa con fughe inferiori a 2mm.
Nel caso di posa di piastrelle con un lato maggiore di 60cm e in ogni caso per ambienti interni commerciali oppure all'esterno è fondamentale stendere l'adesivo con il sistema della doppia spalmatura applicando la colla linearmente in direzione parallela al lato corto sia sul supporto di posa sia sul retro della piastrella, garantendo così la perfetta aderenza all'interfaccia piastrella-supporto.
Per minimizzare i disllivelli della posa sia a pavimento che a rivestimento si raccomanda l'adozione di "sistemi di posa facilitata" con distanziatori e livellatori che possono essere provvisti di pedane anti-sbeccature e anti-graffio nel caso in cui si posino rivestimenti smaltati in pasta bianca e/o gres con finitura lappate.
Nel caso particolare di rivestimenti tridimensionali si consiglia l'utilizzo dei sistemi di livellamento a vite, alternativi a quelli a cuneo.

3A. POSA DI FORMATI RETTANGOLARI
Nel caso di posa "a correre" di formati rettangolari il massimo sfalsamento tra piastrelle non deve superare 1/3 della lunghezza del lato adiacente.



4. ESECUZIONI DI TAGLI QUADRATI O SQUADRI
Per eseguite tagli quadrati o squadri si consiglia di eseguire inizialmente fori circolari in prossimità dei vertici del taglio e collegarli in un secondo momento attraverso tagli lineari, in questo modo si avrà un rilassamento delle tensioni sui vertici della piastrella tagliata.

5. FUGA E STUCCATURA
Prima di riempire le fughe si consiglia di attendere fino a completa asciugatura del collante e di assicurarsi che i giunti di posano siano liberi da ogni traccia di collante e/o polveri. Atlas Concorde sconsiglia in ogni caso la posa a giunto unito o posa con fughe inferiori a 2mm. Per fughe in contrasto cromatico con le piastrelle si consiglia di testare il fugante in un'area circoscritta e nascosta della posa.
Si raccomanda di seguire le indicazioni dei migliori produttori di stucchi per fughe.

DESTINAZIONE D'USO	STUCCHI CONSIGLIATI - Normativa Europea EN 13888
Ambienti interni residenziali	Malte cementizie per fughe migliorate (Classe CG2)
Ambienti umidi interni (bagni, docce) ed ambienti esterni	Malte cementizie per fughe migliorate con assorbimento di acqua ridotto (classe CG2 WA)
Ambienti ad uso commerciale	Malte cementizie per fughe migliorate con elevata resistenza all'abrasione (classe CG2 A)
Ambienti in cui sia richiesta totale igiene e resistenza agli agenti chimici (piscine, piani di lavoro di cucine, industrie alimentari, ospedali, supermercati, ecc...)	Malte epossidiche (classe RG).

5A. ELIMINAZIONE DELLO STUCCO IN ECCESSO
Per una corretta ed agevole eliminazione degli eccessi di stucco, si raccomanda di seguire le indicazioni del produttore dello stucco. In generale, si consiglia di attenersi a quanto segue.
Stucchi cementizi
Quando lo stucco diventa opaco (normalmente dopo 10-20 minuti), pulire con una spugna di cellulosa dura con movimenti diagonali rispetto alle fughe. E' importante il rispetto di questi tempi per non rischiare di rimuovere lo stucco dalle fughe.
Stucchi epossidici
A impasto ancora fresco, bagnare abbondantemente la superficie emulsionando con un tampone tipo Scotch-Brite®, facendo attenzione a non svuotare le fughe. Il residuo liquido di stucco può essere rimosso con una spugna di cellulosa dura (da sostituire se troppo impregnata di resina). E' fondamentale rimuovere lo stucco epossidico tempestivamente prima che inizi ad indurirsi, in quanto la successiva rimozione risulterebbe estremamente difficile. Nel caso in cui lo stucco epossidico abbia già iniziato a indurirsi, provare ad aggiungere all'acqua di lavaggio il 10% di alcool.

6 PULIZIA E MANUTENZIONE

6A. PULIZIA DI FINE CANTIERE
Il cantiere è da considerarsi finito quando è sgombro da qualunque utensile/materiale derivante dalle lavorazioni. Per ridurre i rischi di danneggiamento della superficie piastrellata è necessario proteggerla ed evitare la presenza di materiali abrasivi.
Dopo alcuni giorni, eliminare i residui di cantiere con spugna commerciale tipo Scotch-Brite® oppure con spazzolone o monospazzola (per grandi superfici).
Per i rivestimenti, utilizzare un detergente neutro diluito in acqua calda.
Per i pavimenti, utilizzare un detergente acido ad azione tamponata, in percentuale di diluizione variabile in funzione del tipo di superficie (liscia oppure strutturata).
E' importante proteggere preventivamente eventuali inserti in marmo o metallo con nastro adesivo.
Risciacquare poi abbondantemente con acqua calda pulita, sino alla eliminazione di qualsiasi alonatura o residuo negli interstizi.
Se necessario, ripetere il lavaggio acido a concentrazioni più elevate ad eccezione del caso in cui siano presenti inserti in marmo o metallo. Evitare l'utilizzo di acidi da ferramenta diluiti.

6B. MANUTENZIONE ORDINARIA
Si consiglia l'utilizzo di un comune detergente neutro diluito in acqua.
Evitare l'utilizzo di prodotti acidi, alcalini, ceranti e/o impregnanti e pagliette di metallo (spugnette di ferro e acciaio). In caso di sporchi più intensi o di superfici particolarmente strutturate, usare un detergente a base alcalina risciacquando al termine del lavaggio.
Per le grandi superfici è consigliabile l'utilizzo di macchine lavasciuga.

6C. MANUTENZIONE STRAORDINARIA
Nel caso di tracce di sporco resistenti alla pulizia ordinaria, si raccomanda l'utilizzo di un detergente adeguato in funzione del tipo di sporco:

TIPO DI SPORCO (resistente alla manutenzione ordinaria)	DETERGENTE/SOLVENTE
Carbone, efflorescenze calcaree, gesso, segni metallici, ruggine, grafite, tempere murali	Detergenti a base acida *
Coca cola, caffé, vino, birra, gelato	Detergenti a base alcalina
Resine, oli siliconici o meccanici, cere di candela, vernice	Solventi
Pneumatici, suole di gomma, alonature di ventose	Detergenti basici in pasta abrasiva

* Attenzione: i prodotti a base acida possono corrodere marmo, granito, pietre naturali e metalli, pertanto evitarne l'uso nel caso di decori o inserti realizzati con questi materiali.

Le caratteristiche di pulibilità dei materiali variano in modo significativo per le diverse modalità d'installazione, condizioni d'uso, tipologie di superfici e ambiente. In linea generale, all'aumentare delle caratteristiche di antiscivolosità delle piastrelle aumentano le difficoltà di pulizia.
L'operatore professionale incaricato dell'intervento di manutenzione e pulizia dovrà sempre procedere ad una preliminare verifica empirica (possibilmente su una porzione di materiale non posato) per ogni singolo tipo di intervento.
In caso di condizioni d'uso particolarmente gravose (ad esempio, officine meccaniche o ambienti con forte presenza di residui oleosi e tracce di pneumatico), di errata installazione o di pulizie effettuate in modo inadeguato, Atlas Concorde declina ogni responsabilità in merito all'efficacia delle operazioni di pulizia e manutenzione.

Atlas Concorde non potrà essere ritenuta responsabile per eventi, danni o difetti dovuti ad errata installazione, negligente pulizia e manutenzione, o inadeguata scelta della tipologia dei materiali installati e degli adesivi utilizzati con riguardo alla destinazione.

Porcelain tiles general packing and weight

Series Serie Série Serie Serie Серия	Size Formato Format Format Formato Размер	Pieces per carton Pezzi per scatola Pièces par boîte Stückzahl pro Karton Piezas por caja Шт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boites per pallette Karton pro Palette Cajas por palet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* Шт. вес коробки*	Sq mts per pallet M² per pallet M² par pallette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес. малета*
Aix	60x90 20 mm	2	1,080	24	48,50	19,44	873,00
Axi	22,5x90	6	1,220	36	25,20	43,74	907,20
Boost	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	160x160 ▲	1	2,560	24	36,00	61,44	864,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	120x120 6 mm ▲	2	2,880	20	40,32	57,60	806,40
	60x120	2	1,44	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	75x150	2	2,25	18	47,36	40,50	852,48
	75x75	2	1,130	42	23,68	47,25	994,56
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x240 20 mm ▲	1	2,880	9	134,00	25,92	1.206,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	90x90 20 mm	1	0,810	18	37,60	14,58	676,80
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Boost Balance	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	75x75	2	1,130	42	23,68	47,25	994,56
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Boost Color	120x278 ▲	1	3,340	18	49,56	60,05	892,08
Boost Mineral	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	75x150	2	2,25	18	47,36	40,50	852,48
	60x120	2	1,44	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	75x75	2	1,130	42	23,68	47,25	994,56
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x240 20 mm ▲	1	2,880	9	134,00	25,92	1.206,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	90x90 20 mm	1	0,810	18	37,60	14,58	676,80
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Boost Mix	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,26	40	24,85	50,40	994,00
	120x120 20 mm	1	1,44	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,72	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00
Boost Natural	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x120 ▲	2	2,88	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	60x60	3	1,08	40	21,57	43,20	862,80
	30x60	7	1,26	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,44	20	67,66	28,80	1.353,20
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00
Boost Pro	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	160x160 ▲	1	2,560	24	36,00	61,44	864,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	120x120 6 mm	2	2,880	20	40,32	57,60	806,40
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	75x150	2	2,25	18	47,36	40,50	852,48
	75x75	2	1,130	42	23,68	47,25	994,56
	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	90x90 20 mm	1	0,810	18	37,60	14,58	676,80
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00

* +/- 10% **The reported values do not include the weight of pallets.** - I valori riportati non comprendono il peso dei pallet. - +/- 10% Les valeurs indiquées ne comprennent pas le poids des palettes. - +/- 10% - Die genannten Werte verstehen sich ohne das Gewicht der Paletten. - +/- 10% Los valores indicados no incluyen el peso de los palés. - +/- 10% Указанные значения не включают вес поддонов.

▲ **Packaging on pallets, also available on a-frames (see page 426)** - Imballo su pallet, disponibile anche imballo su cavalletto a pag. 426 - Emballage sur palette, emballage sur chevalet également disponible page 426 - Verpackung auf Palette, auch auf Bock erhältlich - Seite 426 - Embalaje paletizado, también disponible en embalaje sobre caballetes en la página 426 - Упаковка на поддоны, возможна также упаковка на специальных подставках-стойках - стр. 426

January 2024

Reported data can be subject to variations throughout the year, present values are updated on the date of catalogue printing.
I dati riportati possono subire delle variazioni nel corso dell'anno, i valori sono aggiornati al mese di stampa.

Series Serie Série Serie Serie Серия	Size Formato Format Format Formato Размер	Pieces per carton Pezzi per scatola Pièces par boîte Stückzahl pro Karton Piezas por caja Шт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boites per pallette Karton pro Palette Cajas por palet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* Шт. вес коробки*	Sq mts per pallet M² per pallet M² par pallette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес. малета*
Boost Stone	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x120 ▲	2	2,88	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	60x60	3	1,08	40	21,57	43,20	862,80
	30x60	7	1,26	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,44	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,72	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00
Brave	75x150	2	2,250	18	47,36	40,50	852,48
	75x75	2	1,130	42	23,68	47,25	994,56
	45x90	3	1,220	36	24,50	43,74	882,00
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	23,27	50,40	930,80
	30x60 grip	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Entice	18,5x150	4	1,110	40	23,68	44,40	947,20
	20x120	6	1,440	42	29,90	60,48	1.255,80
	30x120 20 mm	2	0,720	36	33,00	25,92	1.188,00
Etic	22,5x90	6	1,220	36	25,20	43,74	907,20
Etic Pro	25x150	3	1,130	30	23,68	33,75	710,00
	22,5x90	6	1,220	36	25,20	43,74	907,20
	30x120 20mm	2	0,720	36	33,00	25,92	1188,00
Exence	18,5x150	4	1,110	40	23,68	44,40	947,20
	20x120	6	1,440	32	29,90	46,08	956,8
	30x120 20mm	2	0,720	36	33,00	25,92	1.188,00
Heartwood	18,5x150	4	1,110	40	23,68	44,40	947,20
	20x120	6	1,440	42	31,10	60,48	1.306,20
Klif	75x150	2	2,25	18	47,36	40,50	852,48
	75x75	2	1,130	42	23,68	47,25	994,56
	37,5x75	4	1,130	48	23,68	54,00	1.136,64
Kone	75x150	2	2,250	18	47,36	40,50	852,48
	75x75	2	1,130	42	23,68	47,25	994,56
	60x60	3	1,080	40	20,61	43,20	824,40
	30x60	7	1,260	40	24,85	50,40	994,00
Lims	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	75x150	2	2,250	18	47,36	40,50	852,48
	75x75	2	1,130	42	25,00	47,25	1.050,00
	37,5x75	4	1,130	48	25,00	54,00	1.200,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Marvel	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	160x160 ▲	1	2,560	24	36,00	61,44	864,00
	120x278 ▲	1	3,334	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	75x150	2	2,25	18	47,36	40,50	852,48
	75x75	2	1,130	42	23,68	47,25	994,56
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
Marvel Dream	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	75x150	2	2,25	18	47,36	40,50	852,48
Marvel Gala	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
Marvel Gems	60x60	3	1,080	40	21,23	43,20	849,20
Marvel Meraviglia	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,334	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	75x150	2	2,25	18	47,36	40,50	852,48
	75x75	2	1,130	42	23,68	47,25	994,56
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
Marvel Onyx	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,334	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	60x60	3	1,080	40	21,23	43,20	849,20

Porcelain tiles general packing and weight

Series Serie Série Serie Serie Серия	Size Formato Format Format Formato Размер	Pieces per carton Pezzi per scatola Pièces par boîte Stückzahl pro Karton Piezas por caja шт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boites per pallette Karton pro Palette Cajas por palet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* шт. вес коробки*	Sq mts per pallet M² per pallet M² par pallette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес. малета*
Marvel Pro	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	160x160 ▲	1	2,560	24	36,00	61,44	864,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	75x150	2	2,25	18	47,36	40,50	852,48
	75x75	2	1,130	42	23,68	47,25	994,56
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
Marvel Shine	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	160x160 ▲	1	2,560	24	36,00	61,44	864,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 lapp ▲	2	2,880	20	57,00	57,60	1.140,00
	120x120 matte ▲	2	2,880	20	55,50	57,60	1.110,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	75x150	2	2,250	18	47,36	40,30	852,48
	75x75	2	1,130	42	23,68	47,25	994,56
	37,5x75	4	1,130	48	23,68	54,00	1.136,64
	60x60	3	1,080	40	21,23	48,30	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
Marvel Stone	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	160x160 ▲	1	2,560	24	36,00	61,44	864,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	75x150	2	2,250	18	47,36	40,50	852,48
	75x75	2	1,130	42	23,68	47,25	994,56
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
Marvel Travertine	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	60x60	3	1,080	40	21,23	43,20	849,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
Marvel X	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	75x150	2	1,440	35	30,00	50,40	1.050,00
	75x75	2	1,130	42	23,68	47,25	994,56
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20mm	1	0,720	35	33,35	25,20	1.167,25
Nid	25x150	3	1,130	30	23,68	33,75	710,40
	18,5x150	4	1,110	40	23,68	44,40	947,20
	15x90	10	1,350	36	26,67	48,60	960,12
Norde	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x90 20 mm	2	1,080	18	48,50	19,44	873,00
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00
Prism	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	80x80 20 mm ▲	1	0,64	42	29,70	26,88	1.247,40
Trust	60x60	3	1,080	40	21,23	43,20	800,40
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Venti Boost	20x20	30	1,200	56	23,90	67,20	849,20

Wall tiles general packing and weight

Series Serie Série Serie Serie Серия	Size Formato Format Format Formato Размер	Pieces per carton Pezzi per scatola Pièces par boîte Stückzahl pro Karton Piezas por caja шт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boites per pallette Karton pro Palette Cajas por palet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* шт. вес коробки*	Sq mts per pallet M² per pallet M² par pallette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес. малета*
3d Wall Carve	40x80	4	1,280	54	20,28	69,12	1.095,12
3d Wall Design	50x120 matte	3	1,80	35	28,00	63,00	980,00
	50x120 shiny	3	1,80	35	28,00	63,00	980,00
	50x120 matte	3	1,80	30	30,75	54,00	922,50
	40x80 matte	4	1,28	54	19,91	69,12	1.075,14
	40x80 shiny	4	1,28	54	18,80	69,12	1.015,20
	40x80 matte	4	1,28	48	20,06	61,44	962,88
	40x80 shiny	4	1,28	48	21,20	61,44	1.017,60
	30,5x56 matte	9	1,54	32	22,68	49,19	725,76
	30,5x56 matte	8	1,37	32	26,00	43,72	832,00
Aix Wall	40x80	4	1,280	54	19,00	69,12	1.026,00
	3D Row 40x80	4	1,280	48	21,20	61,44	1.017,60
Aplomb	50x120	3	1,800	35	28,00	63,00	980,00
Arty Wall	40x80	4	1,280	54	20,57	69,12	1.110,78
	3D Wave 40x80	4	1,280	48	21,20	61,44	1.017,60
Blaze Wall	50x120	3	1,800	35	28,00	63,00	980,00
Boost Wall	40x80	4	1,280	54	18,80	69,12	1.015,20
	3D Urban 40x80	4	1,280	48	21,20	61,44	1.017,60
Boost Natural Wall	50x120	3	1,800	35	28,00	63,00	980,00
Boost Pro Wall	40x80	4	1,280	54	18,80	69,12	1.015,20
	3D Urban 40x80	4	1,280	48	21,20	61,44	1.017,60
Brave Wall	40x80	4	1,280	54	19,28	69,12	1.041,12
	3D Wave 40x80	4	1,280	48	21,20	61,44	1.017,60
	3D Blade 40x80	4	1,280	48	21,20	61,44	1.017,60
Lims Wall	40x80	4	1,280	54	19,00	69,12	1.026,00
Marvel Wall	50x120	3	1,800	35	28,00	63,00	980,00
	30,5x91,5	5	1,400	42	22,50	58,59	945,00
	40x80	4	1,280	54	20,28	69,12	1.095,12
	30,5x56	9	1,540	32	24,03	49,19	768,96
	8x31,5	20	0,500	84	8,10	42,34	680,40
Marvel Dream Wall	50x120	3	1,800	35	28,00	63,00	980,00
Marvel Edge Wall	50x120	3	1,800	35	28,00	63,00	980,00
	40x80	4	1,280	54	19,00	69,12	1.026,00
Marvel Pro Wall	50x120	3	1,800	35	28,00	63,00	980,00
	30,5x91,5	5	1,400	42	21,55	58,59	905,10
	40x80	4	1,280	54	19,94	69,12	1.076,76
	8x31,5	20	0,500	84	8,10	42,34	680,40
Marvel Shine Wall	50x120	3	1,800	35	28,00	63,00	980,00
	40x80	4	1,280	54	19,00	69,12	1.026,00
Marvel Stone Wall	50x120	3	1,800	35	28,00	63,00	980,00
	40x80	4	1,280	54	19,00	69,12	1.026,00
	8x31,5	20	0,500	84	8,10	42,34	680,40
Prism Wall	50x120	3	1,800	35	28,00	63,00	980,00

* +/- 10% **The reported values do not include the weight of pallets.** - I valori riportati non comprendono il peso dei pallet. - +/- 10% Les valeurs indiquées ne comprennent pas le poids des palettes. - +/- 10% - Die genannten Werte verstehen sich ohne das Gewicht der Paletten. - +/- 10% Los valores indicados no incluyen el peso de los palés. - +/- 10% Указанные значения не включают вес поддонов.

▲ **Packaging on pallets, also available on a-frames(see page 426)** - Imballo su pallet, disponibile anche imballo su cavalletto a pag. 426 - Emballage sur palette, emballage sur chevalet également disponible page 426 - Verpackung auf Palette, auch auf Bock erhältlich - Seite 426 - Embalaje paletizado, también disponible en embalaje sobre caballetes en la página 426 - Упаковка на поддоны, возможна также упаковка на специальных подставках-стойках – стр. 426

January 2024
Reported data can be subject to variations throughout the year, present values are updated on the date of catalogue printing.
I dati riportati possono subire delle variazioni nel corso dell'anno, i valori sono aggiornati al mese di stampa.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Large sizes general packing and weight

120x120 - 47$^{1}/_{4}$"x47$^{1}/_{4}$" **120x240** - 47$^{1}/_{4}$"x94$^{1}/_{2}$" **20x278** 47$^{1}/_{4}$"x109$^{1}/_{2}$" **160x160** - 63"x63" **160x320** - 63"x126" **162x324** - 63$^{3}/_{4}$"x127$^{1}/_{2}$"

Packaging Imballo Boitage Verpackung Embalaje Упаковка		**AS400 Code** **Codice AS400** Code AS400 Artikelcode AS 400 Código AS400 Код AS400	**Packaging Size** **Dimensioni imballo** Dimension Emballage Verpackunsmasse Dimensiones de Embalaje Размер Упаковки (cm)	**Packaging weight** **Peso imballo** Poids Emballage Verpackungsgewicht Peso Embalaje Вес Упаковки (kg)	**Slabs size** **Formati** Formats Formatgrösse Formatos Размер Плит (cm)	**Max N° slabs** **Max N° pezzi** N° Max de pièces Anzahl der Platten Max N ° piezas Максимальное Количество Плит	**Max Sqm** **Max Mq** M² max Maximale qm Máx M² Макс. M²
120x120	**Pallet** Palette Palette Paleta Паллет	-	-	-	120x120x0,9 cm	40	57,60 mq
					120x120x2,0 cm	20	28,8 mq
	Wooden A-Frame Cavalletto di legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCD	130x75x158(h) cm	60 kg	120x120x0,9 cm	40	57,60 mq
					120x120x2,0 cm	20	28,8 mq
120x240	**Wooden Crate** Cassa di Legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCA	256x141x36(h) cm	102kg	120x240x0,9 cm	18	51,84 mq
					120x240x2,0 cm	9	25,92 mq
	Wooden A-Frame Cavalletto di Legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCE	250x75x159(h) cm	126kg	120x240x0,9 cm	36	103,6 mq
					120x240x2,0 cm	18	51,84 mq
120x278	**Wooden Crate** Cassa di Legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCB	292x141x36(h) cm	108kg	120x278x0,6 cm	18	60,05 mq
	Wooden A-Frame Cavalletto di Legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCF	290x75x159(h) cm	136kg	120x278x0,6 cm	42	140,11 mq
	Wooden Crate Kit Endless * (only for kit Endless) Cassa di Legno Kit Endless * (solo per kit Endless) Caisse en Bois Kit Endless * (que pour le Kit Endless) Holzbox Kit Endless * (nur für Endless Kit) Caja de Madera Kit Endless * (solo para el kit Endless) Деревянный Ящик для Kit Endless * (только для Kit Endless)	A6NZ	296x141x25(h) cm	65kg	120x278x0,6 cm	5	16,68 mq
160x160	**Wooden Crate** Cassa di Legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	AØ5L	183x174x41(h) cm	91kg	160x160x0,6 cm	24	61,44 mq
	Wooden A-Frame Cavalletto di Legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	AØ5M	170x75x200(h) cm	84kg	160x160x0,6 cm	48	122,88 mq
160x320 RT **162x324** **159x324**	**Wooden Crate** Cassa di legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCC	344x175x37(h) cm	139kg	160x320x0,6 cm	14	71,68 mq
					162x324x0,6 cm	14	73,48 mq
					162x324x12 cm	8	40,96 mq
					162x324x2,0 cm	4	20,99 mq
					159x324x2,0 cm	4	20,60 mq
	Wooden A-Frame Cavalletto di legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCG	330x75x195(h) cm	173kg	160x320x0,6 cm	42	215,04 mq
					162x324x0,6 cm	42	220,45 mq
					162x324x12 cm	22	112,64 mq
					162x324x2,0 cm	12	62,99 mq
					159x324x2,0 cm	12	61,82 mq
	Iron A-Frame Cavalletto di ferro Chevalet en Fer A-Bock Metall Caballete de Hierro Металлическая Опора	IMCH	330x75x195(h) cm	176kg	160x320x0,6 cm	42	215,04 mq
					162x324x0,6 cm	42	220,45 mq
					162x324x12 cm	22	112,64 mq
					162x324x2,0 cm	12	62,99 mq
					159x324x2,0 cm	12	61,82 mq
162x324 **159x324**	**Bundles** Only from Verona warehouse	TRAP	-	30-40kg	160x320x0,6 cm	-	-
					162x324x0,6 cm	-	-
					162x324x12 cm	18	94,50 mq
					162x324x2,0 cm	12	63,00 mq
					159x324x2,0 cm	12	61,82 mq

* **"Leggera" Crate** - Cassa "Leggera" - Caisse "Leggera" - Holzkiste "Leggera" - Cajones "Leggera" - Лёгкий Ящик

	20' **Container** - Container 20 Piedi - - Conteneur 20'- Contenedor de 20 Pies - 20' Контейнер 5,90x2,32x2,35(h) m
Full 120x240 cm	nr. 11 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 120x240 cm + 2 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 120x240 cm
Full 120x120	nr. 12 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 120x120x0,9 cm + 5 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 120x120x0,9 cm
Full 120x278 cm	nr. 6 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 120x278 cm
Full 120x278 cm	nr. 11 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 120x278 cm + 2 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 120x278 cm
Full 160x320 cm	nr. 5 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 160x320 cm (+ 4 spaces - spazi - places - Leerzeichen - espacios - пробелов 80x120 cm)
Full 160x320 cm	nr. 3 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 160x320 cm (+ 4 spaces - spazi - places - Leerzeichen - espacios - пробелов 80x120 cm)
Full 160x160 cm	nr. 15 crates - casse- crates - crates - crates - crates 160x160 cm
Full 160x160 cm	nr. 9 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 160x160 cm

	40' **Container** - Container 40 piedi - Conteneur 40' - Contenedor de 40 Pies - 40' Контейнер 11,90x2,32x2,35(h) m
Full 120x240 cm	nr. 12 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 120x240 cm
Full 120x240 cm	nr. 21 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 120x240 cm + 4 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 120x240 cm
Full 120x120 cm	nr. 24 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x1200 cm
Full 120x278 cm	nr. 12 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 120x278 cm
Full 120x278 cm	nr. 21 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 120x278 + 4 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 120x278 cm
Full 160x320 cm	nr. 15 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 160x320 cm
Full 160x320 cm	nr. 9 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 160x320 cm
Full 160x160 cm	nr. 27 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 160x160 cm
Full 160x160 cm	nr. 14 A-Frames type 2 - cavalletti - A-Frames - chevalets - Anzahl A-Böcke - caballetes - количество опор 60x160 cm

	Truck, **maximum loadable weight** - Camion, peso massimo caricabile Camion, poids maximum chargeable - LKW maximal ladbares Gewicht - Camión, peso máximo cargable - Грузовик, максимальная загрузка **30 Ton.**
Full 120x240 cm	nr. 25 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 120x240 cm
Full 120x120 cm	nr. 24 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 120x120 cm
Full 120x278 cm	nr. 20 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 120x278 cm
Full 160x320 cm	nr. 18 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 160x320 cm
Full 160x320 cm	nr. 9 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 160x320 cm
Full 160x160 cm	nr. 27 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 160x160 cm
Full 160x160 cm	nr. 16 A-Frames - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x1600

The quantities loaded must take into account the weight (in order not to exceed the maximum weight limits) - IL CALCOLO DEVE TENERE CONTO DEL PESO (IN MODO DA NON ECCEDERE I LIMITI DI PORTATA). - Le calcul doit prendre en compte le poids (afin de ne pas dépasser les limites). Die Verpackunsanzahl muss für das Gesamtgewicht berücksichtigt werden. El cálculo debe tener en cuenta el peso (para no exceder los límites de capacidad). Необходимо учитывать общий вес (во избежание его превышения).

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

General sales conditions

REV. 3 OF 1ST SEPTEMBER 2020

A.- CONTRACT COMPLETION

A.1. These general sales conditions govern every sales contract between the Seller and the Buyer and any amendment or exception thereof shall be agreed in writing.

A.2. Any offers, credits and/or rebates granted by agents or other intermediaries, shall not be considered valid if they are not confirmed in writing by the Seller.

A.3.- The Buyer shall send the written orders to the Seller, directly or through the agents, and the orders shall include the codes of the required products, quantity, price and destination. The order sent by the Buyer is irrevocable.

A.4. The sale shall be deemed completed when: (i) the Buyer receives a written confirmation from the Seller, via e-mail, fax or other electronic means, that complies with the terms and conditions of the order; or (ii) if the confirmation sent by the Seller contains conditions that differ from the order sent by the Buyer, when the latter accepts it in writing or in any case does not object within 7 (seven) days from reception; or (iii) if the Seller does not provide a written confirmation, when the products are delivered and loaded by the Buyer.

A.5. The Buyer shares the need to restrict the sales of Atlas Concorde products to the national territory. The Seller deems this rule necessary in order to coordinate its sales policy, streamline its distribution network and provide offers that are suited to the needs of the single countries. The Buyer acknowledges that this rule is also in its best interest. The Buyer therefore undertakes to market the products supplied by Ceramiche Atlas Concorde SpA exclusively in its country of residence, refraining from promoting active sales, even online, with customers located in the territory of a country different from its own. As regards triangular operations, this undertaking applies to the country in which the buyer actually operates. The Buyer may resell the product outside its territory only with written authorisation from the Seller, or if the sales concern non first-grade products or products that are out of production.

B.- PRICES

B.1. The prices agreed upon for each individual sale are net prices for cash delivery ex works (the Seller's plant shall be specified in the order confirmation), unless otherwise agreed in writing.

C.- PRODUCT CHARACTERISTICS

C.1. The Buyer declares to have read and comply with the content of the following documentation published on the corporate website: 1) Laying, use, cleaning and maintenance manual and 2) Technical data sheets.

C.2. Given the intrinsic variability of the ceramic products, the characteristics of the samples, previously sent by the Seller to the Buyer, are purely illustrative and cannot be deemed binding.

C.3. Unless specifically requested and agreed before the order confirmation, the Seller does not guarantee that the entire quantity of an article on order shall be sent from one same production lot.

D.- DELIVERY TERMS

D.1. The delivery terms are understood to be indicative and the extension thereof cannot entitle the Purchaser to request any form of compensation, without exception.

D.2. If, after 14 (fourteen) days from the date of notification that the goods are ready, the Purchaser fails to collect them, the Seller shall be forced for reasons of occupied space to return the goods to the storage facilities, thereby incurring additional costs; the Seller reserves the right to charge the Purchaser such additional costs.

E.- SHIPPING ARRANGEMENTS AND TERMS

E.1. The Buyer must communicate any variation in the destination of the products, different from the one agreed in the order confirmation, in writing within, and no later than, the second day before the day foreseen for the collection at the Seller's premises. The Seller reserves the right not to accept the change of the product destination. If the actual destination of the product is different from the one stated by the Buyer, the Seller reserves the right to suspend the execution of the supplies underway and/or to terminate the contracts in force and the Buyer shall not have the right to claim direct and/or indirect compensation of any type.

E.2. Unless otherwise agreed, the goods shall be delivered ex-works (EXW - Incoterms 2010) and this shall also be the case when the parties agree that the delivery, or part of it, shall be arranged by the Seller on the Buyer's behalf. In any case, the risks shall transfer to the Buyer upon delivery to the first carrier.

E.3. Without prejudice to the Seller's extraneity in relation to the transport contract, the Seller shall not be indicated as "shipper" on the bill of lading. The communication of the gross weight of the container to the Forwarding agent does not represent in any way the undertaking of any liability by the Seller as regards the SOLAS (Safety Of Life At Sea) Convention. In no event may the said communication be taken to be the VGM (Verified Gross Mass).

E.4. The Buyer undertakes to ensure that the vehicle sent to the Seller's warehouse is suitable for the loading operations, considering the nature of the products. If the vehicle sent to collect the goods causes difficulties in the loading operations, the Seller reserves the right to charge a penalty, of 4% of the value of the products, to cover the extra logistics costs. If the vehicle sent is not at all suitable, the Seller reserves the right to refuse to load the goods and the Buyer shall not have the right to claim compensation for any direct and/or indirect cost that may arise therefrom.

E.5. The Buyer is responsible for assigning the carrier the task of checking the products before loading them; any observations concerning the condition of the packaging and the correspondence of the quantities loaded with those on the transport document must be made by the carrier upon collection of the goods. The said observations must be written on all the copies of the transport documents, otherwise the loaded products shall be considered to be complete and in good condition. As a result, the Seller shall not be liable for any missing or damaged products not reported by the carrier.

E.6. The Buyer is also responsible for assigning the carrier the task of checking the loading procedure and the stability of the goods on the vehicle, in order to prevent damage during transport and to comply with all road safety provisions.

F.- PAYMENTS

F.1. All payments must be made to the Seller's registered office. Payments made to agents, representatives, or sales assistants shall not be considered as made until the amounts are received by the Seller.

F.2. The Buyer shall not fulfil its payment obligations by making payments from countries other than its own country of residence, if the said countries do not guarantee an adequate exchange of information with Italy. In case of breach of the said prohibition, the Seller has the right to terminate the contract for just cause and the Buyer shall not have the right to claim compensation for any damage suffered.

F.3. Any costs for stamp duty and bank draft fees shall be borne by the Buyer. Failure to fulfil, even only in part, the payment shall result in the application of interest on arrears in favour of the Seller, from the date established for the payment, as envisaged by legislative decree 09/10/2002 no. 231.

F.4. Unless otherwise agreed in writing, the Buyer undertakes not to offset any receivables, of whatever nature, owed by the Seller.

G.- CLAIMS

G.1. Upon receipt of the products, the Buyer shall perform a visual inspection in compliance with instructions provided in point 7 of UNI EN ISO 10545-2 standards.

G.2. The products must be installed and fitted strictly respecting the recommendations related to the activities to be performed before and during the laying of the product specified in document 1) Laying, use, cleaning and maintenance manual, published on the Seller's website, and on the product packaging and/or inside the packaging. Faults caused by an incorrect installation and by missing/incorrect maintenance (different from instructions provided in document 1) Laying, use, cleaning and maintenance manual), by an unsuitable use and/or by normal wear over time shall not be considered product faults.

G.3. With the exception of the limits of acceptability foreseen by the international EN 14411 (ISO 13006) standard, the parties acknowledge as identifiable faults those product defects that are immediately visible upon receipt thereof and that make the material unsuitable for use or that significantly reduce its value. This category includes faults as defined in the document 1) Laying, use, cleaning and maintenance manual, published on the Seller's website. Identifiable faults include, by way of a non-limiting example, superficial defects, decoration defects, defects concerning polishing, dimensions, surface flatness, straightness of sides/rectangularity and thickness, cracks, chippings or rough edges, non-compliant shades, mixed shades and products that feature problems deriving from the cutting process and/or from chips.

G.4. If the Buyer finds an identifiable fault, it must be reported in writing to the Seller, within 8 (eight) days from receipt of the products; failure to send the claim shall result in the forfeiture and loss of such right. The Buyer shall keep the entire lot of material readily available for the Seller. The claim shall include the invoice details and an accurate description of the claimed fault together with photographs, where possible. In the event that the claim proves to be unfounded, the Buyer shall refund the Seller any costs incurred for an inspection (expert's reports, travel, etc.).

G.5. Hidden faults shall be notified to the Supplier in writing, by recorded delivery letter with advice of receipt, within 8 days from the date such fault is found, under penalty of forfeiture.

G.6. The Buyer's right to make a claim for faults under warranty is valid for 12 (twelve) months from the delivery of the products.

H.- WARRANTY FOR FAULTS

H.1. The Seller's warranty is limited to first grade products and not second or third grade products or lots on offer with special prices or discounts, which must be duly specified with a note in the order confirmation.

H.2. The Seller does not guarantee the suitability of the products for particular uses, and only guarantees the technical specifications published on the website in the document 2) Technical data sheets. The indication for use is merely indicative, even when written in the Seller's catalogues and manuals. On the basis of the characteristics described in the document 2) Technical data sheets, the designer always has the task of assessing the suitability of the product for the specific use conditions, taking into account the stress and variables to which the product will be subjected, which may alter its characteristics; for example, the traffic intensity, quality of traffic (foot traffic with the presence of sand, debris...), adverse weather conditions and any other unpredictable factor to which the material may be exposed.

H.3. In the event that identifiable product faults are ascertained, as defined in sub section G no. 3, the Seller shall replace the faulty product with another one with equal or superior characteristics; should this not be possible, the Seller shall apply a significant price reduction. Alternatively, following the return of the faulty products, the Buyer shall have the right to a refund of the price paid plus the transport cost, with the exclusion of compensation for any other direct and/or indirect damage.

H.4. The Seller's warranty shall not be valid if the products that have identifiable faults (totally or in part) have been used and/or in any case transformed, as this entails that the Buyer (or its customer) expressed the intention to accept them in the condition in which they were found.

H.5. In the event that hidden product faults are ascertained, the Seller's warranty is limited to the replacement with other products of equal or superior characteristics; should this not be possible the Seller shall refund the price paid plus the transport cost. In any case, the Seller's warranty for any direct and/or indirect damage caused by the faulty product, shall be limited to an amount that shall not be greater than double the selling price applied by the Seller, only in relation to the faulty part of the supply.

H.6. In the event that the Buyer resells the product to subjects protected by the consumer code (law decree no. 206/2005), the former shall be responsible for the conditions applied, if different from those stated herein, and shall ensure that the consumer's rights are exercised, in relation to the remedies and terms established by the said code. If there are the grounds for the Buyer to exercise the right of recourse and/or make a claim against the Seller/manufacturer, the said action shall take into account or go beyond the exemptions and limits established in sub sections G no. 1 and H no. 5.

I. SOLVE ET REPETE (pay and then claim) AND TERMINATION CLAUSES

I.1. Pursuant to article 1462 of the Italian Civil Code, on no account may the Buyer suspend or delay payment of collected material, including in the event of alleged defects or faults in the material; this does not affect the right to claim back any payments made unduly (solve et repete).

I.2. If the Buyer's financial situation changes or in the event of non-payment (even partial) of products already supplied, the Seller reserves the right to suspend the execution of the supplies underway and/or to terminate the contracts in force and the Buyer shall not have the right to claim direct and/or indirect compensation of any type.

L.- RETENTION OF OWNERSHIP

L.1. The products supplied shall remain exclusive property of the Seller until the Buyer has paid the full amount.

L.2. During the aforementioned period, the Buyer shall undertake the obligations and responsibilities as bailee (also referred to as custodian) and shall not transfer the said products, grant their use, let them be seized or distrained without declaring that the property is of the Seller, and the Buyer shall immediately inform the Seller by recorded delivery letter with advice of receipt.

M.- FORCE MAJEURE

M.1. Each party may suspend the fulfilment of its contractual obligations, when the said fulfilment is impossible or objectively too costly due to an unforeseeable impediment independent from the parties, such as for example: strike, boycott, lockout, fire, war (declared or not), civil war, riots and revolutions, requisitions, embargo, power blackouts, extraordinary breakage of machinery, delays in the delivery of components or raw materials.

M.2. The party that wishes to apply this clause shall immediately notify the onset and end of the circumstances of force majeure to the other party in writing.

M.3. If the suspension due to force majeure lasts longer than 60 (sixty) days, each party shall have the right to terminate this contract, with a notice of 10 (ten) days to be notified to the counterparty in writing.

N.- CONFIDENTIALITY

N.1. The Buyer undertakes to maintain confidentiality as regards all information of a technical (such as, by way of a non-limiting example, drawings, tables, documentation, formulas and correspondence) and commercial nature (including contractual conditions, purchase prices, payment conditions,...) gained during the performance of this contract.

N.2. The confidentiality obligation shall be undertaken for the entire duration of this contract and for the period following its execution.

N.3. In case of failure to uphold the confidentiality obligation, the non-fulfilling party shall pay the other party compensation for all damages that may derive therefrom.

O.- SELLER'S TRADEMARKS AND DISTINCTIVE SIGNS

O.1. The use of trademarks, ornamental designs and creative works in general, in whatever form and manner of expression (such as, by way of a non-limiting example: images, photos, drawings, videos, shapes, structures, etc.) constituting the Seller's intellectual property, through any means (such as, by way of a non-limiting example: press, video, radio, internet, social media, instant messaging platforms or VoIP, etc.) is strictly forbidden. Any exception to the said prohibition, even only partial, must be authorised in writing, each time, by the Seller's general management.

P.- CONTRACT LANGUAGE, APPLICABLE LAW, JURISDICTION AND AUTHORITY

P.1. The present contract is drafted in Italian, and in case of disputes the said version shall prevail over any translations in other languages.

P.2. Any dispute concerning the supply of products shall be subject to Italian law and jurisdiction and the Court of Modena, the town in which the Seller has its registered office, shall have sole local jurisdiction.

For more information refer to the General Conditions of Sale, available at www.atlasconcorde.com

FR-DE-ES-RU

Condizioni generali di vendita

REV. 3 DEL 1 SETTEMBRE 2020

A.- MODALITA' DI CONCLUSIONE DEL CONTRATTO

A.1. Le presenti Condizioni Generali di Vendita disciplinano ogni contratto di Vendita tra il Venditore e l'Acquirente ed ogni loro modifica o deroga deve essere concordata per iscritto.

A.2. Eventuali offerte, accrediti e/o abbuoni accordati da agenti o da altri intermediari, non sono ritenuti validi se non confermati per iscritto dal Venditore.

A.3. L'Acquirente invia al Venditore, direttamente o per il tramite di agenti, Ordini scritti che devono contenere l'indicazione dei codici dei Prodotti richiesti, delle quantità, del loro prezzo e della destinazione. L'Ordine inviato dall'Acquirente è irrevocabile.

A.4. La Vendita dovrà ritenersi conclusa nel momento in cui: (i) l'Acquirente riceva da parte del Venditore una Conferma scritta via e-mail, fax o altri mezzi telematici, conforme ai termini e alle condizioni dell'Ordine; o (ii) in caso di Conferma inviata dal Venditore contenente condizioni difformi dall'Ordine ricevuto dall'Acquirente quando questi l'accetti per iscritto o comunque non la contesti entro 7 (sette) giorni dalla ricezione; o (iii) in assenza di conferma scritta da parte del Venditore, nel momento
in cui i Prodotti saranno consegnati e caricati dall'Acquirente.

A.5. L'Acquirente condivide l'esigenza di limitare al territorio nazionale le vendite di prodotti Atlas Concorde. Il Venditore ritiene questa regola elemento indispensabile per permettergli di coordinare la sua politica commerciale e razionalizzare la rete distributiva, con offerte più orientate alle necessità dei singoli Paesi.
Parimenti, l'Acquirente riconosce che tale esigenza costituisce una tutela anche dei propri interessi.
L'Acquirente si obbliga quindi a commercializzare i prodotti forniti da Ceramiche Atlas Concorde SpA esclusivamente nel suo Paese di residenza, astenendosi dal promuovere vendite attive sollecitate anche online con clienti situati nel territorio di uno Stato diverso dal proprio. Per le operazioni triangolari il presente obbligo si applica al Paese di effettiva operatività dell'acquirente. L'Acquirente potrà rivendere il prodotto al di fuori dal proprio territorio nel caso in cui riceva autorizzazione per iscritto da parte del Venditore, o nel caso in cui la rivendita riguardi prodotti non di prima scelta, oppure prodotti fuori produzione.

B.- PREZZI

B.1. Salvo diversa pattuizione scritta, i prezzi di vendita concordati di volta in volta si intendono al netto per contanti e per consegna franco stabilimento del Venditore indicato nella Conferma d'Ordine.

C.- CARATTERISTICHE DEI PRODOTTI

C.1. L'Acquirente dichiara di aver preso visione ed attenersi al contenuto della seguente documentazione pubblicata nel sito internet aziendale: 1) Manuale di Posa, Uso, Pulizia e Manutenzione e 2) Schede tecniche.

C.2. Data la intrinseca variabilità del prodotto ceramico, le caratteristiche dei campioni e/o modelli inviati in precedenza dal Venditore all'Acquirente sono da considerarsi indicativi e non vincolanti.

C.3. Salvo specifiche richieste da concordare prima della Conferma d'Ordine, il Venditore non garantisce che l'ordine del singolo articolo venga evaso tutto con un medesimo lotto di produzione.

D.- TERMINI DI CONSEGNA

D.1. I termini di consegna sono da intendersi indicativi e la proroga di essi non può far maturare all'Acquirente alcun diritto a richiedere indennizzi, ogni eccezione rimossa.

D.2. Se, trascorsi 14 (quattordici) giorni dalla data di avviso di merce pronta, l'Acquirente non ritira il materiale, il Venditore sarà costretto per ragioni di spazio occupato a riportare il materiale nelle locazioni di deposito, sostenendo quindi costi supplementari; il Venditore si riserva la possibilità di addebitare tali costi supplementari all'Acquirente.

E.- RESA E SPEDIZIONE

E.1. L'eventuale variazione della destinazione dei Prodotti, diversa da quella concordata in Conferma d'Ordine, deve essere comunicata dall'Acquirente per iscritto entro e non oltre il secondo giorno antecedente a quello previsto per il ritiro presso la sede del Venditore. Il Venditore si riserva la facoltà di non accettare la variazione della destinazione dei Prodotti. Nel caso si verifichi che la destinazione effettiva del Prodotto sia stata diversa da quella dichiarata dall'Acquirente, il Venditore si riserva la facoltà di sospendere l'esecuzione delle forniture in corso e/o risolvere i contratti in corso senza che l'Acquirente possa rivendicare risarcimenti diretti e/o indiretti di alcun tipo.

E.2. Salvo patto contrario, la fornitura della merce si intende Franco Fabbrica (EXW ai sensi degli Incoterms 2010) e ciò anche quando sia convenuto che la spedizione o parte di essa venga curata dal Venditore su mandato dell'Acquirente. In ogni caso i rischi passano all'Acquirente al più tardi con la consegna al primo trasportatore.

E.3. Ferma restando l'estraneità del Venditore rispetto al contratto di trasporto, il Venditore non potrà essere indicato come "shipper" nella polizza di carico. La comunicazione del peso lordo del container allo spedizioniere, non costituisce alcuna assunzione di responsabilità da parte del Venditore ai fini della Convenzione SOLAS (Safety Of Life At Sea). In nessun caso tale comunicazione potrà essere intesa come VGM (Verified Gross Mass).

E.4. L'Acquirente s'impegna affinché il mezzo inviato presso i magazzini del Venditore sia idoneo al carico in relazione alla natura dei Prodotti. Nel caso il mezzo che si presenta comporti significative difficoltà per le operazioni di carico, il Venditore si riserva di addebitare una penale pari al 4% del valore dei prodotti a copertura dei maggiori costi logistici. Se il mezzo convenuto non è assolutamente idoneo, il Venditore si riserva la facoltà di negare le operazioni di carico senza che nulla possa essere richiesto dall'Acquirente a titolo di risarcimento per ogni onere diretto e/o indiretto che ne possa derivarne.

E.5. È compito dell'Acquirente incaricare il vettore di controllare i prodotti prima del carico; eventuali osservazioni in relazione all'integrità degli imballi e della rispondenza delle quantità caricate a quelle indicate sul documento di trasporto, devono essere sollevate dal vettore al momento del carico. Tali osservazioni devono essere riportate su tutte le copie dei documenti di trasporto, altrimenti i prodotti caricati s'intendono integri e completi. Ne deriva che il Venditore non si assume alcuna responsabilità in relazione a mancanze o danni dei prodotti non segnalati dal vettore.

E.6. È altresì responsabilità dell'Acquirente incaricare il vettore di verificare le modalità e la stabilità del carico sul mezzo affinché durante il trasporto non si verifichino rotture e affinché siano rispettate tutte le disposizioni di sicurezza riguardanti la circolazione stradale.

F.- PAGAMENTI

F.1. Qualsiasi obbligazione di pagamento deve essere adempiuta presso la sede legale del Venditore. Eventuali pagamenti ad agenti, rappresentanti o ausiliari di commercio non si intendono effettuati finché le relative somme non pervengono al Venditore.

F.2. È fatto divieto all'Acquirente di eseguire il proprio adempimento mediante pagamenti provenienti da paesi diversi dal proprio paese di residenza se trattasi di paesi che non garantiscono un adeguato scambio di informazioni con l'Italia. In caso di violazione di tale divieto, il Venditore ha facoltà di risolvere il contratto per giusta causa senza che l'Acquirente possa vantare il diritto di ottenere alcun risarcimento per l'eventuale danno subito.

F.3. Eventuali spese di bollo ed incasso effetti e tratte sono a carico dell'Acquirente. In caso di inadempimento, anche solo parziale, dal giorno fissato per il pagamento decorreranno a favore del Venditore gli interessi moratori nella misura prevista dal d.lgs. 09/10/2002 n. 231.

F.4. Salvo diversi accordi scritti, l'Acquirente si impegna a non compensare alcun credito, comunque insorto, nei confronti del Venditore.

G.- RECLAMI

G.1. Al ricevimento dei Prodotti, l'Acquirente dovrà sottoporli ad accurato controllo attraverso un esame visivo effettuato conformemente alle indicazioni riportate al punto 7 delle norme UNI EN ISO 10545-2

G.2. L'installazione e la posa dei Prodotti deve essere effettuata attenendosi scrupolosamente alle raccomandazioni inerenti le attività da svolgere prima e durante la posa in opera indicate nel documento 1) Manuale di Posa, Uso, Pulizia e Manutenzione pubblicato nel sito internet del Venditore e sulla confezione del prodotto e/o all'interno della stessa. Non sono considerati vizi del Prodotto quelli generati da un'errata installazione e dalla mancata/errata manutenzione (difformi dalle indicazioni fornite nel 1) Manuale di Posa, Uso, Pulizia e Manutenzione), da una non idonea destinazione d'uso e/o dalla normale usura nel tempo.

G.3. Fatti salvi i limiti di accettabilità previsti dalla norma internazionale EN 14411 (ISO 13006), le Parti riconoscono come Vizi Palesi i difetti dei Prodotti riscontrabili già al momento del loro ricevimento tali da rendere il materiale inidoneo all'uso o da diminuirne in modo apprezzabile il valore. Rientrano in tale categoria i difetti come definiti nel documento 1) Manuale di Posa, Uso, Pulizia e Manutenzione pubblicato nel sito internet del Venditore. A titolo esemplificativo e non esaustivo si riconoscono come Vizi Palesi i difetti superficiali, i difetti di decorazione, di lappatura/levigatura, di calibro, di planarità, di ortogonalità-rettilineità, di spessore, le crepe, le sbeccature, i fuori tono, i toni mescolati e i Prodotti che presentano problemi da taglio/scaglie.

G.4. Nel caso l'Acquirente rilevi Vizi Palesi dovrà fare reclamo al Venditore per iscritto, a pena di decadenza, entro 8 (otto) giorni dal ricevimento e tenere a disposizione del Venditore l'intera partita di materiale. Il reclamo dovrà riportare i dati di fatturazione e una precisa descrizione del vizio reclamato corredata, quando possibile, da immagini fotografiche. Qualora il reclamo dovesse risultare infondato, l'Acquirente si rende disponibile a risarcire il Venditore delle spese sostenute per l'eventuale sopralluogo (perizie, viaggi ecc.).

G.5. I Vizi Occulti dovranno essere notificati al Venditore mediante lettera raccomandata A.R., a pena di decadenza dalla garanzia, entro 8 (otto) giorni dalla data della scoperta del difetto.

G.6. L'azione dell'Acquirente diretta a fare valere la garanzia per vizi si prescrive comunque nel termine di 12 (dodici) mesi decorrenti dalla consegna dei Prodotti.

H.- GARANZIA PER VIZI

H.1. La garanzia del Venditore si intende limitata ai soli Prodotti di prima scelta e non ai Prodotti di seconda o terza scelta o di partite d'occasione con prezzi o sconti particolari quando debitamente segnalati in nota nella Conferma dell'Ordine.

H.2. Il Venditore non garantisce l'idoneità dei Prodotti ad usi particolari, ma soltanto le caratteristiche tecniche pubblicate nel sito internet nel documento 2) Schede tecniche. L'indicazione d'uso, anche quando presentata dal Venditore in cataloghi e manuali, è da ritenersi puramente indicativa. Sulla base delle caratteristiche tecniche riportate nelle 2) Schede Tecniche è sempre compito del progettista valutare l'idoneità del Prodotto alle condizioni specifiche di utilizzo in funzione delle sollecitazioni e delle variabili che si possono verificare nell'ambiente di destinazione alterandone le sue caratteristiche, a titolo d'esempio, all'intensità del traffico, alla qualità del traffico (calpestio in presenza di sabbia, di detriti...), alle eventuali condizioni climatiche avverse e a qualsiasi altra aleatorietà a cui può essere esposto il materiale.

H.3. Nel caso risulti accertato che il Prodotto manifesti Vizi Palesi, come definiti al sub lett. G n.3, il Venditore provvederà alla sostituzione del Prodotto difettoso con altro avente caratteristiche pari o superiori o nel caso ciò non sia possibile ad una congrua riduzione del prezzo. In alternativa l'Acquirente avrà diritto, previa restituzione dei Prodotti viziati, al rimborso del prezzo pagato, maggiorato del costo del trasporto, con esclusione del risarcimento di ogni altro danno diretto e/o indiretto.

H.4. La garanzia del Venditore deve ritenersi esclusa nel caso in cui il Prodotto affetto da Vizi Palesi (in tutto o in parte) sia stato utilizzato e/o comunque trasformato dovendosi ritenere che in tal modo l'Acquirente (o il suo cliente) abbia espresso la volontà di accettarli nello stato in cui si trovano.

H.5. Nel caso risulti accertato che il Prodotto manifesti Vizi Occulti, la garanzia del Venditore è limitata alla sostituzione del materiale con altro avente caratteristiche pari o superiori e ove ciò non sia possibile al rimborso del prezzo pagato maggiorato del costo del trasporto. In ogni caso la garanzia del Venditore per ogni danno diretto e/o indiretto comunque originato dal prodotto difettoso, deve intendersi limitata ad una somma che non potrà superare il doppio del prezzo di vendita applicato dal Venditore in relazione alla sola parte della fornitura difettosa.

H.6. Nel caso l'Acquirente rivenda il Prodotto a soggetti tutelati dal codice del consumo (d.l. n.206/2005) sarà responsabile delle condizioni praticate se difformi da quelle qui riportate e dovrà accertarsi che i diritti del consumatore siano esercitati nel rispetto dei rimedi e dei termini fissati da tale codice. Nel caso sussistano i presupposti, il diritto di regresso e/o comunque di rivalsa spettanti all'Acquirente verso il Venditore/produttore non potrà eccedere le esenzioni ed i limiti come fissati dal sub lett. G n.1 al sub lett. H n.5.

I. CLAUSOLE SOLVE ET REPETE E RISOLUTIVE

I.1. Ai sensi dell'art. 1462 del Codice Civile, per nessun motivo, ivi compresi pretesi vizi o difetti del materiale, l'Acquirente potrà sospendere o ritardare il pagamento del materiale ritirato, salva naturalmente la facoltà di ripetere quando possa dimostrare di avere indebitamente pagato.

I.2. Nel caso di mutamento delle condizioni patrimoniali dell'Acquirente o di mancato pagamento anche parziale di prodotti già forniti, il Venditore può **sospendere** l'esecuzione delle forniture in corso e/o risolvere i contratti in corso senza che l'Acquirente possa rivendicare risarcimenti diretti e/o indiretti di alcun tipo.

L.- PATTO DI RISERVATO DOMINIO

L.1. Fino a quando l'Acquirente non avrà provveduto all'integrale pagamento del prezzo, i Prodotti oggetto della fornitura rimarranno di proprietà del Venditore.

L.2. Durante il periodo suddetto, l'Acquirente assumerà gli obblighi e le responsabilità del custode, e non potrà alienare, dare in uso, lasciare sequestrare o pignorare tali Prodotti senza dichiarare la proprietà del Venditore e dare immediato avviso a mezzo raccomandata A.R.

M.- FORZA MAGGIORE

M.1. Ciascuna parte potrà sospendere l'esecuzione dei suoi obblighi contrattuali quando tale esecuzione sia resa impossibile o oggettivamente troppo onerosa da un impedimento imprevedibile indipendente dalla sua volontà, quale ad esempio: sciopero, boicottaggio, serrata, incendio, guerra (dichiarata o non), guerra civile, sommosse e rivoluzioni, requisizioni, embargo, interruzioni di energia, rotture straordinarie di macchinari, ritardi nella consegna di componenti o materie prime.

M.2. La parte che desidera avvalersi della presente clausola dovrà comunicare immediatamente per iscritto all'altra parte il verificarsi e la cessazione delle circostanze di forza maggiore.

M.3. Qualora la sospensione dovuta a forza maggiore duri più di 60 (sessanta) giorni, ciascuna parte avrà il diritto di risolvere il presente contratto, previo un preavviso di 10 (dieci) giorni, da comunicarsi alla controparte per iscritto.

N.- OBBLIGO DI RISERVATEZZA

N.1. L'Acquirente è tenuto ad osservare la più assoluta riservatezza su tutte le notizie di carattere tecnico (quali, in via meramente esemplificativa, disegni, prospetti, documentazioni, formule e corrispondenza) e di carattere commerciale (ivi comprese le condizioni contrattuali, i prezzi d'acquisto, le condizioni di pagamento ...) apprese in esecuzione del presente Contratto.

N.2. L'obbligo di riservatezza viene assunto per tutta la durata del Contratto, nonché per il periodo successivo alla sua esecuzione.

N.3. In ogni caso di inosservanza dell'obbligo di riservatezza, la parte inadempiente è tenuta e risarcire all'altra tutti i danni che ne dovessero derivare.

O.- MARCHI E SEGNI DISTINTIVI DEL VENDITORE

O.1. L'utilizzo dei marchi, dei modelli ornamentali e delle opere d'ingegno in genere, in qualunque forma o modo di espressione (quali a titolo meramente esemplificativo, ma non esaustivo: immagini, foto, disegni, filmati, figure, strutture, etc.) costituenti proprietà intellettuale del Venditore, attraverso qualsiasi mezzo (quali a titolo meramente esemplificativo, ma non esaustivo: stampa, video, radio, internet, social media, piattaforme di messaggistica istantanea o VoIP, etc.) è severamente vietato. Qualsiasi deroga a tale divieto, anche solamente parziale, dovrà essere autorizzata per iscritto, caso per caso, dalla Direzione generale del Venditore.

P.- LINGUA DEL CONTRATTO, LEGGE APPLICABILE, GIURISDIZIONE E COMPETENZA

P.1. Il Contratto e le presenti condizioni sono redatti in lingua Italiana, la quale prevarrà nel caso di divergenza con la traduzione in altre lingue.

P.2. La definizione di qualsiasi controversia comunque relativa alle forniture è soggetta alla legge ed alla giurisdizione dello Stato Italiano e la competenza territoriale viene devoluta in via esclusiva al Tribunale di Modena nella cui circoscrizione il Venditore ha la sua sede legale.

Per maggiori informazioni riferirsi alle Condizioni Generali di Vendita, disponibili all'indirizzo www.atlasconcorde.com

Notes

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications.
Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones -
Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications.
I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif - Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist.
Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Ceramic products can have slight variations in tone. Check with the sales representative for the possibility of combining production lots, formats, decorations and special pieces.
Il prodotto ceramico può essere leggermente variabile in termini di toni. Verificare con il referente commerciale l'abbinabilità sia tra i lotti produttivi che tra i formati e i decori o i pezzi speciali. - Le produit céramique peut légèrement différer sur l'aspect de la couleur. Vérifier avec le référent commercial que l'assortiment soit entre les lots de fabrication qu'entre les formats et les décors ou les pièces spéciales - Im keramischen Produkt sind Abweichungen von Farbton möglich. Wenden Sie sich bitte an den Verkaufsleiter, um zu überprüfen, wie man die verschiedenen Posten, Formate, Dekore oder Spezialteile miteinander kombinieren kann - El producto cerámico puede variar levemente en lo que respecta a los tonos. Consulte con el representante de ventas la combinación entre los lotes producidos y entre los formatos y las decoraciones o las piezas especiales - Керамические изделия разных партий могут слегка отличаться по тону. Проверьте вместе с торговым представителем сочетаемость с изделиями других партий, а также с форматами, декоративными или специальными элементами.

The production sizes of special pieces in porcelain tiles may vary from the nominal sizes provided for in current standards (ISO 13006 - EN 14411 Annex G) for non-modular tiles.
Le dimensioni di fabbricazione dei pezzi speciali in gres porcellanato possono derogare dalle dimensioni nominali previste dalle normative vigenti (ISO 13006 - EN 14411 appendice G) per le piastrelle non modulari. - Les dimensions de fabrication des pièces spéciales en grès cérame peuvent déroger aux dimensions nominales prévues par les règlements en vigueur (ISO 13006 - EN 14411 annexe G) pour les carreaux non modulaires. | Die Produktionsmaße der Formteile aus Feinsteinzeug können für die nicht modularen Fliesenformate von den Sollmaßen der geltenden Normen (ISO 13006 - EN 14411 Anhang G) abweichen. - Los tamaños de fabricación de las piezas especiales de gres porcelánico pueden ser diferentes de las dimensiones nominales previstas por las normas vigentes (ISO 13006 - EN 14411 apéndice G) para las baldosas no modulares. - Производственные размеры специальных элементов из керамогранита могут отклоняться от номинальных размеров, предусмотренных действующими стандартами (ISO 13006 - EN 14411, Приложение G) для немодульных плиток.

The actual dimensions of the special pieces and the smaller pieces obtained by cutting porcelain tiles could deviate from the tolerances in the catalog, which instead for the rectified formats are guaranteed by Atlas Concorde.
Le dimensioni reali dei pezzi speciali e dei sottoformati ottenuti da tagli in gres porcellanato potrebbero derogare rispetto alla tolleranze presenti a catalogo garantite da Atlas Concorde sui formati rettificati. - Les dimensions réelles des pièces spéciales et des sous formats obtenus à partir des coupes en grès cérame pourraient varier par rapport aux tolérances présentes au catalogue garanties par Atlas Concorde sur les formats rectifiés. - Die tatsächlichen Abmessungen der Formstücke und der geschnittenen Unterformate aus Feinsteinzeug können von den im Katalog genannten, von Atlas Concorde für rektifizierte Formate garantierten Toleranzen abweichen. - Las dimensiones reales de las piezas especiales y de los subformatos obtenidos por cortes de gres porcelánico, podrían no cumplir con las tolerancias indicadas en el catálogo, garantizadas por Atlas Concorde para los formatos rectificados. - Фактические размеры специальных элементов и подформатов, полученных путем разрезания керамогранита, могут отклоняться от допусков, указанных в каталоге и гарантируемых компанией Atlas Concorde для ретифицированных форматов.

Copyright 2024 by Ceramiche Atlas Concorde S.p.A - The reproduction of the work, fully or in part, is strictly forbidden.
Copyright 2024 by Ceramiche Atlas Concorde S.p.A - È vietata la riproduzione, anche parziale, dell'opera in tutte le sue forme.
Copyright 2024 by Ceramiche Atlas Concorde S.p.A - Toute reproduction, même partielle, de l'œuvre dans toutes ses formes est interdite.
Copyright 2024 by Ceramiche Atlas Concorde S.p.A - Die Reproduktion, ganz oder teilweise, des Werkes in all seinen Formen ist verboten
Copyright 2024 by Ceramiche Atlas Concorde S.p.A - Está prohibida la reproducción, incluso parcial, de la obra en todas sus formas.
Copyright 2024 by Ceramiche Atlas Concorde S.p.A - Запрещается любое полное или частичное воспроизведение данной работы.

January 2024

atlas concorde

atlasconcorde.com